G&B GROUP
FIXING INNOVATION

G&B Fissaggi UK

35 1980-2015
YEARS OF FIXING EVOLUTION

GENERAL CATALOGUE 03

G&B is

- design
- experience
- certified quality
- maximum versatility
- reliability
- technical assistance
- research and development
- customized solutions
- safety
- performance
- customer satisfaction
- training



TECHNICAL ASSISTANCE

information about:
products,
technical and safety data sheets,
certifications,
after sales service,
guide for anchor's choice,
training.



CUSTOMER CARE

Information about:
state of the orders,
deliveries,
invoices.

TRAINING

on line

G&B CALCULATION PROGRAM

professional design
of anchorage in concrete

think fixing

	European Technical Approval (ETA)
	CE Approval
LEED®	Complies with **Requirements LEED® CAI 4.1** (Bonded Anchors)
DIELECTRICS FASTENERS	**Dielectrics Fasteners** Approval (Bonded Anchors)
ÉMISSIONS DANS L'AIR INTÉRIEUR* A+	**Class Emission A+** for volatile organic compounds (VOCs) indoors
	European Quality Institute Srl Approval (for bracket GB-Solar Block)
Feuerwiderstandsklasse F120 / Feuerwiderstandsklasse F90	**FIRE Resistance** Approval **F120** **FIRE Resistance** Approval **F90** (for GX-L Nylon)
TESTED BY "INSTITUTE POLYTECNIC" OF TURIN	Tested by the Engineering Department "**Institute Polytechnic**" of Turin
TESTED BY "ISTITUTO GIORDANO S.P.A."	Tested by "**Istituto Giordano S.p.A.**".

HLM CE

GAMMA CE

SITA CE

GX-L Nylon CE

OP12

GETO WOOD

GEBOFIX EPO PLUS RE

MA GREEN PLUS

GEBOFIX VE-SF PRO

Recommended load values in **kg**

	anchor			base					
		Ø hole	thread	C20/25 concrete	solid block	hollow brick	aerated concrete	concrete hollow block	plasterboard
GENERAL FIXING	**GL Nylon**	5		32	27	14	7		
		6		50	27	14	9		
		8		54	36	27	16		
		10		143	71	54	20		
		12		214	82	59	23		
		14		429	91	64	36		
	Condor Nylon	4		11	5				
		5		29	11	11			
		6		43	27	11			
		7		50	30	11			
		8		64	36	14			
		10		129	50	14			
		12		157	59	14			
		14		271	71	18			
	Universal Nylon	6		16	16	14			
		8		32	32	18			
		10		50	50	29			
	GBU Nylon	6		18	16	7			
		8		32	25	11			
		10		50	29	14			
	Casa Nylon	9	M4	39					
		12	M5	50					
	Casa Acciaio	9	M4	39					
		12	M5	50					
	Nylcasa	9	M4			14			7
NYLON FRAME FIXINGS	**Condor cornice Nylon**	6		14	13				
		8		71	57				
		10		98	68				
	Later Cornice Nylon	8				29			
		10				46			
		12				64			
		16				86			
	GX-L Nylon [1]	8		79 [2]	100	14			
		10		119 [2]	114	26			
	Infisso Nylon	8		57	50	14			
		10		93	86	21			
	Turbo Jet Nylon	5		16					
		6		27					
		8		38					
		10		54					
	GETO infisso Screw	h_{ef} 30		76					
		h_{ef} 40			29	5			
		h_{ef} 60				21			
		h_{ef} 80			179				
HOLLOW WALLS FIXING	**Ancora Steel DE**	14	M4			29		29	
	Ancora Steel DR	16	M6			11		89	
		20	M8			11		179	
	Lastro Nylon	8				14			7
	Lastro Steel	8	M4						7
		10	M5						7
		12	M6						7
	RAPID Nylon	-					11		4
	RAPID Steel	-					11		4

Values obtained using the screws with the bigger diameter among those allowed for each anchor.

Recommended load values in **kg**

MEDIUMUM HEAVY DUTY FIXING

anchor			base			
	Ø hole	thread	C20/25 concrete	solid block	hollow brick	aerated concrete
BRIC BCM	12	M8	39		18	14
	14	M10	80		21	4
OMEGA Brass	7	M5	54	46		
	8	M6	71	64		
	10	M8	143	113		
	12	M10	179	161		
	15	M12	218	196		

HEAVY DUTY FIXXINGS

Ø hole	6	8	10	12	14	16	18	20	24
DELTA Steel		262	476	738		1048			
GAMMA Steel (CE1)			762	762		952	1666		2143
SITA Steel (CE 1)		357	635	794		1666		1980 [1]	
SITA Steel (CE 7) extralong sizes	605	571	635	992	1190	1389		1984	
SITA Steel				571		993			
GETO PLUS	179	279	369	579		821		1164	1321
GETO PLUS	286 (h_{ef} 45)	429 (h_{ef} 60)	643 (h_{ef} 70)						

thread	M6	M8	M10	M12	M16
TRIAL TRM Steel [2]	214	393	429	560	767
NTR Steel	214	393	560	595	
GBM Steel	131	179	321	357	
ALFA Steel	143	214	286	476	
HLM Steel (CE 8)	236	429	571	764	1143
BETA Steel	71	114	157	243	400

Base: non-cracked concrete **C20/25** - [1] CE op. 7 - [2] Selling out - (h_{ef}) = effective anchorage depth.

BUILDING CHEMICAL

threaded rod	M8	M10	M12	M16	M20	M24	M27	M30
MA Multi Anchor	437	675	952	1071	1825			
MA Green PLUS (CE 7)	635	1381	1389	1984	2976	3770		
Gebofix VE-EASF (CE 7) / SUMMER	635	1381	1389	1984	2976	3770		
Gebofix PRO VE-SF (CE 7) / SISMIK PRO	814	1122	1646	2493	4239	5969	7153	7854
Gebofix EPO PLUS RE (CE 1)	1037	1459	1975	2992	3996	5386	7213	8976
Gebofix Nordic VE-SF	631	992	1385	1980	3821	4365	5238	6548
Gebofix T400 EP	814	1122	1646	2493	4239	5969	7153	7854
CHEM 5	405	583	810	1167	1762	3119	4238	5190
Gebofix TF Glass Capsule (CE 8)	357	476	635	992	1587			

Base: non-cracked concrete **C20/25** at effective anchorage depth hef (h_{ef}) stated in technical data sheet.
For the correct selection of the bar (characteristics of steel), appropriate to the load type, see anchor data sheet.

Note
These tables show maximum recommended loads for single fixings, placed from a free edge of the base material and used in a suitable thickness substrate in accordance with the guidelines. Load values to be used as a guide only. The choice and design of anchoring is up to the designer, and must be done in reference to technical data sheets and product certifications. Characteristic loads and safety factors of certified anchors are stated by the **European Technical Approval (ETA)** of the anchor. Characteristic loads of anchors without CE marking derive from tests conducted in external laboratories or in G&B laboratory according to relevant standards.Pull-out values are measured on base materials without plaster. For anchors used with various accessories, the value refers to the stud or threaded bar.

RIVETS & BLIND NUTS

Scell-it®

new line of FASTENING FOR THE INDUSTRY

RIVETS
BLIND NUTS
PROFESSIONAL TOOLS

HIGH QUALITY

HIGH EUROPEAN QUALITY

- WIDE RANGE ALWAYS AVAILABLE
- HIGH EUROPEAN QUALITY

pag. 103

DRILL BITS FOR METAL SHEET

DRILL BITS GEBFOR HSS
FOR METAL SHEET, MILLED AND GRINDED, EXTRA SHORT

Specifications for tinsmiths, fully rectified, sharpening angle of 118 ° Split Point drills give improved starting and centering ability, improved hole accuracy and better penetration capabilities for faster drilling of metals.

pag. 124

GEBOTEC PROFESSIONAL

GEBOTeC Professional

NEW GEBOTEC PROFESSIONAL SPRAY

- BRAKE & GEARS CLEANER
- DARK ZINC 98%
- ELECTRIC CONTACTS CLEANER
- RELEASE AGENT FOR WELDINGS
- HIGH PRESSURE CLEANER

GT-27 GT-ZINC98 GT-PE GT-SALD GT-AP

TECHNICAL PROFESSIONAL SPRAY

Long life to the movement

pag. 69

HEAVY DUTY FIXING

ANCHORS SITA CE1 AND GAMMA CE1

CE OPTION **1**

for structural fixings

Under certification for FIXING IN SEISMIC AREA **CAT C1 and CAT C2**

GAMMA Steel Heavy Duty Ancho CE 1

CE Option 1 for cracked and non cracked concrete
with countersunk flat head screw 8.8 hex socket

GAMMA Steel Heavy Duty Anchor CE 1

CE OPTION 1 for cracked concrete
with Hex Head Bolt 8.8 grade and washer

ETA-11/0181
OPTION 1

F120

FIXING IN SEISMIC AREA
PENDING

SITA Steel Anchor CE 1

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete

ETA-10/0076
OPTION 1

F120

FIXING IN SEISMIC AREA
PENDING

pag. 34

MIDDLE HEAVY DUTY FIXING

FOR SAFETY NETS

DELTA Steel Anchor

with PIG TAIL HOOK
for safety nets

pag. 28

NYLON FRAME

INOX (A4)

GX-L NYLON Anchor

with countersunk flat head screw
TORX T30 and T40
STAINLESS STEEL AISI 316 (A4)

ETAG 020
ETA12-0261

F90
GX-L Ø 10mm

pag. 13

DRILL BITS AND ACCESSORIES FOR ELECTRIC TOOLS

DRILL BITS GEBFOR TURBO 4

SDS plus

Professional drill bits with 4 sharp tungsten carbide, with SDS PLUS and double spiral tip for a better and faster drilling speed.
4 cutting edges to grant better precision and accuracy of drilling.
Applications: stone, concrete. Suited for roto-percussion.

pag. 127

FIXINGS SPECIFICALLY FOR PLUMBING AND ELECTRICAL APPLICATIONS

SUPPORTS FAST FIX

for tubes Ø16-63

pag. 118

GEBOSIL

SILAC-WOOD
ACRYLIC SEALANT / ADHESIVE PROFESSIONAL FOR WOOD AND PARQUET

High quality elastic acrylic sealant for sealing and bonding parquet and wood surfaces. Ideal for containers, window frames, baseboards, beading, cracks and crevices in furniture and walls, for installation of doors and windows in wood. Excellent adhesion to wood, masonry, plaster.
Cures quickly, can be sanded and painted with standard parquet lacquers and paints. Also for use in parquet knots.

- ***SANDABLE***
- ***PAINTABLE***

ESELF29

pag. 58

GEBOSIL

SUPER GRIPP
ACRYLIC ADHESIVE
"ROUGH EFFEC"

Suitable for bonding strips of wood, and elements of decorative polystyrene, cladding panels both wall and ceiling.
PAINTABLE.

INDOOR USE

Load: 2,5 kg/cm²

pag. 61

GEBOSIL

FIRE PROTECTION

ACRYLIC SEALANT PROFESSIONAL
FIRE RESISTANCE - EI 240

Acrylic sealant for use in joints requiring fire resistance, for the sealing of windows, walls, stairs, precast panels, fire doors, passages for pipes, cables and conduits. Forms a barrier against the propagation of fire and smoke in case of fire, expanding with the increase of heat. Also it adheres to damp substrates. Suitable for sealing outdoor and indoor on concrete, plaster, masonry, wood, and where fireproof materials are required.
CLASSIFICATION STANDARD **EN 13501-2**
TEST REPORT **No. 298762 / 3471FR**
INSTITUTE GIORDANO S.P.A.

- ***FIRE RESISTANCE***

pag. 78

CHEMICAL ANCHOR

GEBOFIX VE/EA-SF SUMMER
VINYLESTER- EPOXY RESIN

- **High performance**
- **Max flexibility**
- **FOR APPLICATION WITH HIGH TEMPERATURES APPLICATION FOR USE UP TO + 45°C.**

ETA PENDING

pag. 43

GEBOFOAM

POLYURETHANE FOAM
GEBOFOAM B1
TYPE B1

for professional gun
n° of Certification 091085-RE
Materialprufanstalltfur das Bauwesen.
With SAFETY VALVE

Safety gloves included
CE approval

- ***B1 - SELF-EXTINGUISHING UP TO 240 MIN***

SAFETY VALVE | **EI 240**

pag. 65

NEW PACKAGING G&B GROUP

NEW DISPLAY STAND G&B GROUP

GENERAL INDEX

Recommended use ●
Suitable use ●

GENERAL FIXINGS

	page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty: LIGHT	MEDIUMUM	MEDIUMUM HEAVY	HEAVY
GL Nylon	2	●	●	●	●	●	●	●		●			
Condor Nylon	3	●	●	●	●	●		●		●			
Universal Nylon	5	●	●	●	●	●	●			●			
GBU Nylon	5	●	●	●	●	●	●			●			
Casa Nylon	6	●	●	●	●	●	●	●		●			
Casa Steel	9	●	●	●	●	●				●			
Nylcasa	8	●	●	●	●	●	●			●			
Reggimensola BCS	8	●	●	●	●			●			●		

NYLON FRAME FIXINGS

	page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty: LIGHT	MEDIUMUM	MEDIUMUM HEAVY	HEAVY
Condor Cornice Nylon	14	●	●	●							●		
GX-L Nylon	12	●	●	●	●	●	●	●			●		
Later Cornice Nylon	14		●	●	●	●					●		
Turbo Jet Nylon	16	●	●	●	●	●					●		
Infisso Nylon	18	●	●	●	●	●		●			●		
GETO Infisso Screw	19	●	●	●	●						●		
Cover Cap for Screw GETO Infisso	19												
TCE Screw	18									●	●		

Recommended use ●
Suitable use ●

		page	stone concrete	solid block	semisolid brick	hollow brick	hollow brick concrete	plasterboard	light concrete	wood	Duty: LIGHT	Duty: MEDIUMUM	Duty: MEDIUMUM HEAVY	Duty: HEAVY
HOLLOW WALLS FIXINGS														
Ancora Steel		22				●	●	●			●	●		
Lastro Nylon		22				●	●	●			●			
Rapid Nylon		23						●	●		●	●		
Rapid Steel		22	●	●								●		
Lastro Steel		24				●	●	●			●	●		
MEDIUMUM HEAVY DUTY FIXINGS														
Bric BCM Nylon		26	●	●	●	●	●		●			●		
Omega Brass		26	●	●								●		
Delta Steel		27	●	●	●							●		
Delta Steel Anchor with stud and flanged nut		27	●	●	●									
HEAVY DUTY FIXINGS														
Trial TRM Steel		30	●											●
NTR Steel		31	●	●										●
GBM Steel		32	●	●										●
Alfa Steel		33	●	●										●
HLM Steel CE		34	●											●
Gamma Steel CE 1		34	●											●
Sita Steel CE 1		36	●											●
Beta Steel		35	●											●
Geto Plus		35	●	●										●

Screws 8.8 class are according to UNI EN ISO 898-1:2001

CHEMICAL ANCHORS

Recommended use ●
Suitable use ●

	page	stone concrete	solid brick	semisolid brick	hollow brick	hollow concrete block	plasterboard	Light concrete	wood	Duty: LIGHT	Duty: MEDIUM	Duty: MEDIUM HEAVY	Duty: HEAVY
MA Multi Anchor Polyester Resin	40	Suitable use	Recommended use	Recommended use	Recommended use	Recommended use		Suitable use				Recommended use	Recommended use
Multi Anchor Green Plus Polyester Resin styrene free	40	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use		Suitable use				Recommended use	Recommended use
Gebofix VE/EA-SF Epoxy-Acrylate Resin styrene free	41	Recommended use	Recommended use	Suitable use	Suitable use	Suitable use		Suitable use	Recommended use			Recommended use	Recommended use
Gebofix PRO VE-SF CE1 Vinylester Resin styrene free	42	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use		Suitable use	Recommended use				Recommended use
Sismik PRO CE1 Vinylester Resin styrene free	42	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use		Suitable use	Recommended use				Recommended use
Gebofix Epo Plus RE Pure Epoxy 3 : 1	43	Recommended use	Suitable use	Suitable use					Recommended use				Recommended use
Gebofix Summer VE/EA-SF Vinylester Resin Epoxy styrene free for high temperature	42	Recommended use	Suitable use	Suitable use					Recommended use				Recommended use
Gebofix Nordic VE-SF Vinylester Resin low temperature	41	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use		Suitable use	Suitable use				Recommended use
All - Fix Two components Resin based on a Polyurethane	44	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use	Recommended use			
Chem 5 Pouring Chemical Resin	45	Recommended use											Recommended use
Gebofix Chemical Glass Capsule	45	Recommended use											Recommended use
Chemical Accessories	48												

Recommended use ●
Suitable use ●

GEBOSIL - GEBOFOAM

GEBOTEC

SPECIAL FIXINGS FOR BUILDING

	page	stone concrete	solid brick	semisolid brick	hollow brick	hollow concrete block	plasterboard	Light concrete	wood	Duty: LIGHT	Duty: MEDIUM	Duty: MEDIUM HEAVY	Duty: HEAVY
Gebosil Sealants and Adhesive	56	●	●	●	●	●	●	●	●				
Sealants **Accessories**	61												
Gebofoam Polyurethane Foams manual and for gun	64	●	●	●	●	●	●	●	●				
D500 and Accessories	68												
Gebotec Professional Technical Professional Spray	70												
Eyebolt for Scaffolding (TESTED BY POLITECNICO DI TORINO)	76	●	●	●	●								●
Extractor 0 - 20 KN	76												
Scaffolding anchoring extension (TESTED BY ISTITUTO GIORDANO S.p.A.)	80												
GETO Screws	80								●				
GETO Screws self drilling	82				metal								
Screws Geto Wood	82								●				
Rapid Lastro CE	83								●				
GB Nylon	84						●						
GB Nylon	86						●			●			

Recommended use ●
Suitable use ●

		page	stone concrete	solid brick	semisolid brick	hollow brick	hollow concrete block	plasterboard	Light concrete	wood	Duty: LIGHT	Duty: MEDIUM	Duty: MEDIUM HEAVY	Duty: HEAVY
SPECIAL FIXINGS FOR BUILDING	**Isofis**	85	● *	● *	●	●					●			
	Iso Rapid Nylon	86	panels of polyurethane and polystyrene											
BUILDING SITE SPECIAL PRODUCTS	**Products and Accessories for the construction industry**	88												
GEBFIX SOLAR	**GB-Solar Block brackets** PATENTED G&B European Quality Institute Srl	94	●	●	●	●	●		●	●	●	●		
	GB-Solar Block accessories	94	●	●	●	●	●		●	●	●	●		
PAT PROGRAM	**Powder actuated tools** APPROVATO CIP	100	●	●	●	●	●		●	●	●	●		
	PAT Nails	100	●	●	●	●	●		●	●	●	●		
RIVETS & BLIND NUTS	**Rivets & Blind Nuts**	104	metal											
	Professional Tools	111												

Recommended use ●
Suitable use ●

	page	stone concrete	solid brick	semisolid brick	hollow brick	hollow concrete block	plasterboard	Light concrete	wood	Duty: LIGHT	MEDIUM	MEDIUM HEAVY	HEAVY
FIXINGS FOR PLUMBING AND ELECTRICAL APPLICATIONS													
Sanifis	116	●	●	●	●					●			
Collar for fastening pipes	116	●	●	●	●					●			
Fast supports for tubes	115									●			
Cable ties	117									●			
Gebopin steel banding and collar	118									●			
DRILL BITS AND ACCESSORIES FOR ELECTRIC TOOLS													
Dril bits and chisels	128	●	●	●	●	●							
Drill for concrete	125	●	●	●	●	●			●				
HSS drills for metals	122				metal		●						
Drill Bits GEBFOR HSS for metal sheet	124				metal								
Drill Bits GEBFOR TURBO4	127	●	●	●	●	●							
BLISTER													
Clam Pack	129												

Nylon plugs, for fixing light and medium loads, with main construction materials

GL NYLON

Is an innovative multipurpose anchor with great adaptability in a lot of materials. it has a **4-way structure to increase expansion**, an "elastic" collar to permit a through-fastening, and it can be used with severaltypes of screws ensuring high load values.

stone concrete | solid brick | semisolid brick

HIGH QUALITY NYLON

GL Nylon Anchor
multipurpose

USE WITH METRIC SCREW

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65001	5x25	GL5	-	-	200	6400
65002	6x30	GL6	-	-	200	6400
65003	8x40	GL8	-	-	100	2000
65004	10x50	GL10	-	-	50	1000
65017	12x60	GL12	-	-	25	500
65018	14x70	GL14	-	-	25	500

GL Nylon Anchor
multipurpose
bulked packed in Industrial Polybag

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65009	5x25	GL5	-	-	1000	10000
65010	6x30	GL6	-	-	1000	10000
65011	8x40	GL8	-	-	500	10000
65012	10x50	GL10	-	-	250	5000
65019	12x60	GL12	-	-	125	2500
65020	14x70	GL14	-	-	50	2000

GL Nylon Anchor
multipurpose with cross flat head countersunk screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65005	5x25	GL5VPS	4x30	5	100	3200
65006	6x30	GL6VPS	4,5x40	10	100	3200
65007	8x40	GL8VPS	5x50	10	50	1200
65008	10x50	GL10VPS	6x60	10	50	800

GL Nylon Anchor
with white zinc plated wide head screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65087	5x25	GL5TL	3,5x30	5	100	2400
65013	6x30	GL6TL	4,5x40	10	100	2400
65014	8x40	GL8TL	5x50	10	50	1200

GL Nylon Anchor
with white zinc plated hexhead screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
65064	8x40	GL8VM	6x50	10	50	800
65065	10x50	GL10VM	7x60	10	25	400
65066	12x60	GL12VM	8x70	10	25	400
65067	14x70	GL14VM	10x80	10	20	320

CONDOR NYLON

stone concrete | solid brick | semisolid brick

HIGH QUALITY NYLON

CONDOR Nylon Anchor
without collar

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC04	4x20	C4	-	-	200	6400
HTC05	5x25	C5	-	-	200	6400
HTC06	6x30	C6	-	-	200	6400
HTC07	7x30	C7	-	-	100	4000
HTC08	8x40	C8	-	-	50	2000
HTC10	10x50	C10	-	-	25	1000
HTC12	12x60	C12	-	-	25	500
HTC14	14x80	C14	-	-	25	500
HTC1410	14x100	C14A100	-	-	25	400

CONDOR Nylon Anchor
without collar
bulked packed in Industrial Polybag

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC50	5x25	C5	-	-	1000	10000
HTC60	6x30	C6	-	-	1000	10000
HTC80	8x40	C8	-	-	500	10000
HTC100	10x50	C10	-	-	250	5000
HTC120	12x60	C12	-	-	125	2500
HTC140	14x80	C14	-	-	50	2000

CONDOR Nylon Anchor
without collar
bulk packed

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC500	5x25	C5	-	-	-	50000
HTC600	6x30	C6	-	-	-	25000
HTC800	8x40	C8	-	-	-	10000
HTC1000	10x50	C10	-	-	-	5000
HTC1200	12x60	C12	-	-	-	2500
HTC1400	14x80	C14	-	-	-	2000

CONDOR Nylon Anchor
without collar with white zinc plated cross flat head countersunk screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTC55	5x25	C5VPS	4x30	5	100	3200
HTC65	6x30	C6VPS	4,5x40	5	100	3200
HTC85	8x40	C8VPS	5x50	5	100	1600
HTC105	10x50	C10VPS	6x60	10	50	800

CONDOR NYLON

stone concrete | solid brick | semisolid brick

HIGH QUALITY NYLON

CONDOR Nylon Anchor
with collar

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB05	5x25	CB5	-	-	200	6400
HTCB06	6x30	CB6	-	-	200	6400
HTCB08	8x40	CB8	-	-	100	2000
HTCB10	10x50	CB10	-	-	50	1000

CONDOR Nylon Anchor
with collar industrial pack

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB50	5x25	CB5	-	-	1000	10000
HTCB60	6x30	CB6	-	-	1000	10000
HTCB80	8x40	CB8	-	-	500	10000
HTCB100	10x50	CB10	-	-	250	5000

CONDOR Nylon Anchor
with collar bulk packed

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB500	5x25	CB5	-	-	-	60000
HTCB600	6x30	CB6	-	-	-	25000
HTCB800	8x40	CB8	-	-	-	10000
HTCB1000	10x50	CB10	-	-	-	5000

CONDOR Nylon Anchor
complete with collar and cross flat head countersunk chipboard screw, whit zinc plated

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTCB55	5x25	CB5VPS	4x30	5	100	3200
HTCB65	6x30	CB6VPS	4,5x40	5	100	3200
HTCB85	8x40	CB8VPS	5x50	5	100	1600
HTCB105	10x50	CB10VPS	6x60	10	50	800

UNIVERSAL NYLON

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard

HIGH QUALITY NYLON

UNIVERSAL Nylon Anchor
with collar

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HNU06	6x35	NU6/35	-	-	200	4000
HNU08	8x42	NU8/42	-	-	100	2000
HNU080	8x50	NU8/50	-	-	50	1000
HNU10	10x60	NU10/60	-	-	25	500

UNIVERSAL Nylon Anchor
with collar industrial packed

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HNU60	6x35	NU6/35	-	-	1000	5000
HNU80	8x42	NU8/42	-	-	500	5000
HNU0800	8x50	NU8/50	-	-	500	5000
HNU100	10x60	NU10/60	-	-	250	2500

UNIVERSAL Nylon Anchor
with collar, with white zinc plated countersunk flat head screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HNUV06	6x35	NU6/35V	4x45	10	100	3200
HNUV08	8x42	NU8/42V	4,5x50	8	100	800
HNUV080	8x50	NU8/50V	4,5x60	10	100	800
HNUV10	10x60	NU10/60V	5x70	10	50	800

GBU NYLON

semisolid brick | hollow brick | hollow concrete block | plasterboard

HIGH QUALITY NYLON

GBU Nylon Anchor
with collar

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HGBU06	6x40	GBU6	-	-	200	4000
HGBU08	8x50	GBU8	-	-	100	2000
HGBU10	10x60	GBU10	-	-	50	1000

GBU Nylon Anchor
with collar industrial packed

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HGBU60	6x40	GBU6	-	-	1000	5000
HGBU80	8x50	GBU8	-	-	500	5000
HGBU100	10x60	GBU10	-	-	250	2500

GBU Nylon Anchor
with collar, with white zinc plated countersunk flat head screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HGBUV06	6x40	GBU6/V	3,5x50	10	100	1600
HGBUV08	8x50	GBU8/V	4,5x60	10	50	800
HGBUV10	10x60	GBU10/V	6x80	10	50	800

CASA NYLON

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

HIGH QUALITY NYLON

CASA CA9-40 Nylon Anchor
CASA CA12-45 Nylon Anchor

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS01	9x40	CA9-40/1	M4	-	100	800	**24,63**
HTL01	12x45	CA12-45/1	M5	-	50	400	**31,27**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS02	9x40	CA9-40/2	M4	-	100	800	**24,71**
HTL02	12x45	CA12-45/2	M5	-	50	400	**32,41**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS03	9x40	CA9-40/3	M4	-	100	800	**27,01**
HTL03	12x45	CA12-45/3	M5	-	50	400	**36,65**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS04	9x40	CA9-40/4	M4x35	25	100	800	**31,95**
HTL04	12x45	CA12-45/4	M5x40	30	50	400	**41,46**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS05	9x40	CA9-40/5	M4	-	100	800	**28,17**
HTL05	12x45	CA12-45/5	M5	-	50	400	**36,25**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS06	9x40	CA9-40/6	M4	-	100	800	**28,75**
HTL06	12x45	CA12-45/6	M5	-	50	400	**38,32**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS07	9x40	CA9-40/7	M4x50	8	150	1200	**21,89**
HTL07	12x45	CA12-45/7	M5x55	5	100	800	**30,07**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTL10	12x45	CA12-45/10	M5	-	50	400	**87,45**

CASA NYLON

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

HIGH QUALITY NYLON

CASA CA9-40 Nylon Anchor
CASA CA12-45 Nylon Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS09	9x40	CA9-40/9	M4	-	25	200	**60,42**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS10	9x40	CA9-40/10	M4	-	25	200	**67,87**

CASA CA9-50 Nylon Anchor
CASA CA12-58 Nylon Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS11	9x50	CA9-50/1	M4	-	100	800	**33,66**
HTL11	12x58	CA12-58/1	M5	-	50	400	**45,66**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTS71	9x50	CA9-50/7	M4x60	8	150	1200	**28,10**
HTL71	12x58	CA12-58/7	M5x70	10	50	400	**39,66**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTL21	12x58	CA12-58/7	M5	-	50	400	**45,89**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	
HTL61	12x58	CA12-58/6	M5	-	50	400	**54,40**

CASA NYLON



semisolid brick | hollow brick | hollow concrete block | plasterboard

HIGH QUALITY NYLON

CASA Nylon Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTE91*	9x40	NC9/1	4x45	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTE92*	9x40	NC9/2	4x45	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTE93*	9x40	NC9/3	4x45	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTE94*	9x40	NC9/4	4x45	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTE95*	9x40	NC9/5	4x55	-	150	1200

* Ad esaurimento

BRIC BCM NYLON Anchor

stone concrete | solid brick | semisolid brick | hollow brick

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBM08	12x72	BCM8	-	-	50	400
HBM10	14x72	BCM10	-	-	50	400

REGGIMENSOLA BCS

Invisible steel bracket for floating shelves

stone concrete | solid brick | semisolid brick | hollow brick

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBC01	12x58	BCS8/70	-	-	20	320
HBC02	12x72	BCS10/100	-	-	20	160
HBC03	12x72	BCS10/150	-	-	20	160
HBC08	14x72	BCS12/100	-	-	20	160
HBC09	14x72	BCS12/120	-	-	20	160
HBC10	14x72	BCS12/145	-	-	20	160
HBC04	14x72	BCS14/120	-	-	20	80
HBC05	14x72	BCS14/145	-	-	20	80
HBC06	14x72	BCS14/170	-	-	20	80

CASA BG6-BG8-BG9

stone concrete

solid brick

CASA Steel Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT61	6x30	BG6/1	M3	-	200	3200
HT81	8x35	BG8/1	M4	-	100	800
HT91	9x40	BG9/1	M5	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT82	8x35	BG8/2	M4	-	100	800
HT92	9x40	BG9/2	M5	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT88	8x35	BG8/8	M4	-	100	800
HT98	9x40	BG9/8	M5	-	100	800

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT86	8x35	BG8/6	M4x35	-	100	800
HT96	9x40	BG9/6	M5x40	-	50	400

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT64	6x30	BG6/4	M3	-	200	3200
HT84	8x35	BG8/4	M4	-	100	800
HT94	9x40	BG9/4	M5	-	50	400

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT63	6x30	BG6/3	M3	-	200	3200
HT83	8x35	BG8/3	M4	-	100	800
HT93	9x40	BG9/3	M5	-	50	400

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT65	6x30	BG6/5	M3	-	200	3200
HT85	8x35	BG8/5	M4	-	100	1600
HT95	9x40	BG9/5	M5	-	150	1200

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HT910	9x40	BG9/10	M5	-	50	400

NYLON FRAME FIXING ANCHORS

Nylon frame anchors and long expansion anchors complete with steel screw. Designed for through fixing of variable thickness profiles and frames.

GX-L NYLON

PATENTED G&B

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO - ALLUMINIO - PVC [PO/SI-01]

Rapporto n. 007QI/12

on line G&B CALCULATION PROGRAM professional design of anchorage in concrete

GX-L NYLON Anchor

with countersunk flat head screw, POZIDRIVE

ETAG 020

ETA12-0261

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97099*	6x60	GXL660V	4x65	20	150	1200
97001	8x80	GXL880V	5,5x85	10	100	800
97002	8x100	GXL8100V	5,5x105	30	50	400
97003	8x120	GXL8120V	5,5x125	50	50	400
97004	8x140	GXL8140V	5,5x145	70	50	400

* NOT INCLUDED IN ETA Approval

GX-L NYLON Anchor

with countersunk flat heat screw TORX T30

ETAG 020

ETA12-0261

NEW

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97005	8x80	GXL880VT	5,5x85	10	100	800
97006	8x100	GXL8100VT	5,5x105	30	50	400
97007	8x120	GXL8120VT	5,5x125	50	50	400
97035	8x140	GXL8140VT	5,5x145	70	50	400
97177	8x170	GXL8170VT	5,5x175	100	50	400
97178	8x200	GXL8200VT	5,5x205	130	50	400

GX-L NYLON Anchor

with countersunk flat head screw TORX T40

ETAG 020 | F90

ETA12-0261 | GX-L Ø 10mm

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97008	10x80	GXL1080VT	7x85	10	50	400
97009	10x100	GXL10100VT	7x105	30	50	400
97010	10x120	GXL10120VT	7x125	50	50	400
97011	10x140	GXL10140VT	7x145	70	50	400
97012	10x160	GXL10160VT	7x165	90	50	400
97013	10x200	GXL10200VT	7x205	130	25	200
97014	10x240	GXL10240VT	7x245	170	20	160
97015	10x260	GXL10260VT	7x265	190	20	160

GX-L NYLON Anchor

with countersunk flat head screw TORX T30 and T40

STAINLESS STEEL AISI 316 (A4)

INOX (A4)

NEW

ETAG 020 | F90

ETA12-0261 | GX-L Ø 10mm

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97175	8x80	GXL880VTI	5,5 x 85	10	800	200
97183	8x100	GXL8100VTI	5,5x105	30	50	400
97184	8x120	GXL8120VTI	5,5x125	50	50	400
97016	10x80	GXL1080VTI	7x85	10	50	400
97017	10x100	GXL10100VTI	7x105	30	50	400
97018	10x120	GXL10120VTI	7x125	50	50	400
97019	10x140	GXL10140VTI	7x145	70	25	200
97020	10x160	GXL10160VTI	7x165	90	25	200

GX-L NYLON Anchor

with HEXAGONAL ALL ROUND HEAD screw TORX T40

ETAG 020 | F90

ETA12-0261 | GX-L Ø 10mm

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97030	10x80	GXL1080VEFT	7x85	10	50	400
97031	10x100	GXL10100VEFT	7x105	30	50	400
97032	10x120	GXL10120VEFT	7x125	50	25	200
97033	10x140	GXL10140VEFT	7x145	70	25	200
97034	10x160	GXL10160VEFT	7x165	90	25	200

GX-L NYLON

BREVETTATO G&B

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

on line G&B CALCULATION PROGRAM professional design of anchorage in concrete

GX-L NYLON Anchor

with hexagonal head screw

ETAG 020 F90

ETA12-0261 GX-L Ø 10mm

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97126	8x80	GXL880VE	5,5 x 85	10	100	800
97127	8x100	GXL8100VE	5,5x105	30	50	400
97128	8x120	GXL8120VE	5,5x125	50	50	400
97022	10x80	GXL1080VE	7x85	10	50	400
97023	10x100	GXL10100VE	7x105	30	50	400
97024	10x120	GXL10120VE	7x125	50	50	400
97025	10x140	GXL10140VE	7x145	70	25	200
97026	10x160	GXL10160VE	7x165	90	25	200
97027	10x200	GXL10200VE	7x205	130	25	200
97028	10x240	GXL10240VE	7x245	170	20	160
97029	10x260	GXL10260VE	7x265	190	20	120

GX-L NYLON Anchor

with hexagonal head screw
STAINLESS STEEL AISI 316 (A4)

INOX (A4)

ETAG 020 F90

GX-L Ø 10mm

ETA12-0261

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97118	10x80	GXL1080VEI	7x85	10	50	400
97119	10x100	GXL10100VEI	7x105	30	50	400
97120	10x120	GXL10120VEI	7x125	50	50	400

GX-L NYLON Anchor - Ø 10 mm

with **VAST - ANTI THEFT SCREW** TORX T40

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
97089	10x80	GXL1080VA	7x85	10	50	400
97090	10x100	GXL10100VA	7x105	30	50	400
97091	10x120	GXL10120VA	7x125	50	50	300
97092	10x140	GXL10140VA	7x145	70	25	200
97093	10x160	GXL10160VA	7x165	90	25	200

TORX

hexagonal bits, 10 pcs packed bag

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TIP3	25	TORXT30	-	-	20	100
TIP1	25	TORXT40	-	-	20	100

VAST - ANTI THEFT SCREW

TORX T40

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TVAS01	-	VAST85	7x85	-	100	600
TVAS02	-	VAST105	7x105	-	100	600
TVAS03	-	VAST125	7x125	-	100	600
TVAS04	-	VAST145	7x145	-	100	600
TVAS05	-	VAST165	7x165	-	100	600

CONDOR CORNICE NYLON

stone concrete — solid brick

HIGH QUALITY NYLON

CONDOR CORNICE Nylon Anchor
with countersunk flat head screw POZIDRIVE SLOT

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTV01	6x60	C6A60V	4x65	30	150	1200
HTV015	8x60	C8A60V	5,5x65	20	100	800
HTV02	8x80	C8A80V	5,5x85	40	100	800
HTV03	8x100	C8A100V	5,5x105	60	50	400
HTV04	8x120	C8A120V	5,5x125	80	50	400
HTV06	10x65	C10A65V	7x70	20	50	400
HTV07	10x80	C10A80V	7x85	32	50	400
HTV08	10x100	C10A100V	7x105	55	50	400
HTV09	10x115	C10A115V	7x120	70	50	400
HTV10	10x135	C10A135V	7x140	90	25	200
HTV11	10x160	C10A160V	7x165	115	25	200

CONDOR CORNICE Nylon Anchor
with hexagonal head screw 5.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTVE015	8x60	C8A60VE	5,5x65	10	100	800
HTVE02	8x80	C8A80VE	5,5x85	10	100	800
HTVE03	8x100	C8A100VE	5,5x105	10	50	400
HTVE04	8x120	C8A120VE	5,5x125	10	50	400
HTVE07	10x80	C10A80VE	7x85	13	50	400
HTVE08	10x100	C10A100VE	7x105	13	50	400
HTVE09	10x115	C10A115VE	7x125	13	50	400
HTVE10	10x135	C10A135VE	7x145	13	25	200
HTVE11	10x160	C10A160VE	7x165	13	25	200

LATER CORNICE NYLON

semisolid brick — hollow brick

LATER CORNICE Nylon Anchor - Ø 10 mm

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
19005	10x80	C10A80LU	-	-	100	1200
19001	10x100	C10A100LU	-	-	100	1200
19002	10x120	C10A120LU	-	-	100	1200
19003	10x140	C10A140LU	-	-	100	900
19004	10x160	C10A160LU	-	-	100	900
HTLA1216	12x160	C12A160LU	-	-	-	400

LATER CORNICE Nylon Anchor - Ø 8 mm
with countersunk POZIDRIVE flat head screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTLAU07	8x80	C8A80LUV	5x85	5	50	400
HTLAU01	8x100	C8A100LUV	5x105	25	50	400
HTLAU02	8x120	C8A120LUV	5x125	45	50	400
HTLAU03	8x140	C8A140LUV	5x145	45	50	400

LATER CORNICE NYLON

semisolid brick — hollow brick

LATER CORNICE Nylon Anchor - Ø 10 mm
with countersunk POZIDRIVE flat head screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTLAU10	10x80	C10A80LUV	7x85	5	50	400
HTLAU08	10x100	C10A100LUV	7x105	25	50	400
HTLAU04	10x120	C10A120LUV	7x125	45	50	400
HTLAU05	10x140	C10A140LUV	7x145	65	25	200
HTLAU06	10x160	C10A160LUV	7x165	85	25	200
HTLAU09	10x200	C10A200LUV	7x205	125	25	300

LATER CORNICE Nylon Anchor - Ø 10 mm
with countersunk TORX slotted flat head screw TORX T40

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTLAUT10	10x80	C10A80LUVT	7x85	5	50	400
HTLAUT08	10x100	C10A100LUVT	7x105	25	50	400
HTLAUT04	10x120	C10A120LUVT	7x125	45	50	400
HTLAUT05	10x140	C10A140LUVT	7x145	65	25	200
HTLAUT06	10x160	C10A160LUVT	7x165	85	25	200
HTLAUT09	10x200	C10A200LUVT	7x205	125	25	300

LATER CORNICE Nylon Anchor - Ø 10 mm
with hexagonal head screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTLAUE10	10x80	C10A80LUVE	7x85	5	50	400
HTLAUE08	10x100	C10A100LUVE	7x105	25	50	400
HTLAUE04	10x120	C10A120LUVE	7x125	45	50	400
HTLAUE05	10x140	C10A140LUVE	7x145	65	25	200
HTLAUE06	10x160	C10A160LUVE	7x165	85	25	200
HTLAUE09	10x200	C10A200LUVE	7x205	125	25	300

LATER CORNICE Nylon Anchor - Ø 12 mm
with hexagonal head screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTLAUE11	12x160	C10A80LUVE	10x165	5	20	160
HTLAUE12	12x200	C10A100LUVE	10x205	45	20	160
HTLAUE13	12x240	C10A120LUVE	10x245	85	20	160

LATER CORNICE Nylon Anchor - Ø 16 mm
with hexagonal head flanged screw TORX T40

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
37093	16x140	C16A140LUVEFT	12x145	15	10	80
37094	16x160	C16A160LUVEFT	12x165	35	10	80
37095	16x200	C16A200LUVEFT	12x205	75	10	80
37096	16x240	C16A240LUVEFT	12x245	115	10	80

TURBO JET NYLON

stone concrete | solid brick

TURBO JET Nylon Anchor
with **countersunk collar** grey RAL 7035
countersunk flat head nail screw white zinc plated

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93025	5x27	TJ5-27SV	3,5x32	5	100	2000
93026	5x37	TJ5-37SV	3,5x42	15	100	2000
93027	5x47	TJ5-47SV	3,5x52	25	100	2000
93028	6x32	TJ6-32SV	3,5x37	5	100	2000
93029	6x40	TJ6-40SV	3,8x45	10	100	2000
93030	6x55	TJ6-55SV	3,8x60	25	100	1200
93031	6x67	TJ6-67SV	3,8x72	37	100	1200
93032	6x80	TJ6-80SV	3,8x85	50	50	800
93033	8x45	TJ8-45SV	4,8x50	10	100	1200
93034	8x60	TJ8-60SV	4,8x65	25	100	800
93035	8x75	TJ8-75SV	4,8x80	40	100	800
93036	8x100	TJ8-100SV	4,8x105	65	50	400
93037	8x120	TJ8-120SV	4,8x125	85	50	400
93038	8x135	TJ8-135SV	4,8x140	100	50	400

TURBO JET Nylon Anchor
with **flat collar** grey RAL 7035
countersunk flat head nail screw white zinc plated

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93011	5x27	TJ5-27V	3,5x32	5	100	2000
93012	5x37	TJ5-37V	3,5x42	15	100	2000
93013	5x47	TJ5-47V	3,5x52	25	100	2000
93014	6x32	TJ6-32V	3,5x37	5	100	2000
93015	6x40	TJ6-40V	3,8x45	10	200	2000
93016	6x55	TJ6-55V	3,8x60	25	100	1200
93017	6x67	TJ6-67V	3,8x72	37	100	1200
93018	6x80	TJ6-80V	3,8x85	50	50	800
93019	8x45	TJ8-45V	4,8x50	10	100	1200
93020	8x60	TJ8-60V	4,8x65	25	10	800
93021	8x75	TJ8-75V	4,8x80	40	100	800
93022	8x100	TJ8-100V	4,8x105	65	50	400
93023	8x120	TJ8-120V	4,8x125	85	50	400
93024	8x135	TJ8-135V	4,8x140	100	50	400

TURBO JET Nylon Anchor
with **countersunk collar** grey RAL 7035
countersunk flat head nail screw
STAINLESS STEEL AISI 304 (A2)

INOX (A2)

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTTSI21	5x30	T5-30SI	3,5x35	5	100	2000
HTTSI22	5x50	T5-50SI	3,5x55	25	100	2000
HTTSI23	6x40	T6-40SI	3,8x45	10	100	2000
HTTSI230	6x50	T6-50SI	3,8x55	20	100	1200
HTTSI24	6x60	T6-60SI	3,8x65	30	100	1200
HTTSI30	6x80	T6-80SI	3,8x85	50	50	800
HTTSI25	8x60	T8-60SI	4,8x65	20	100	1200
HTTSI26	8x80	T8-80SI	4,8x85	40	100	800
HTTSI27	8x100	T8-100SI	4,8x105	60	50	400
HTTSI28	8x120	T8-120SI	4,8x125	80	50	400

TURBO Nylon Anchor - Ø 10 mm
with **countersunk collar** grey RAL 7035
countersunk flat head nail screw white zinc plated

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
41242	10x100	T10-100VI	6x105	50	50	400
41243	10x120	T10-120VI	6x125	70	50	400
41244	10x140	T10-140VI	6x145	90	25	200
41245	10x160	T10-160VI	6x165	110	25	200

TURBO JET NYLON
HAMMERSCREW

stone concrete

solid brick

TURBO JET Nylon Anchor
with **rounded collar** grey RAL 7035
countersunk flat head nail screw white zinc plated

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93001	5x27	TJ5-27B	3,5x32	5	100	2000
93002	5x37	TJ5-37B	3,5x42	15	100	2000
93003	6x32	TJ6-32B	3,8x37	5	100	2000
93004	6x40	TJ6-40B	3,8x45	10	100	2000
93005	6x55	TJ6-55B	3,8x60	25	100	1200
93006	8x45	TJ8-45B	4,8x50	10	100	1200
93007	8x60	TJ8-60B	4,8x60	25	100	800

TURBO JET Nylon Anchor
with **rounded collar** dark brown RAL 8017
with black countersunk nail screw

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93008	6x32	TJ6-36BM	3,8x40	5	100	2000
93009	6x40	TJ6-40BM	3,8x50	10	100	2000
93010	6x55	TJ6-55BM	3,8x60	25	100	1200

TURBO JET Nylon Anchor
with **rounded collar** dark brown RAL 8017
with copper countersunk nail screw

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93039	6x32	TJ6-32BR	3,8x40	5	100	2000
93040	6x40	TJ6-40BR	3,8x50	10	100	2000
93041	6x55	TJ6-55BR	3,8x60	25	100	1200

TURBO JET Nylon Anchor
with **rounded collar** and nail screw M6

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
93042	6x40	TJ6-40VF	4x45	-	100	1600

TURBO Nylon Anchor
for baseboard with bronzed nail screw

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTT20	4x30	T4-30SV	2,5x35	10	200	2000

TURBO Steel Anchor Flat Collar
Steel flat collar

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
41254	6x35	T6-35V B/FLAT COLLAR	3,3x40	13	200	1600

TURBO Zamak Rounded Collar
Zamak Rounded Collar

PREASSEMBLED

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
41250	6x30	T6-30B	3,8x35	8	200	1600
41251	6x40	T6-40B	3,8x45	15	100	1600
41252	6x50	T6-50B	3,8x65	20	100	1600
41253	6x65	T6-65B	3,8x70	35	100	1600

INFISSO NYLON ANCHOR

stone concrete | solid brick | semisolid brick | hollow brick

INFISSO Nylon Anchor

with countersunk steel screw (5.8. pilot hole)
through fastening

PREASSEMBLED

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HTF50	8x80	K8C80	5x85	30	100	800
HTF51	8x100	K8C100	5x105	50	100	800
HTF52	8x120	K8C120	5x125	70	50	400
HTF53	8x140	K8C140	5x145	90	50	400
HTF60	10x80	K10C80	6x85	30	100	800
HTF61	10x100	K10C100	6x105	50	100	800
HTF62	10x120	K10C120	6x125	70	100	800
HTF63	10x140	K10C140	6x145	90	50	400
HTF64	10x165	K10C165	6x165	115	50	400

Screw **COVER CAPS (for INFISSO NYLON)**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HCL15	-	calotta CL15 bianca	-	-	50	1000

TORX Inserts (for GETO INFISSO screws)

hexagonal bits, 10 pcs packed bag

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TIP3	25	TORXT30	-	-	25	100
TIP1	25	TORXT40	-	-	25	100

stone concrete | solid brick | semisolid brick

Screw T.C.E.*

self tapping screw cylindrical head bolt
with embedded hex (spanner 5)
White zinc plated steel C15 - **UNI 6947**
Suited for assembling aluminium
and PVC frames and profiles.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
88001*	4,8x13	TCE13	-	-	1000	8000
88002*	4,8x16	TCE16	-	-	1000	8000
88006*	4,8x32	TCE32	-	-	1000	6000
88008*	4,8x45	TCE45	-	-	500	4000
88010*	4,8x60	TCE60	-	-	250	2000

* Selling out

VITI GETO

stone concrete | solid brick | semisolid brick

GETO frame screws

self tapping screw, white zinc plated with cylindrical head
TORX T-30 Ø 7,5 mm
TORX T-15 Ø 5,0 mm

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

HI-LO THREAD FILETTATURA

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TVGC07	-	GC5-62	5x62	-	100	1600
TVGC08	-	GC5-82	5x82	-	100	1600
TVGC16	-	GC52	7,5x52	-	100	1600
TVGC10	-	GC72	7,5x72	-	100	1000
TVGC17	-	GC82	7,5x82	-	100	1000
TVGC11	-	GC92	7,5x92	-	100	1000
TVGC18	-	GC102	7,5x102	-	100	1000
TVGC12	-	GC112	7,5x112	-	100	1000
TVGC19	-	GC122	7,5x122	-	100	800
TVGC13	-	GC132	7,5x132	-	100	800
TVGC14	-	GC152	7,5x152	-	100	800
TVGC15	-	GC182	7,5x182	-	100	600
TVGC21	-	GC212	7,5x212	-	100	600

GETO frame screws

self tapping screw, white zinc plated with countersunk head TORX T-30

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

HI-LO THREAD FILETTATURA

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TVGS17	-	GS 52	7,5x52	-	100	1600
TVGS20	-	GS72	7,5x72	-	100	1000
TVGS21	-	GS92	7,5x92	-	100	1000
TVGS18	-	GS 102	7,5x102	-	100	1000
TVGS22	-	GS112	7,5x112	-	100	1000
TVGS28	-	GS122	7,5x122	-	100	800
TVGS23	-	GS132	7,5x132	-	100	800
TVGS24	-	GS152	7,5x152	-	100	800
TVGS25	-	GS182	7,5x182	-	100	800

Cover caps for screws GETO INFISSO T30

Perfect seal even if the screw is not inserted perpendicular to the support



NEW

ART.	VITE	DESCR.	RAL	BOX	CARTON
				pcs	pcs
HCL01	T30	CL WHITE	-	50	-
HCL02	T30	CL BLACK	-	50	-
HCL03	T30	CL GREY	-	50	-
HCL04	T30	CL IVORY	-	50	-
HCL05	T30	CL DARK BROWN	-	50	-
HCL06	T30	CL BROWN	-	50	-

HOLLOW WALL ANCHORS

**Special Nylon and Metal anchors designed for use in ceilings and hollow walls.
(Plasterboard, Cavity walls and hollow bricks)**



ANCORA STEEL DE-DR TOGGLES

hollow brick | hollow concrete block | plasterboard

ANCORA DR STEEL TOGGLES



ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HAN11	16	DR1	M6x100	-	25	200
HAN12	16	DR2	M6x100	-	25	200
HAN13	20	DR3	M8x115	-	20	160
HAN14	20	DR4	M8x100	-	20	160

ANCORA DE STEEL TOGGLES

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HAN01	14	DE1	M4x80	-	50	400
HAN02	14	DE2	M4x75	-	50	400
HAN03	14	DE3	M4x75	-	50	400
HAN04	14	DE4	M4x100	-	50	400
HAN05	15	DE5	M4x100	-	50	400

LASTRO NYLON



hollow brick | hollow concrete block | plasterboard

LASTRO Nylon Anchor
for plasterboard and hollow bricks



ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TK20	8x40	LN4-40	-	-	200	3200
TK21	8x40	LN4-40/1	4x45	9-16	200	1600
TK22	8x40	LN4-40/2	4x45	9-16	200	1600
TK23	8x40	LN4-40/3	4x45	9-16	100	800
TK24	8x40	LN4-40/4	4x45	9-16	100	800
TK25	8x40	LN4-40/5	4x45	9-16	200	1600

SITA STEEL ANCHOR

stone concrete | solid brick

SITA STEEL wirehanger
Complete with 6mm hole in head
For concrete ceilings (ø 6 mm)

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTS660	-	SO6	6x60	-	200	1600

RAPID NYLON ANCHOR
RAPID STEEL ANCHOR

plasterboard Light concrete

RAPID NYLON Anchor
self drilling for plasterboard

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HRN01	16x38	RN	-	-	200	2400

RAPID NYLON Anchor
with countersunk flat head screw
(class 5.8) cross slot white zinc plated

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
HRNV01	16x38	RN/V	4,5x50	12	100	1200

RAPID METAL Plasterboard Anchor
self drilling for plasterboard

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
90001	16x32	RA	-	-	200	3200

RAPID METAL Plasterboard Anchor
with **cylindrical** head screw
white zinc plated

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
90002	16x32	RA-V	4,5x37	5	100	1600

LASTRO STEEL ANCHOR

Special metal anchors designed for use in hollow walls and ceilings.
(Plasterboard and Hollow bricks

hollow concrete block

plasterboard

LASTRO STEEL screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
48011	8x40	L4-46/1	M4x46	12	100	800
48063*	8x49	L4-65/1	M4x65	15	100	500
48055	10x37	L5-46/1	M5x46	12	100	800
48012	10x50	L5-57/1	M5x57	8	100	800
48062*	10x63	L5-70/1	M5x70	-	100	500
48060*	10x80	L5-88/1	M5x98	-	100	500
48059*	12x37	L6-44/1	M6x44	6	100	800
48013	12x50	L6-57/1	M6x57	8	50	400
48014	12x63	L6-70/1	M6x70	20	50	400
48070	12x80	L6-88/1	M6x88	30	50	250

*** Selling out**

LASTRO STEEL medium hook

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
48015	8x40	L4-46/5	M4x46	12	50	400
48016	10x50	L5-57/5	M5x57	8	50	400

LASTRO STEEL closed eye

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
48017	8x40	L4-46/4	M4x46	12	50	400
48018	10x50	L5-57/4	M5x57	8	50	400

LASTRO STEEL full hook

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
48019	8x40	L4-46/3	M4x46	12	50	400
48020	10x50	L5-57/3	M5x57	8	50	400

Plier LK

application setting tool for all "LASTRO" anchors



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TK30	-	LK	-	-	1	1

Nylon - Steel - and Brass anchors for fixing medium to heavy duty loads

BRIC BCM

stone concrete | solid brick | semisolid brick | hollow brick

BRIC BCM Nylon Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBM08	12x72	BCM8	-	-	50	400
HBM10	14x72	BCM10	-	-	50	400

BRIC BCM/V Nylon Anchor
with hexagonal head screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBV08	12x72	BCM8/V	M8x80	10	50	400
HBV10	14x72	BCM10/V	M10x80	8	50	400

OMEGA BRASS

stone concrete | solid brick

OMEGA Brass Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTO04	5x16	OM4	M4	-	200	8000
TTO05	7x22	OM5	M5	-	100	4000
TTO06	8x24	OM6	M6	-	100	4000
TTO08	10x30	OM8	M8	-	100	2000
TTO10	12x35	OM10	M10	-	50	1000
TTO12	15x40	OM12	M12	-	50	500

SECURITY NUTS

STAINLESS Steel SECURITY NUTS
With threaded hole for fixing to studs
stainless steel (A2)

INOX (A2)

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
91081	-	DAT I M8	M8	-	50	800
91082	-	DAT I M10	M10	-	50	400

L mm	M	Ch mm.
8	8	17
8	10	19



DELTA ACCIAIO

stone concrete | solid brick

HIGH QUALITY STEEL

DELTA Steel Anchor HEX BOLT

(8.8 grade) white zinc plated, with oversize washer **DIN 9021**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
33027	8x45	DELV845	M6x45	5	50	800
33028	8x70	DELV870	M6x70	30	50	800
33145	8x90	DELV890	M6x90	50	50	400
33029	10x55	DELV1055	M8x55	5	50	400
NEW **33169**	10x65	DELV1065	M8x65	5	50	400
33030	10x80	DELV1080	M8x80	30	50	400
33031	10x100	DELV10100	M8x100	50	50	400
33106	10x120	DELV10120	M8x120	70	50	400
33032	10x140	DELV10140	M8x140	90	25	200
33033	12x65	DELV1265	M10x65	5	25	200
33107	12x80	DELV1280	M10x80	20	25	200
33034	12x100	DELV12100	M10x100	40	25	200
33108	12x120	DELV12120	M10x120	60	25	200
33035	12x140	DELV12140	M10x140	80	20	160
33048	14x70	DELV1470	M10x70	5	25	200
33127	14x100	DELV14100	M10x100	35	25	200
33036	16x75	DELV1675	M12x75	5	20	160
33037	16x110	DELV16110	M12x110	40	15	120
33129	20x130	DELV20130	M16x130	50	10	80

DELTA Steel Anchor HEX NUT

(8.8 grade) white zinc plated

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
33131	8x40	DELB840	M6x45	5	50	800
33132	8x90	DELB890	M6x95	50	50	400
33133	10x50	DELB1050	M8x55	5	50	400
33134	10x75	DELB1075	M8x80	25	50	400
33135	10x100	DELB10100	M8x105	50	50	400
33136	10x125	DELB10125	M8x130	70	25	200
33137	12x60	DELB1260	M10x65	5	25	200
33138	12x75	DELB1275	M10x80	15	25	200
33139	12x100	DELB12100	M10x105	40	25	200
33140	12x125	DELB12125	M10x130	65	20	160
33141	16x65	DELB1665	M12x75	5	20	160
33142	16x110	DELB16110	M12x120	40	15	120
33143	16x145	DELB16145	M12x155	75	10	80
33144	20x160	DELB20160	M16x175	80	5	40

DELTA Steel Sleeve Anchor

with **countersunk flat head bolt 10.9** (hexagon socket) white zinc plated

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
DELP645	8x45	DELP645	M6x45	8	50	800
DELP660*	8x60	DELP660	M6x60	23	50	800
DELP860	10x60	DELP860	M8x60	9	50	400
DELP880	10x80	DELP880	M8x80	29	50	400
DELP1070	12x70	DELP1070	M10x70	10	25	200
DELP1010	12x100	DELP10100	M10x100	40	25	200

*Selling out

DELTA ACCIAIO

stone concrete — solid brick

HIGH QUALITY STEEL

DELTA Steel Anchor*

with **threaded BAR** (class 5.8)
white zinc plated nut and oversize washer **DIN 9021**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
33039	8x55	DELB855	M6x55	5	50	250
33040	10x70	DELB1070	M6x70	15	50	250
33041	10x90	DELB1090	M8x90	25	50	250

* Selling out

DELTA Steel Anchor

with **steel hook** (class 5.8) white zinc plated
nut and oversize washer **DIN 9021**

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
33042	8x50	DELG850	M6x50	-	50	250

DELTA Steel Anchor Ø 10 mm.

with **DETACHABLE SECURITY HEAD 10.8, M8x80**
ø hole = 10 mm
white zinc plated screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
DELVAS02	10x80	DELV880/AS	M8x85	15	50	400

DELTA Steel Anchor with HOOK

with **PIGTAIL HOOK** for safety nets

FOR SAFETY NETS

NEW

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
ASR-8	10x60	ADS08	M8x70	-	25	225
ASR-10	12x65	ADS1022	M10x75	-	15	135
ASR-12	16x90	ADS12100	M12x100	-	10	90

Steel Anchors for Heavy Duty Fixing



TRIAL TRM STEEL ANCHOR

stone
concrete

TRIAL TRM Steel Shield Anchor Only

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TR01	10x42	TRM6	-	-	50	800
TR02	12x52	TRM8	-	-	50	800
TR03	16x60	TRM10	-	-	25	400
TR04	18x75	TRM12	-	-	20	320
TR05	24x90	TRM16	-	-	10	160

TRIAL TRM Steel Shield Anchor Loose Bolt

with hexagonal head screw (class 8.8)
and steel washer

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TRV01	10x42	TRM6/V	M6x50	5	50	800
TRV02	12x52	TRM8/V	M8x60	8	50	400
TRV03	16x60	TRM10/V	M10x80	20	25	200
TRV04	18x75	TRM12/V	M12x90	20	20	160
TRV05	24x90	TRM16/V	M16x100	25	10	80

NTR STEEL ANCHOR

stone
concrete

NTR Steel Shield Anchor Only

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTR06	10x45	NTR6	-	-	50	800
TNTR08	12x52	NTR8	-	-	50	800
TNTR10	15x60	NTR10	-	-	25	400
TNTR12	18x75	NTR12	-	-	20	320

NTR Steel Shield Anchor Loose Bolt

with hex head bolt (grade8.8)
and steel washer **DIN 9021 (UNI 6593)**

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRV06	10x45	NTR6/V	M6x50	5	50	800
TNTRV08	12x52	NTR8/V	M8x60	8	50	400
TNTRV10	15x60	NTR10/V	M10x80	20	25	200
TNTRV12	18x75	NTR12/V	M12x90	15	20	160

NTR Steel Shield Anchor Loose Bolt

with spacer and hex head bolt (grade 8.8)

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRVD12	18x100	NTRVD12/V	M12x100	25	10	80

NTR Steel Shield Anchor projecting Bolt

with 5.8 grade stud, white zinc plated nut
and washer **DIN 9021 (UNI 6593)**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRB06	10x45	NTR6/B	M6x70	15	50	400
TNTRB08	12x52	NTR8/B	M8x100	35	50	300
TNTRB10	15x60	NTR10/B	M10x110	48	20	160
TNTRB12	18x75	NTR12/B	M12x130	53	10	80

NTR Steel Shield Anchor Hook Bolt

with steel stamped HOOK (class 5.8) white zinc plated
nuts and washer **DIN 9021 (UNI 6593)**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRG06	10x5	NTR6/G	M6x50	-	50	400
TNTRG08	12x52	NTR8/G	M8x60	-	50	300
TNTRG10	15x60	NTR10/G	M10x75	-	20	160
TNTRG12	18x75	NTR12/G	M12x66	-	10	80

NTR Steel Shield Anchor Eye Bolt

with steel stamped eyebolt (class 5.8) white zinc plated
nuts and washer **DIN 9021 (UNI 6593)**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRC06	10x45	NTR6/C	M6x50	-	50	400
TNTRC08	12x52	NTR8/C	M8x60	-	50	300
TNTRC10	15x60	NTR10/C	M10x75	-	20	160
TNTRC12	18x75	NTR12/C	M12x66	-	10	80

NTR STEEL

stone
concrete

NTR/I Stainless Steel Anchor Shield Only

AISI 304 (A2)

INOX (A2)

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRI06	10x45	NTRI6	-	-	50	800
TNTRI08	12x52	NTRI8	-	-	50	800
TNTRI10	15x60	NTRI10	-	-	25	400
TNTRI12	18x75	NTRI12	-	-	20	320

NTR Stainless Steel Anchor Loose Bolt

AISI 304 (A2) with stainless hexagonal head SCREW and washer **DIN 9021 (UNI 6593)**

INOX (A2)

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TNTRVI06	10x45	NTRI6/V	M6x50	5	50	800
TNTRVI08	12x52	NTRI8/V	M8x60	8	50	400
TNTRVI10	15x60	NTRI10/V	M10x80	20	25	200
TNTRVI12	18x75	NTRI12/V	M12x90	15	20	160

GBM STEEL ANCHOR

stone
concrete

GBM Steel Shield Anchor Only

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGBM06	12x42	GBM6	-	-	50	800
TGBM08	14x50	GBM8	-	-	50	800
TGBM10	16x60	GBM10	-	-	25	400
TGBM12	20x72	GBM12	-	-	20	320

GBM Steel Shield Anchor Loose Bolt

with hexagonal head bolt 8.8 grade

High Quality Screw cl. 8.8

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGBMV06	12x42	GBM6/V	M6x50	5	50	800
TGBMV08	14x50	GBM8/V	M8x60	8	50	400
TGBMV10	16x60	GBM10/V	M10x80	20	25	200
TGBMV12	20x72	GBM12/V	M12x90	15	20	160

GBM Steel Shield Anchor projecting Bolt

with threaded bar 5.8 grade

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGBMB06	12x42	GBM6/B	M6x70	15	50	400
TGBMB08	14x50	GBM8/B	M8x100	35	50	300
TGBMB10	16x60	GBM10/B	M10x110	48	20	160
TGBMB12	20x72	GBM12/B	M12x130	53	10	80

GBM Steel Shield Anchor Hook Bolt

with stamped steel HOOK 5.8 grade



ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGBMG06	12x42	GBM6/G	M6x50	-	50	400
TGBMG08	14x50	GBM8/G	M8x60	-	50	300
TGBMG10	16x60	GBM10/G	M10x80	-	25	160
TGBMG12	20x72	GBM12/G	M12x90	-	20	80

GBM Steel Shield Anchor Eye Bolt

with stamped steel EYEBOLT 5.8 grade

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
TGBMC06	12x42	GBM6/C	M6x50	-	50	400
TGBMC08	14x50	GBM8/C	M8x60	-	50	300
TGBMC10	16x60	GBM10/C	M10x80	-	20	160
TGBMC12	20x72	GBM12/C	M12x90	-	10	80

ALFA ALM STEEL ANCHOR

stone concrete

solid brick

ALFA ALM Steel Shield Anchor Only

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TM06	12x45	ALM6	-	-	50	800
TM08	14x50	ALM8	-	-	50	800
TM10	16x60	ALM10	-	-	25	400
TM12	20x75	ALM12	-	-	20	320

ALFA ALM Steel Shield Anchor Loose Bolt

with hexagonal head bolt 8.8 grade

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMV06	12x45	ALM6/V	M6x50	9	50	800
TMV08	14x50	ALM8/V	M8x60	11	50	400
TMV10	16x60	ALM10/V	M10x80	17	25	200
TMV12	20x75	ALM12/V	M12x90	15	20	160

ALFA ALM Steel Shield Anchor Loose Bolt

with hexagonal head bolt 8.8 grade

EXTRA LONG SIZES

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMV670	12x45	ALM670/V	M6x70	29	100	800
TMV685	12x45	ALM685/V	M6x85	44	50	400
TMV875	14x50	ALM875/V	M8x75	26	50	400
TMV890	14x50	ALM890/V	M8x90	41	50	400
TMV1085	16x60	ALM1085/V	M10x85	22	25	200
TMV1011	16x70	ALM10110/V	M10x110	47	25	200
TMV1013	16x70	ALM10130/V	M10x130	72	20	160
TMV1210	20x75	ALM12100/V	M12x100	25	15	120
TMV1211	20x75	ALM12115/V	M12x115	40	15	120
TMV1213	20x75	ALM12135/V	M12x135	60	20	160

ALFA ALM Steel Shield Anchor Loose Bolt

with spacer and hex head bolt 8.8 grade

High Quality Screw cl. 8.8

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMVD06	12x80	ALM6/80	M6x80	30	50	400
TMVD08	14x80	ALM8/80	M8x80	25	25	200
TMVD10	16x100	ALM10/100	M10x100	35	20	160

HLM STEEL CE 8

stone
concrete

HLM Steel Shield Anchor Only CE8

CE Option 8 for non cracked concrete

OPTION 8

on line

G&B CALCULATION PROGRAM

professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMH06	10x40	HLM6	-	-	100	1000
TMH08	14x50	HLM8	-	-	50	500
TMH10	16x60	HLM10	-	-	25	500
TMH12	20x80	HLM12	-	-	10	160
TMH16	25x100	HLM16	-	-	10	100

HLM Steel Shield Anchor Loose Bolt CE 8

CE Option 8 for non cracked concrete
with Hex Head Bolt grade 8.8
and oversize washer

High Quality Screw cl. 8.8

OPTION 8

on line

G&B CALCULATION PROGRAM

professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TMHV06	10x40	HLM6/V	M6x50	15	50	800
TMHV08	14x50	HLM8/V	M8x60	15	50	400
TMHV10	16x60	HLM10/V	M10x80	25	25	200
TMHV12	20x80	HLM12/V	M12x90	20	20	160
TMHV16	25x100	HLM16/V	M16x100	30	10	80

GAMMA STEEL ANCHOR CE 1

CE OPTION **1**

stone
concrete

CLS
cracked

Pending certification for use IN SEISMIC ZONES CAT C1 and CAT C2

GAMMA Steel Heavy Duty Anchor CE 1

CE Option 1 for cracked and non cracked concrete
with Hex Head Bolt 8.8 grade and washer

ETA-11/0181
OPTION 1

FIXING IN SEISMIC AREA
PENDING

on line

G&B CALCULATION PROGRAM

professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
44077	10x70	HG10/70V	M6	5	50	400
44078	10x100	HG10/100V	M6	35	50	400
44079	12x100	HG12/100V	M8	30	50	400
44080	12x120	HG12/120V	M8	50	25	200
44081	16x120	HG16/120V	M10	40	20	160
44082	16x140	HG16/140V	M10	60	20	160
44083	18x120	HG18/120V	M12	20	15	120
44084	18x150	HG18/150V	M12	50	10	80
44085	24x140	HG24/140V	M16	20	5	40
44086	24x170	HG24/170V	M16	50	5	40

GAMMA Steel Heavy Duty Anchor CE 1

CE OPTION 1 for cracked concrete
with countersunk flat head screw 8.8 hex socket

NEW

ETA-11/0181
OPTION 1

FIXING IN SEISMIC AREA
PENDING

on line

G&B CALCULATION PROGRAM

professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
44112	10x85	HG10/85VTS	M6	20	50	400
44113	10x105	HG10/105VTS	M6	40	50	400
44114	12x105	HG12/105VTS	M8	35	25	200
44115	12x125	HG12/125VTS	M8	55	25	200
44116	16x110	HG16/110VTS	M10	30	20	160
44117	16x130	HG16/130VTS	M10	50	10	80
44118	18x120	HG18/120VTS	M12	20	15	120
44119	18x140	HG18/140VTS	M12	40	10	80

GETO PLUS
Self - Tapping Screw
Suitable for most material including concrete, stone and brick

stone concrete — solid brick

GETO PLUS Screw
self threading screws for solid supports (concrete, stone)
GEOMET® coating, for corrosion protection
with hexagonal head bolt

ART.	THREAD Ø x L_t	DESCR.	DRILL Ø	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
87001	7,5x60	GP6/60	6	20	100	600
87002	7,5x75	GP6/75	6	45	100	600
87003	10x60	GP8/60	8	20	100	600
87004	10x75	GP8/75	8	35	50	300
87005	10x100	GP8/100	8	60	50	300
87006	10x150	GP8/150	8	110	50	300
87007	12x60	GP10/60	10	10	50	300
87009	12x75	GP10/75	10	25	50	300
87010	12x100	GP10/100	10	50	25	250
87013	12x130	GP10/130	10	80	25	150
87011	12x150	GP10/150	10	100	25	150
87032*	16x115	GP14/115	14	35	15	120
87031*	16x135	GP14/135	14	55	10	80
87033*	16x160	GP14/160	14	80	10	80

* Hexagonal flanged screw

BETA

stone concrete

BETA Steel Anchor
fixing system to percussion with internal cone

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTB06	8x25	B6	M6	-	100	2000
TTB08	10x30	B8	M8	-	100	2000
TTB10	12x40	B10	M10	-	50	1000
TTB12	15x50	B12	M12	-	50	500
TTB16	20x65	B16	M16	-	25	200

BETA Steel With Lip
fixing system to percussion with internal cone

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBL06	8x25	BL6	M6	-	100	1600
TTBL08	10x30	BL8	M8	-	100	1600
TTBL10	12x30	BL10-L30	M10	-	50	800
TTBL11	12x40	BL10-L40	M10	-	50	800
TTBL12	16x50	BL12	M12	-	50	400
TTBL16	20x65	BL16	M16	-	25	200

BETA Stainless Steel (A4)
fixing system to percussion with internal cone **INOX (A4)**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTBI06	8x25	B6 A4	M6	-	100	1600
TTBI08	10x30	B8 A4	M8	-	100	1600
TTBI10	12x40	B10 A4	M10	-	50	800
TTBI12	15x50	B12 A4	M12	-	50	400
TTBI16	20x65	B16 A4	M16	-	25	200

STRIKER PIN
for BETA Steel Anchors

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON	
	mm		mm	mm	pcs	pcs	euro cad
TK51	-	STRIKER PIN	M6	-	1	5	
TK52	-	STRIKER PIN	M8	-	1	5	
TK53	-	STRIKER PIN	M10	-	1	5	
TK54	-	STRIKER PIN	M12	-	1	5	
TK55	-	STRIKER PIN	M16	-	1	5	

SITA STEEL ANCHOR CE 1

CE OPTION 1

stone concrete

CLS cracked

Pending certification for use IN SEISMIC ZONES CAT C1 and CAT C2

SITA Steel Anchor CE 1

complete with preassembled nut and washer
CE Approved - Option 1 for cracked
and non cracked concrete

European Technical Approved OPTION 1 for cracked and not cracked concrete

ETA-10/0076
OPTION 1

F120

FIXING IN SEISMIC AREA
PENDING

on line
G&B CALCULATION PROGRAM
professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTSK05	8x72	S1K872/10	M8	10	50	250
TTSK06	8x92	S1K892/30	M8	30	50	250
TTSK17	8x112	S1K8112/50	M8	50	40	200
TTSK170	8x147	S1K8147/85	M8	85	50	250
TTSK09	10x92	S1K1092/10	M10	10	40	200
TTSK081	10x112	S1K10112/30	M10	30	25	125
TTSK18	10x132	S1K10132/50	M10	50	25	125
TTSK082	10x162	S1K10162/80	M10	80	25	125
TTSK10	12x103	S1K12103/5	M12	5	20	100
TTSK11	12x118	S1K12118/20	M12	20	20	100
TTSK19	12x128	S1K12128/30	M12	30	20	100
TTSK190	12x148	S1K12148/50	M12	50	20	100
TTSK12	12x163	S1K12163/65	M12	65	20	100
TTSK23	12x178	S1K12178/80	M12	80	20	100
TTSK120	16x123	S1K16123/5	M16	5	10	50
TTSK13	16x138	S1K16138/20	M16	20	10	50
60109	16x148	S1K16148/30	M16	30	10	80
TTSK20	16x168	S1K16168/50	M16	50	10	50
TTSK135	16x178	S1K16178/60	M16	60	10	50

stone concrete

CLS cracked

Pending certification for use IN SEISMIC ZONES CAT C1 and CAT C2

SITA STAINLESS Steel Anchor CE1

AISI 316 (A4)

INOX (A4)

complete with preassembled nut and washer
CE Approved - **Option 1** for cracked
and non cracked concrete

European Technical Approved OPTION 1 for cracked and not cracked concrete

ETA-10/0076
OPTION 1

F120

FIXING IN SEISMIC AREA
PENDING

on line
G&B CALCULATION PROGRAM
professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
96001	8x72	SI1K872/10	M8	10	50	250
96002	8x92	SI1K892/30	M8	30	50	250
96003	8x112	SI1K8112/50	M8	50	40	200
96004	10x92	SI1K1092/10	M10	10	40	200
96024	10x102	SI1K10102/20	M10	20	25	125
96005	10x112	SI1K1112/30	M10	30	25	125
96006	10x132	SI1K10132/50	M10	50	25	125
96025	12x103	SI1K12103/5	M12	5	20	100
96007	12x118	SI1K12118/20	M12	20	20	100
96008	12x128	SI1K121128/30	M12	30	20	100
96026	12x148	SI1K12148/50	M12	50	20	100
96009	12x163	SI1K12163/65/50	M12	65	20	100
96010	16x123	SI1K16123/5	M16	5	10	50
96027	16x138	SI1K16138/20	M16	20	10	50
96011	16x168	SI1K16168/50	M16	50	10	50

SITA STEEL ANCHOR

CE OPTION 1

stone concrete

CLS cracked

Pending certification for use IN SEISMIC ZONES CAT C1 and CAT C2

SITA Steel H.D.G. Anchor Hot Dipped Galvanized CE 1

CE Option 1 for cracked and non cracked concrete complete with preassembled nut and washer

European Technical Approved OPTION 1 for cracked and not cracked concrete

ETA-10/0076
OPTION 1

F120

FIXING IN SEISMIC AREA
PENDING

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
TTSKHDG01*	10x62	SHD1K1062/3	M10	3	50	250
TTSKHDG02	10x92	SHD1K1092/10	M10	10	40	200
TTSKHDG03	10x112	SHDK10112/30	M10	30	25	125
TTSKHDG04	10x132	SHD1K10132/50	M10	50	25	125
TTSKHDG05	12x103	SHD1K12103/5	M12	5	20	100
TTSKHDG06	12x128	SHD1K12128/30	M12	30	20	100
TTSKHDG07	16x123	SHD1K16123/5	M16	5	10	50
TTSKHDG08	16x138	SHD1K16138/20	M16	20	10	50
TTSKHDG09*	20x170	SHD1K20170/20	M20	20	5	25
TTSKHDG10*	20x220	SHD1K20220/70	M20	70	5	25

* Not included in ETA Approval

+ 1000 h Corrosion Resistant Salt Spray To Over 1000H

stone concrete

SITA Steel Anchor CE 7

CE Approved Option 7 for non cracked concrete, complete with preassembled nut and washer, long thread

- CE Approved option 7
- for non-cracked concrete
- complete with pre-assembled nut and washer
- **two installation depth embedment marks**
- extralong threaded

European Technical Approved OPTION 7 for not cracked concrete

ETA-12/0594
OPTION 7

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
60220	6x60	GBK660/2	M6	2	100	500
60221	6x100	GBK6100/42	M6	42	100	500
60222	8x60	GBK860/3	M8	3	100	500
60223	8x75	GBK875/5-18	M8	5-18	50	250
60224	8x90	GBK890/20-33	M8	20-33	50	250
60225	8x115	GBK8115/45-58	M8	45-58	40	200
60226	10x70	GBK1070/3	M10	3	50	250
60227	10x90	GBK1090/10-23	M10	10-23	40	200
60228	10x100	GBK10100/20-33	M10	20-33	25	125
60229	10x120	GBK10120/40-53	M10	40-53	25	125
60230	10x150	GBK10150/70-83	M10	70-83	25	125
60231	10x170	GBK10170/90-103	M10	90-103	25	125
60232	12x100	GBK12100/23	M12	23	20	100
60233	12x110	GBK12110/18-33	M12	18-33	20	100
60234	12x120	GBK12120/28-43	M12	28-43	20	100
60235	12x140	GBK12140/48-63	M12	48-63	20	100
60236	12x160	GBK12160/68-83	M12	68-83	20	100
60237	12x180	GBK12180/88-103	M12	88-103	20	100
60238	14x120	GBK14120/12	M14	12	20	100
60239	14x145	GBK14145/37	M14	37	20	100
60240	14x170	GBK14170/62	M14	62	20	100
60241	16x125	GBK16125/3	M16	3	10	50
60242	16x145	GBK16145/23	M16	23	10	50
60243	16x170	GBK16170/48	M16	48	10	50
60244	16x220	GBK16220/98	M16	98	5	25
60245	20x170	GBK20170/23	M20	23	5	25
60246	20x220	GBK20220/73	M20	73	5	25

SITA STEEL ANCHOR

stone
concrete

SITA Steel Anchor CE 7 EXTRA LONG SIZES

stainless steel expansion clip (A2)

CE Option 7 for non cracked concrete,
complete with preassembled nut and washer
- extra long thread
- stainless steel expansion clip

European Technical Approved
OPTION 7 for not cracked concrete

ETA-010/0049
OPTION 7

on line
G&B CALCULATION PROGRAM
professional design
of anchorage in concrete

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
60135	12x200	TTSK12200/105	M12	105	10	80
60136	12x220	TTSK12220/125	M12	125	10	80
60137	12x240	TTSK12240/145	M12	145	10	80
60138	12x280	TTSK12280/185	M12	185	10	60
60139	12x300	TTSK12300/205	M12	205	10	60
60140	12x360	TTSK12360/265	M12	265	10	60
60141	16x240	TTSK16240/125	M16	125	5	30
60142	16x280	TTSK16280/165	M16	165	5	30
60143	16x300	TTSK16300/185	M16	185	5	30
60144	16x400	TTSK16400/245	M16	245	5	30

stone
concrete

SITA Steel Anchor

complete with preassembled nut and washer,
long thread

	ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
		mm		mm	mm	pcs	pcs
	TTS01	6x45	S645/5	M6	5	200	1600
	TTS02	6x55	S650/10	M6	10	150	1200
	TTS24	6x90	S690/50	M6	50	100	800
	TTS25	8x50	S850/10	M8	10	100	800
	TTS96	8x65	S865/15	M8	15	100	800
	TTS05	8x75	S875/20	M8	20	100	800
	TTS06	8x95	S895/40	M8	40	50	400
	TTS17	8x115	S8115/60	M8	60	50	400
	TTS26	10x70	S1070/10	M10	10	50	400
	TTS08	10x90	S1090/30	M10	30	50	400
	TTS09	10x100	S10100/40	M10	40	40	320
	TTS18	10x120	S10120/60	M10	60	25	200
	TTS97	10x140	S10140/80	M10	80	25	200
	TTS095	10x150	S10150/90	M10	90	25	200
NEW	**TTS1017**	10x170	S10170/110	M10	110	25	200
	TTS1270	12x70	S1270/5	M12	5	25	200
	TTS10	12x95	S1295/5	M12	5	25	200
	TTS19	12x110	S12110/30	M12	30	25	200
	TTS27	12x120	S12120/40	M12	40	20	160
	TTS98	12x140	S12140/60	M12	60	20	160
	TTS12	12x160	S12160/80	M12	80	20	160
	TTS121	12x200	S12200/120	M12	120	20	160
	TTS122	12x240	S12240/160	M12	160	10	80
	TTS93	14x100	S14100/5	M14	5	20	160
	TTS94	14x130	S14130/30	M14	30	20	160
	TTS95	14x150	S1450/50	M14	50	20	160
NEW	**TTS1690**	16x90	S1690/ 5	M16	5	15	120
	TTS28	16x110	S16110/5	M16	5	15	120
	TTS120	16x125	S16125/20	M16	20	15	120
	TTS20	16x145	S16145/40	M16	40	10	80
	TTS14	16x170	S16170/65	M16	65	10	80
NEW	**TTS1620**	16x200	S16200/95	M16	95	5	40
	TTS29	16x220	S16E/115	M16	115	5	40
	TTS99	20x130	S20130/10	M20	10	5	40
NEW	**60112**	20x160	S20XC/10	M20	10	10	40
	TTS30	20x170	S20C/20	M20	20	5	40
	TTS2022	20x220	S20220/70	M20	70	5	40
	TTS31	20x270	S20270/135	M20	135	5	30

Injection Resin Cartridges - Glass Capsules and accessories for high performance loads.

MA MULTIANCHOR POLYESTER RESIN

- High performance
- Max flexibility
- Maximum sizes

solid brick | semisolid brick | hollow brick | hollow concrete block

CC40 410ml | **CC30** 300ml | **CC17** 175ml | **CK15** 150ml | **M17**

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC40	MA400	410	1 M17	12	12	PK1-PK11-PK15-PK16
CC30	MA300	300	1 M17	12	12	SK2-PK17
CC17	MA175	175	1 M17	12	12	SK2
CK15	MA150	150	1 M17	12	12	SK2

CK15 Presented in polybag with plunger including 1nozzle

MULTIANCHOR GREEN PLUS POLYESTER RESIN
STYRENE FREE

Polyester resin styrene free
additives and solvents free
for use with our professional gun

- **CE Approved Option 7**
  for non cracked concrete and for masonry
- **Special for frames on solid supports and masonry**
- High performance

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

CC25 410ml | **CC26** 345ml | **CC24** 300ml | **M17**

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC25	MA410GP	410	1 M17	18	12	PK1-PK11-PK15-PK16
CC26	MA345GP	350	2 M17	18	12	PK5
CC24	MA300GP	300	1 M17	12	12	SK2-PK17

ETAG 001-05 OPTION 7
ETA 11/0445

ETAG 029 use category b,c,w/w
ETA 12/0568
M8-M16

ECOLOGICA

LEED®
According to
LEED® IEQ 4.1

ÉMISSIONS DANS L'AIR INTÉRIEUR*
A+ A B C
Class Emission A+
for volatile organic compounds (VOCs)
indoors

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI
LEGNO-ALLUMINIO-PVC
[PO/SI-01]
Rapporto n. 007QI/12

on line
G&B CALCULATION PROGRAM
professional design
of anchorage in concrete

GEBOFIX VE-EA/SF
VINYLESTER EPOXY ACRYLATE
STYRENE FREE

stone concrete | solid brick | wood

- **CE Approved Option 7 for non cracked concrete**
- **High performance**

CC29 410ml | **CC28** 300ml | **M17**

on line G&B CALCULATION PROGRAM professional design of anchorage in concrete

ETAG 001-05 OPTION 7

ETA 12/0105

WET HOLE

LEED® According to LEED® IEQ 4.1

ÉMISSIONS DANS L'AIR INTÉRIEUR* A+ Class Emission A+ for volatile organic compounds (VOCs) indoors

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC29	T400VE-EASF	410	2 M17	18	12	PK1-PK11-PK15-PK16
CC28	T300VE-EASF	300	1 M17	12	12	SK2-PK17

GEBOFIX PRO VE-SF
VINYLESTER RESIN
STYRENE FREE

CE OPTION **1**



stone concrete | CLS cracked | hollow concrete block | wood

- **CE Approved option 1 for cracked and non cracked concrete for threaded bar and rebar**
- **High performance**

CC13 410ml | **CC14** 345ml | **CC32** 300ml | **M17**

on line G&B CALCULATION PROGRAM professional design of anchorage in concrete

ETAG 001-05 OPTION 1 — ETA 09/0078

ETAG 001-05 OPTION 1 — ETA 09/0407

ETAG 029 use category b,c,w/w — ETA 12/0557 M8-M12

Feuerwiderstandsklasse F120

DIELECTRICS FASTENERS

FOR DRINKING WATER TREATMENT APPLICATIONS

SUBMERGED HOLES

LEED® According to LEED® IEQ 4.1

ÉMISSIONS DANS L'AIR INTÉRIEUR* A+ Class Emission A+ for volatile organic compounds (VOCs) indoors

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC13	PRO T400VE-SF	410	2 M17	18	12	PK1-PK11-PK15-PK16
CC14	PRO T345VE-SF	350	2 M17	18	12	PK5
CC32	PRO T300VE-SF	300	1 M17	12	12	SK2-PK17

SISMIK PRO CE1 VINYLESTER RESIN
STYRENE FREE

CE OPTION 1

stone concrete — CLS cracked

- **CE Approved option 1 for cracked and non cracked concrete for threaded bar and rebar**
- **CE Approved for fixing in SEISMIC AREA**

ETA 09/0078

FIXING IN SEISMIC AREA

Class Emission A+ for volatile organic compounds (VOCs) indoors

DIELECTRICS FASTENERS

SUBMERGED HOLES

FOR DRINKING WATER TREATMENT APPLICATIONS

LEED®
According to LEED® IEQ 4.1

CC27
410ml

M17

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CC27	SISMIK PRO T410VE-SF	410	2 M17	18	12	PK1-PK11-PK15-PK16

GEBOFIX EPO PLUS RE PURE EPOXY RESIN 3:1 CE APPROVED OPTION 1

CE OPTION 1

stone concrete — CLS cracked

NEW
CAT C2 for FIXING IN SEISMIK AREA

a mixture to the ratio of 3:1

- **CE Approved option 1 for cracked and non cracked concrete for threaded bar and rebar**
- **CE Approved for fixing in SEISMIC AREA**

ETA 11/0182

FIXING IN SEISMIC AREA
CAT C2

Class Emission A+ for volatile organic compounds (VOCs) indoors

DIELECTRICS FASTENERS

SUBMERGED HOLES

FOR DRINKING WATER TREATMENT APPLICATIONS

LEED®
According to LEED® IEQ 4.1

DRILLED DIAMOND HOLES

CCPE585
585ml

CCPE385
385ml

CME12

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CCPE585	EPO PLUS RE T585	585	1 CME12	24	12	CP19
CCPE385	EPO PLUS RE T385	385	1 CME12	24	12	CP18-CP19

GEBOFIX VE/EA-SF SUMMER VINYLESTER RESIN

stone concrete | solid brick | light concrete | wood

- **High performance**
- **Max flexibility**
- **APPLICABLE IN TEMPERATURES UP TO +45°C.**

ETA PENDING

CCST29
410ml

M17

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CCST29	VE-EASF SUMMER	410	2 M17	18	12	PK1-PK11-PK15-PK16

NEW

GEBOFIX NORDIC VE-SF VINYLESTER RESIN
STYRENE FREE

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

- **SPECIAL WINTER FORMULATION FOR LOW TEMPERATURE application and workable till -20° C.**

ETA PENDING

- 20°C

CCWT13
410ml

CCWT32
300ml

M17

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON	FOR GUN
		ml		months	pcs	
CCWT13	T400V NORDIC	410	1 M17	18	12	PK1-PK11-PK15-PK16
CCWT32	T300V NORDIC	300	1 M17	12	12	SK2-PK17

ALL-FIX
SPECIAL POLYURETHANE RESIN IDEAL FOR SMALL HARDWARE

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard | light concrete | wood

Quick and easy guarantees excellent sealing values.
It is used as a standard chemical anchoring. Resin repair hardware. Fills, repairs and restore holes that do not have a firm grip.
As new holes.
Perfect hardware.

Kit
Cartridge 25 ml
2 mixer
4 net sleeve 10x55
2 extensions

05106

ESELF23

ART.	DESCR.	CONTENT	MIXER	DURATION	CARTON
		ml		months	pcs
05106	ALL-FIX KIT (BLISTER) 1 cartridge 25 ml 2 mixer 4 net sleeve 10x55 2 extensions	25	2	12	12
ESELF23	ALL-FIX DISPLAY (12 BLISTER)				1

CHEM 5
GEBOFIX CHEMICAL ANCHORING 5 KG

tin ready for use, based on
POLYESTER RESIN with styrene + catalyst

stone concrete — solid brick

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
		ml	months	pcs	pcs
CL05	CHEM5	5 kg	12	1	1

stone concrete — light concrete

GEBOFIX TF

glass spin in capsule anchor
roto-percussion installation type
Option 8 APPROVED

OPTION 8

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L	DESCR.	BARRA	BOX	CARTON
			mm	pcs	pcs
C08		TF08	10x85	10	100
C10		TF10	12x95	10	100
C12		TF12	14x115	10	100
C16		TF16	18x130	10	100
C20		TF20	25x180	6	96

Threaded rods cl 5.8 45°

for chemical anchoring in cartridge and glass capsule,
complete with nut and washer,
with hexagonal end, **double-edged tip 45°**,
insert included.

ART.	Ø x L	DESCR.		BOX	CARTON
	mm			pcs	pcs
03295	6x70	BF6	45°x2	10	320
03296	8x110	BF8	45°x2	10	80
03297	10x110	BF10	45°x2	10	200
03298	10x130	BF10	45°x2	10	200
03299	12x130	BF12	45°x2	10	80
03300	12x160	BF12	45°x2	10	80
03301	16x190	BF16	45°x2	10	80
03302	20x260	BF20	45°x2	5	30
03303	24x300	BF24	45°x2	12	-

Threaded anchor ROD Stainless Steel AISI 316 (A4)

for **use with glass spin in capsules and resin cartridges**
complete with nut and washer

INOX (A4)

ART.	Ø x L	DESCR.		BOX	CARTON
	mm			pcs	pcs
03070	8x110	BFI08		10	100
03071	10x130	BFI10		10	100
03072	12x160	BFI12		10	50
03075	16x165	BFI16		10	50
03073	16x190	BFI16		10	50
03074	20x250	BFI20		5	25

KIT CASE MA MULTIANCHOR POLYESTER RESIN

Kit 410ml
Kit 300ml

- High performance

solid brick | semisolid brick | hollow brick | hollow concrete block

CCVAL40
410ml

CCVAL30
300ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
CCVAL40	KIT CASE MA400	20 CC40 20 mixer M17	12	1	1
CCVAL30	KIT CASE MA300	30 CC30 30 mixer M17	12	1	1

KIT CASE GEBOFIX PRO VE-SF CE1 VINYLESTER RESIN

STYRENE FREE

CE OPTION **1**

- **CE Approved option 1 for cracked and non cracked concrete for threaded bar and rebar**
- **CE Approved for masonry**
- **CE Approved for post installed rebar**
- High performance

ETAG 001-05 OPTION 1
ETA 09/0078

ETAG 001-05 OPTION 1
ETA 09/0407

ETAG 029 use category b,c,w/w
ETA 12/0557
M8-M12

Feuerwider-standsklasse F120

DIELECTRICS FASTENERS

FOR DRINKING WATER TREATMENT APPLICATIONS

SUBMERGED HOLES

LEED®
According to LEED® IEQ 4.1

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+ A B C

Class Emission A+
for volatile organic compounds (VOCs) indoors



stone concrete | CLS cracked | hollow concrete block | wood

CCVAL13
410ml

CCVAL32
300ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
CCVAL13	KIT CASE PRO T400 VE-SF	20 CC13 20 mixer M17	18	1	1
CCVAL32	KIT CASE PRO T300 VE-SF	30 CC32 30 mixer M17	12	1	1

KIT CASE MA MULTIANCHOR POLYESTER RESIN

Kit 410ml
Kit300ml

- High performance

solid brick | semisolid brick | hollow brick | hollow concrete block

KITVAL40
410ml

KITVAL30
300ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
KITVAL40	KIT CASE MA400	12 CC40 12 mixer CM12 1 gun PK1 1 airpump CP10	12	1	1
KITVAL30	KIT CASE MA300	12 CC30 12 mixer CM12 1 gun SK2 1 airpump CP10	12	1	1

KIT VALIGETTA GEBOFIX PRO VE-SF CE1 RESINA VINILESTERE

STYRENE FREE

CE OPTION **1**

- **CE Approved option 1 for cracked and non cracked concrete for threaded bar and rebar**
- **CE Approved for masonry**
- **CE Approved for post installed rebar**
- High performance

ETAG 001-05 OPTION 1
ETA 09/0078

ETAG 001-05 OPTION 1
ETA 09/0407

ETAG 029 use category b,c,w/w
ETA 12/0557
M8-M12

Feuerwider-standsklasse F120

DIELECTRICS FASTENERS

FOR DRINKING WATER TREATMENT APPLICATIONS

SUBMERGED HOLES

LEED®
According to LEED® IEQ 4.1

ÉMISSIONS DANS L'AIR INTÉRIEUR
A+ A B C

Class Emission A+
for volatile organic compounds (VOCs) indoors

stone concrete | CLS cracked | hollow concrete block | wood

KITVAL13
410ml

ART.	DESCR.	CONTENT	DURATION	BOX	CARTON
			months	pcs	pcs
KITVAL13	KIT CASE PRO T400VE-SF	12 CC13 12 mixer M17 1 gun PK1 1 airpump CP10	18	1	1

ACCESSORIES

PK11 NYLON PROFESSIONAL DISPENSING TOOL

for resin cartridge **400 ml**
- very strong nylon structure - balanced central handgrip
- automatic brake release - quick reloading
- save drop system - life prolonging function (adjusting screw)
- force: 5,0 KN (500Kg) - piston movement: 3,5 mm
- weight: 1,0 Kg.

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP11	PK11	1	1

PK15 CORDLESS EPOXY TOOL

for resin cartridge **400 ml**
battery **NICKEL 12V 2.0 AN NI-CD** PLUG IN
expel up to 25 tubes of 400 ml epoxy with
1 fully charged battery

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP15	PK15 for 400 ml	1	1

Kit case
1 gun
2 nickel battery
1 charger

PK17 PISTOLA A BATTERIA PK17 CORDLESS TOOL

for cartridge **300 ml** and silicon cartridge
battery 7,4V Li-ion
with 1 fully charged battery expel up to:
- **35 tubes of 300 ml chemical anchor**
- **50 silicone cartridges**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP17	KIT PK17A BATTERY for 300 ml	1	1

Kit case
1 gun
1 Li-ion battery
1 charger

CB15 BA BATTERY

battery 7,4V **Li-ion**
for gun CP15

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CB15 BA	CHARGER LI-ION	1	1

ACCESSORIES

PROFESSIONAL PNEUMATIC TOOL

for resin cartridge **400 ml**
- work pressure: from 3 to 10 bar;
- maximum noisiness level:
  from 0,5 m back part 71 dBA,
  from 1 m side part 70 dBA
- size: mm 470x240x75
- weight: Kg 2,7

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP16	PK16	1	1

INJECTION TOOL

for resin cartridge **400 ml**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP01	PK1	1	10

INJECTION TOOL

for resin cartridge **345ml**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP05	PK5	1	10

ACCESSORIES

METAL PROFESSIONAL INJECTION TOOL
for resin cartridge **385ml EPO PLUS RE** pure epoxy resin 3:1

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP18	PK18	1	10

METAL PROFESSIONAL INJECTION TOOL
for resin cartridge **585ml EPO PLUS RE** pure epoxy resin 3:1

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP19	PK19	1	10

METAL PROFESSIONAL INJECTION TOOL HIGH PROFESSIONAL TYPE
for resin cartridge **300 - 175 - 150 ml**
with clutch and save-drop system

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP07	SK2	1	12

ACCESSORIES

PA BLOW OUT PUMP

air pressure 5 Kg ÷ 7 Kg, air out - pipe rotation: 360°
Lenght = 22,5 cm
Ø = 6 cm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP10	AIR PUMP PA	1	1

STEEL BRUSH

for cleaning the drill hole

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CSCO10	SC10	-	10
CSCO12	SC12	-	10
CSCO14	SC14	-	10
CSCO18	SC18	-	10
CSCO24	SC24	-	10
CSCO28	SC28	-	10

STATIC MIXER

cartridge mixer nozzle

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CM06	M17 IN POLYBAG	6	120
CM1001	M17	-	1000
CM1002	M17 SHORT	-	1000
CM1003	M17 WITH HANG	-	1000
CM1004	M17 SHORT WITH HANG	-	1000

STATIC MIXER

cartridge mixer nozzle for **PURE EPOXY T400EP** and **EPO PLUS RE**

ART.	DESCR.	BOX	CARTON
		pcs	pcs
03064	CME12	12	60

ACCESSORIES

NYLON SLEEVE BR
for hollow bricks and blocks

ETAG 029 use category b,c,w/w

ETA 12/0568
M8-M16

ART.	Ø x L	DESCR.	BARRA		BOX	CARTON
	mm				pcs	pcs
CB10	10x45	BR10	M6		10	100
CB04	12x50	BR12	M6/8		10	100
CB08	12x60	BR14	M6/8		10	100
CB07	12x80	BR13	M6/8		10	100
CB01	16x85	BR15	M8/10		10	100
CB09	16x100	BR21	M8/10		10	50
CB02	16x130	BR16	M8/10		10	100
CB03	20x85	BR20	M12		10	50

PLASTIC SLEEVE BR
for hollow bricks and blocks **APPROVED**

ETAG 029 use category b,c,w/w

ETA 12/0557
M8-M12

ART.	Ø x L	DESCR.	BARRA		BOX	CARTON
	mm				pcs	pcs
CB05	13x100	BR18/100	M8	-	10	100
CB06	15x100	BR19/100	M10	-	10	100

PLASTIC SLEEVE FOR THROUGH FASTENING
for high profiles

- It prevents thermal bridges in applications on coat systems up to 200 mm thick

ART.	Ø x L	DESCR.	BARRA		BOX	CARTON
	mm				pcs	pcs
CB11	16x330/200	BR11	M8/M10	-	10	100

WIRE MESH SLEEVE BAM
for hollow bricks and blocks
length can be cut as required on site

ART.	Ø x L	Ø HOLE	DESCR.	BARRA		BOX	CARTON
	mm					pcs	pcs
CBAMD12	12x1000	12	BAM12	M8	-	10	-
CBAMD16	16x1000	16	BAM16	M8-M10	-	10	-
CBAMD22	22x1000	22	BAM22	M12-M16	-	5	-
CBAMD30	30x1000	30	BAM30	M20-M24	-	5	-

INTERNAL THREADED SLEEVE
with end cap

ART.	Ø x L	Ø HOLE	DESCR.	FILETTO		BOX	CARTON
	mm	mm				pcs	pcs
CBA06	8x50	10	BA6	M6	-	25	400
CBA08	12x80	14	BA8	M8	-	25	400
CBA10	14x80	16	BA10	M10	-	20	320
CBA12	16x80	18	BA12	M12	-	20	320

ACCESSORIES

Asphalt

Universal fixing system for ASPHALT

supplied complete with plastic accessories for proper placement. For use with chemical anchoring
CE approved

ART.	Ø x L_t	DESCR.	VITE		BOX	CARTON
	mm		mm		pcs	pcs
03273	12x70	ASF1270	M10	-	20	640
03274	12x100	ASF12100	M10	-	20	400

stone
concrete

Threaded anchor ROD - Steel 5.8

for **use with resin cartridges**
complete with nut and washer

ART.	Ø x L	DESCR.			BOX	CARTON
	mm				pcs	pcs
CBV06	6x70	BF06			10	1200
CBV811	8x110	BF08			10	100
CBV090	10x110	BF10	45°		10	100
CBVB1015*	10x150	BF10			10	50
CBV16190	16x190	BF16	45°		10	50
CBV2024	20x240	BF20			5	40

* Ad esaurimento

Threaded ROD cl 5.8 45°

for chemical anchoring in cartridge and glass capsule, complete with nut and washer,
with hexagonal end, **double-edged tip 45°**,
insert included.

ART.	Ø x L	DESCR.			BOX	CARTON
	mm				pcs	pcs
03295	6x70	BF6	45°x2		10	320
03296	8x110	BF8	45°x2		10	80
03297	10x110	BF10	45°x2		10	200
03298	10x130	BF10	45°x2		10	200
03299	12x130	BF12	45°x2		10	80
03300	12x160	BF12	45°x2		10	80
03301	16x190	BF16	45°x2		10	80
03302	20x260	BF20	45°x2		5	30
03303	24x300	BF24	45°x2		12	-

Threaded anchor ROD Stainless Steel AISI 316 (A4)

INOX (A4)

for **use with glass spin in capsules and resin cartridges**
complete with nut and washer

ART.	Ø x L	DESCR.			BOX	CARTON
	mm				pcs	pcs
03070	8x110	BFI08			10	100
03071	10x130	BFI10			10	100
03072	12x160	BFI12			10	50
03075	16x165	BFI16			10	50
03073	16x190	BFI16			10	50
03074	20x250	BFI20			5	25

ACCESSORIES

stone
concrete

Threaded Anchor ROD

Steel 4,8 - **DIN 975** 1000 mm. length,
white zinc plated

ART.	DESCR.	BOX	CARTON
		pcs	pcs
91001	M4	-	100
91087	M5	-	100
91004	M6	-	100
91005	M8	-	50
91006	M10	-	25
91007	M12	-	25
91008	M14	-	20
91009	M16	-	10
91010	M18	-	10
91011	M20	-	10
91012	M22	-	5
91013	M24	-	5
91014	M27	-	5
91015	M30	-	3

Threaded Anchor ROD

Class 8.8 - **DIN 975** 1000 mm. length,
white zinc plated

ART.	DESCR.	BOX	CARTON
		pcs	pcs
91091	M6	-	-
91092	M8	-	-
91093	M10	-	-
91094	M12	-	-
91095	M16	-	-

Hexagonal NUT

class 8 - Steel - **DIN 934** - **UNI 5588**
white zinc plated

ART.	DESCR.	BOX	CARTON
		pcs	pcs
91016	M6	200	3200
91017	M8	200	3200
91018	M10	100	1600
91019	M12	50	800
91020	M14	50	800
91021	M16	25	400
91022	M18	20	320
91023	M20	20	320
91024	M22	10	160
91025	M24	10	160
91026	M27	10	160
91027	M30	10	160

STEEL FLAT SHEARED washer

DIN125 - **UNI 6592** white zinc plated

ART.	DESCR.	Ø INT x Ø EXT x SPESSORE	BOX	CARTON
		mm	pcs	pcs
91028	M6	6,4x12,5x1,6	200	3200
91029	M8	8,4x17,0x1,6	200	3200
91030	M10	10,5x21,0x2,0	100	1600
91031	M12	13,0x24,0x2,5	50	800
91032	M14	15,0x28,0x2,5	50	800
91033	M16	17,0x30,0x3,0	25	400
91034	M18	19,0x34,0x3,0	20	320
91035	M20	21,0x37,0x3,0	20	320
91036	M22	23,0x39,0x3,0	10	160
91037	M24	25,0x44,0x4,0	10	160
91038	M27	28,0x50,0x4,0	10	160
91039	M30	31,0x56,0x4,0	10	160

GEBOSIL
Professional line of sealants, silicones and adhesives

GEBOFOAM
Professional line of polyurethane foams

GEBOSIL SEALANTS AND SILICONES

CERTIFICAZIONE

UNIVERSAL ACETIC SILICONE PROFESSIONAL

Universal Acetic Silicone. High quality.
Suitable for sealing on sleek materials: glass, enamel, ceramic, Kliner, aluminum and plastic material in general (excluded PE, PP, PTFE). Suited for sealing materials in contact with water. Anti-mould. Ageing, UV rays and atmospheric agents resistants.
Not paintable.

MULTI PURPOSE

CE APPROVED
INDOOR-OUTDOOR- COLD CLIMATES

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SIL10	SAU-TRANSPARENT	-	280	-	24
SIL02	SAU-WHITE	9010	280	-	24
SIL03	SAU-BLACK	9005	280	-	24
SIL04	SAU-GREY	7004	280	-	24
SIL05	SAU-IVORY	1013	280	-	24
SIL06	SAU-DARK BROWN	8017	280	-	24
SIL07	SAU-BROWN	8011	280	-	24

UNIVERSAL ACETIC SILICONE PROFESSIONAL HQ

Universal Acetic Silicone. High quality.
Suitable for sealing on sleek materials: glass, enamel, ceramic, Kliner, aluminum and plastic material in general (excluded PE, PP, PTFE).
Thanks to its powered formulation, this product is ideal for professional applications. Anti-mould. Ageing, UV rays and atmospheric agents resistants. Not paintable.

CE APPROVED
INDOOR-OUTDOOR- COLD CLIMATES

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SIL11	SAUP-TRANSPARENT	-	310	-	24
SIL12	SAUP-WHITE	9010	310	-	24

UNIVERSAL ACETIC SILICONE PROFESSIONAL

In bag.

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILSAC01*	SCAL-TRANSPARENT	-	600	-	25

* Available on request in minimum lots 680 pcs

UNIVERSAL ACETIC SILICONE FOR SANITARY FIXTURES

ANTI-MOULD

High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, aluminum and plastic material in general (excluded PE, PP, PTFE). Anti-mould, is particularly suitable for sealing bathrooms, showers, bath tubs, basins, washboard,toilets and general sanitary. Ageing, UV rays, and atmospheric agents resistant. Resistant to chemical agents / detergents.
Not paintable.

GUARANTEED ANTI-MOLD

CE APPROVED FOR SANITARY
INDOOR /OUTDOOR - COLD CLIMATES

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SIL14	SAS-TRANSPARENT	-	280	-	24
SIL15	SAS-BIANCO	9010	280	-	24

UNIVERSAL ACETIC SILICONE FOR SANITARY FIXTURES

ANTI-MOULD

High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, aluminum and plastic material in general (excluded PE, PP, PTFE). Anti-mould, is particularly suitable for sealing bathrooms, showers, bath tubs, basins, washboard,toilets and general sanitary. Ageing, UV rays, and atmospheric agents resistant. Resistant to chemical agents / detergents. Not paintable. **On Blister Pack.**

CE APPROVED FOR SANITARY
INDOOR /OUTDOOR - COLD CLIMATES

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
05104	SAS-TRANSPARENT	-	60	1	12
05105	SAS-WHITE	9010	60	1	12

GEBOSIL SEALANTS AND SILICONES

CERTIFICAZIONE

NEUTRAL SILICONE UNIVERSAL TYPE

FOR WINDOW AND BUILDING SECTOR

Neutral Silicone. High quality. For sealing on general building sector: glass, cement, bricks, masonry, wood, plasterboard, polycarbonate, polyacrilate, metacrylate. Excellent resistance to the mould. Excellent adhesion and flexibility. Ageing, Uv rays and atmospheric agents resistants. Resistant to the temperature from -40° to +100°C. Not paintable.

FOR ALL MATERIALS

CE APPROVED
INDOOR/OUTDOOR- GLASS/SANITARY

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILN01	SNM-TRANSPARENT	-	310	-	24
SILN02	SNM-WHITE	9010	310	-	24
SILN03	SNM-BLACK	9005	310	-	24
SILN04	SNM-GREY	7004	310	-	24
SILN07	SNM-VALNUT/TOBACCO	8007	310	-	24
SILN16	SNM-IVORY	1013	310	-	24

PROFESSIONAL NEUTRAL SILICONE

in bag.

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILSACN01*	SCAL-TRANSPARENT	-	600	-	25

* Disponibile a richiesta in lotti minimi pcs 680

NEUTRAL SILICONE SIL FRAME SPECIAL FOR FRAMES

High quality. For sealing on wood, aluminum and PVC window frames. Suitable for sealing of plastic material (except PE, PP, PTFE), glass, cement and in general metals. **Suited for water paints.** Anti-mould. Non verniciabile

FOR WINDOW AND DOORS OPERATOR
PROFESSIONAL

CE APPROVED
INDOOR/OUTDOOR - COLD CLIMATES

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILN05	SNM-GREEN	6005	310	-	24
SILN09	SNM-ALUMINUM	9006	310	-	24
SILN30	SNF-TRANSPARENT	-	310	-	24
SILN19	SNF-OAK	-	310	-	12
SILN20	SNF-MAHOGANY/CHERRY	-	310	-	12
SILN21	SNF-METALLIC GREEN	-	310	-	12
SILN22	SNF-METALLIC GREY	-	310	-	12

NEUTRAL SILICONE FOR BUILDING AND FLASHING SECTOR PROFESSIONAL

High quality. **Suited for sealing metals and aluminum** in flushing sector and for external sealing in building sector. Suitable for sealing of plastic material (except PE, PP, PTFE), glass, cement and in general metals. Not paintable.

LOW MODULUS

CERTIFICATO CE
INTERNO/ESTERNO - CLIMI FREDDI
GIUNTI CALPESTABILI - VETRO

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILN12	SNEL-GREY	7004	310	-	24
SILN13	SNEL-DARK BROWN	8017	310	-	24
SILN14	SNEL-COPPER	8004	310	-	24
SILN24	SNEL-WHITE/GREY	9002	310	-	24

NEUTRAL SILICONE FOR POLYCARBONATE

Ideal for sealing on polycarbonate, PVC, aluminum and wood.
Not paintable.

FOR PVC

CE APPROVED
INDOOR/OUTDOOR - COLD CLIMATES -GLASS

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILN08	SNSS-TRANSPARENT	-	310	-	24

GEBOSIL SEALANTS AND SILICONES

CERTIFICAZIONE

ACRYLIC SEALANT

High quality. Particularly suitable for sealing on plasterboard, wood, bricks and concrete. This sealant is profitably used to seal on the building sector that are subjected to low stress, outer and inner wood window frames.
It can be painted.

PAINTABLE

CE APPROVED
INDOOR/OUTDOOR - COLD

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILAC01	SAC-WHITE	9010	310	-	24
SILAC02	SAC-GREY	7004	310	-	24
SILAC04*	SAC-TRANSPARENT	-	310	-	24
SILAC05	AC-BROWN	8011	310	-	24

*** It becomes "TRANSPARENT " when dry.**

ACRYLIC SEALANT PROFESSIONAL FOR EXTERNAL USE

High quality. Suited for sealing on plasterboard, wood, bricks, concrete and wood. This sealing is specific for outer applications on the building sector, joint are subject to low stress.
It can be painted.

FOR PROFESSIONAL USE

CE APPROVED
INDOOR/OUTDOOR - COLD

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILAC12	SACP-E-WHITE	9010	310	-	24
SILAC13	SACP-E-GREY	9010	310	-	24

ACRYLIC SEALANT "ROUGHT EFFECT"

High quality. It is excellent for filling cracks and fissures. It is recommended for D.I.Y. and little domestic maintenance. It is recommended to use on principal building materials: concrete, wood, brick and plaster. It can be painted.

PLASTER EFFECT

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILAC03	SACR-E-WHITE	9010	310	-	24

SILAC-WOOD ACRYLIC SEALANT / ADHESIVE PROFESSIONAL FOR WOOD AND PARQUET

High quality elastic acrylic sealant for sealing and bonding parquet and wood surfaces. Ideal for containers, window frames, baseboards, beading, cracks and crevices in furniture and walls, for installation of doors and windows in wood. Excellent adhesion to wood, masonry, plaster. Cures quickly, is sanded and painted with common lacquers and paints, parquet. For use on parquet lacquer and not.

SANDABLE
PAINTABLE

NEW

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILAC14	SILACWOOD-MAPLE	-	310	-	12
SILAC15	SILACWOOD-MAHOGANY	-	310	-	12
SILAC16	SILACWOOD-CHERRY	-	310	-	12
SILAC17	SILACWOOD-WALNUT	-	310	-	12

DISPLAY SILAC-WOODKIT SILAC-WOOD

KIT
12 CARTRIDGES SILACWOOD

NEW

ART.	DESCR.	BOX	CARTON
		pcs	pcs
ESELF29	SILACWOOD DISPLAY	1	1
	12 CARTRIDGES SILAC14		
	12 CARTRIDGES SILAC15		
	12 CARTRIDGES SILAC16		
	12 CARTRIDGES SILAC17		

GEBOSIL SEALANTS AND SILICONES

HIGH TEMPERATURE AND FIRE RESISTANCE

ACRYLIC SEALANT PROFESSIONAL FIRE RESISTANCE - EI 240

Acrylic sealant for the realization of joints resistant to fire, for the sealing of windows, walls, stairs, precast panels, fire doors, passages for pipes, cables and conduits. Forms a barrier against the propagation of fire and smoke in case of fire, expanding with the increase of heat. Also it adheres to damp substrates. Suitable for sealing outdoor and indoor on concrete, plaster, masonry, wood, and where they are required fireproof materials.

CLASSIFICATION STANDARD **EN 13501-2**
TEST REPORT **No. 298762 / 3471FR**
INSTITUTE GIORDANO S.P.A.

FIRE RESISTANT

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILAC10	SACAF240-WHITE	9010	310	-	12

CE APPROVED INDOOR/OUTDOOR FACADES

ACETIC SILICONE FOR HIGH TEMPERATURES UNTIL 350° C

High quality. Suitable for sealing of metals components that are subject to high temperature as follow: joints of boilers and stoves, joints of chimneys and industrial ovens (metal and glass), vent-hole and gas boxes. Resistant to high temperature till + 350°C. Very good workability. Ageing, UV rays, and atmospheric agents resistant.
Not paintable

RESISTANT UP TO 350° C

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SIL16	SAT-RED	3001	310	-	12
SIL18	SAT-BLACK	9005	310	-	12

SIL-RE REFRACTORY SEALANT HEAT RESISTANT TO TEMPERATURE UNTIL 1500° C

High quality. Seals and glues refractory stones, joints, cracks and surfaces exposed to fire such as: fireplaces, ovens and boilers. It is suitable for sealing on stone, metal, concrete and bricks or in direct contact with fire. **It can be used even on wet surfaces.** SIL-RE grants safety and duration, because it does not crumble and crack itself. Heat resistant to high temperature and to free flame until 1500° C. Using temperature: + 5° C ÷ +30° C. Resistant to chemical agents and to ageing. Rapid setting.

RESISTANT UP TO 1500° C

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILRF01	SILRE-LIGHT GREY	-	310	-	12

GEBOTAPE BTL FIRE RESISTANT

ALU- BUTYL FLASHING TAPE
FIRE RESISTANT
Cold adhesion

ART.	WIDTH x THICKNESS	DESCR.	LENGTH	t_{fix}	BOX	CARTON
	mm		mt	mm	pcs	pcs
99178	50x0,6	BTL50	10	-	12	-
99179	75x0,6	BTL75	10	-	8	-
99180*	100x0,6	BTL100	10	-	8	-
99212	150x0,7	BTL150	10	-	4	-
99213	200x0,7	BTL200	10	-	3	-
99181	100x0,7	BTL100AF	10	-	6	-
GEBOTAPE BTL Copper						
99214	100x0,7	BTL100R	10	-	6	-

* Selling out

GEBOSIL SEALANTS AND SILICONES

SIL P-U SEALANT/ADHESIVE BASED ON A POLIURETHANE ELASTIC

HIGH MODULE

High quality. Suited for elastic sealants on the main construction materials: anodized aluminum, concrete, solid and hollow masonry, plaster, wood, metals. Suited also for bonding roofs, wooden profiles, metallic elements and for waterproofing. It can be painted.

HIGH MODULE SEALANT/ADHESIVE ELASTIC

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	months	pcs
SILPU04	SILPU-GREY	-	310	-	25

Safety gloves included
CE approval

S-BITUM BITUMINOUS SEALANT

Bitumen-based adhesive sealant, apply cold. Suitable for sealing of cracks not exceeding 10 mm in width.
Paintable.

WATER RESISTANT

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILBN01	S-BITUM-BLACK	9005	310	-	12

ULTRAFIX-MP SEALANT/ADHESIVE BASED ON MS-POLYMER

High quality. One component adhesive sealant. Suited for the main construction materials.
WATERPROF DIN-EN 204 Certified, class D4.
SIL-MP is odourless, neutral. Free of isocyanates.
Paintable.

ADESIVO + SIGILLANTE

CE APPROVED
INDOOR/OUTDOOR - COLD CLIMATE

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILMP01	ULTRAFIX-TRANSPARENT	-	290	-	12
SILMP02	ULTRAFIX-GREY	7004	290	-	12
SILMP03	ULTRAFIX-WHITE	9010	290	-	12
SILMP04*	ULTRAFIX-BLACK	9005	290	-	12

* Selling out

PRO ATTACK/ULTRAFIX DISPLAY

kit
6 cartridges PRO ATTACK
6 cartridges ULTRAFIX
1 monitor 7" with tutorial video
20 brochure

COMPLETE WITH TUTORIAL VIDEO

ART.	DESCR.	BOX	CARTON
		pcs	pcs
ESELF25	PRO ATTACK/ULTRAFIX DISPLAY	1	1
	24 CARTRIDGES PRO ATTACK		
	24 CARTRIDGES ULTRAFIX		
	20 BROCHURE		
	1 MONITOR 7" WITH TUTORIAL VIDEO		

GEBOSIL - PROFESSIONAL ADHESIVES

SUPER GRIPP ACRYLIC
"ROUGH EFFECT"
Suitable for bonding strips of wood, elements decorative polystyrene, cladding panels
both wall and ceiling.
PAINTABLE.

INDOOR USE

Load: 2,5 kg/cm²

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
ADM01	ADM-WHITE	9010	310	-	24
05292	ADM TUBE WHITE	-	100	1	12

PRO-MIRROR ADHESIVE MIRROR MS POLYMER BASED.
For bonding to the mirrors in the following materials: Glass, marble, porcelain, tiles, wood, aluminum, steel, iron, brick, concrete, stone, plumbing, roofing. Excellent UV Resistance and Aging. Permanent elasticity.
Paintable.
Verniciabile.

FOR MIRRORS

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
ADMS02	ADM-PROMIRROR-WHITE	9010	310	-	12

TEKNOBUILD STRUCTURAL - BOND POLYURETHANE ADHESIVE RIGID
It is a polyurethane construction adhesive with outstanding resistance to water, temperatures, weathering and ageing conditions. **WATERPROOF DIN-EN 204 Certified, class D4.** Suitable for structural bonding in wood working, building, construction, carpentry and boating. It allows fast bonding of several construction substrates, such as: wood, plastic materials, metals, concrete, natural stones, ceramics, bricks, concrete and tiles, plasterboard. It can be painted and smoothed.

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
SILPU03	TEKNOBUILD-GREY/BEIGE	-	310	-	12

Load: 100kg/cm²

Safety gloves included
CE approval

FOR WATER RESISTANT GLUING OF ANY MATERIAL

TEKNOBUILD DISPLAY

kit
12 cartridges
TEKNOBUILD

ART.	DESCR.	BOX	CARTON
		pcs	pcs
ESELF22	DISPLAY TEKNOBUILD	1	1
	24 CARTRIDGES TEKNOBUILD		
	50 BROCHURE		

GEBOSIL SEALANTS AND SILICONES

PRO ATTACK STRONG ADHESIVE BASED ON NEW MS POLYMER FORMULATION

HIGH RESISTANCE TO STRONG ADESION IN FEW SECONDS ON THE MAIN CONSTRUCTION MATERIALS. (WHITE)
High Quality Suitable for gluing panels, skirting boards, sills, grills, mirrors, insulating materials, joints, elements in metal, glass, porcelain, plaster polyester, polystyrene, elements made of PVC, polycarbonate, wod, metal, aluminum, cement, etc.
Very high load value: 25 kg/1 cm²
after complete curing.

- ***SUKER EFFECT***
- ***MAXIMUM GRIP IN A FEW SECONDS***

25kg/1cm² **ROUGH EFFEC**

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
ADM02	PRO ATTACK-WHITE	-	290	-	12

PRO ATTACK/ULTRAFIX DISPLAY

kit
6 cartridges PRO ATTACK
6 cartridges ULTRAFIX
1 monitor 7" with tutorial video
20 brochure

- ***COMPLETE WITH TUTORIAL VIDEO***

ART.	DESCR.	BOX	CARTON
		pcs	pcs
ESELF25	PRO ATTACK/ULTRAFIX DISPLAY	1	1
	24 CARTRIDGES PRO ATTACK		
	24 CARTRIDGES ULTRAFIX		
	20 BROCHURE		
	1 MONITOR 7" WITH TUTORIAL VIDEO		

RAPIDCEM

Quick setting mortar ready for use.
- Sealing and repairing joints, cracks, holes and crevices
- Fixing of roof and ridge tiles, grouting of tiles, repairs to chipped concrete edges.

- ***PRACTICAL/RELIABLE/FAST***

ART.	DESCR.	RAL	CONTENT	BOX	CARTON
			ml	pcs	pcs
CEM01	RAPIDCEM-GREY	7004	310	-	12

RAPIDCEM DISPLAY

kit
12 cartridge RAPIDCEM

ART.	DESCR.	BOX	CARTON
		pcs	pcs
ESELF28	DISPLAY RAPIDCEM	1	1
	24 RAPIDCEM		
	50 BROCHURE		

GEBOSIL SEALANTS AND SILICONES

MIXER
for silicon cartridge

ART.	DESCR.	BOX	CARTON
		pcs	pcs
SILBE01	BSIL	24	120

PROFESSIONAL DISPENSING GUN SK1
FOR SILICON AND BONDED ANCHOR CARTRIDGE.
300 ml, 150 ml, 175 ml save-drop system,
aluminum stand

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP06	SK1	1	24

HIG PROFESSIONAL DISPENSING GUN SK2
FOR SILICON AND BONDED ANCHOR CARTRIDGE.
300 ml, 150 ml, 175 ml with clutch, save-drop system,
aluminum stand

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP07	SK2	1	24

HIG PROFESSIONAL DISPENSING GUN PK20
FOR SEAL BAG de 400 ml y 600 ml
with clutch, save-drop system, aluminum stand

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP20	PK20	1	10

GEBOFOAM POLYURETHANE FOAMS

POLYURETHANE FOAM GEBOFOAM S750

TYPE S for hand pump application.
Flammability class B3 (DIN 4102).
Soundproofing RST,w = 60 dB
Heat insulation 0.039 W/ (m-K)

Safety gloves included
CE approval

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS01	S750-MANUAL	18	750	-	12





POLYURETHANE FOAM GEBOFOAM P750

TYPE P for professional gun.
Flammability class B3 (DIN 4102).
Soundproofing RST,w = 60 dB
Heat insulation 0.039 W/ (m-K)

Safety gloves included
CE approval

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS02	P750-GUN	18	750	-	12





POLYURETHANE FOAM GEBOFOAM P750V

TYPE P for professional gun.
Flammability class B2 (DIN 4102).
Soundproofing RST,w = 60 dB
Heat insulation 0.039 W/ (m-K)
Self-estinguishing
With SAFETY VALVE
PROFESSIONAL TYPE FOR FRAMES

Tested by **MPA BAU** Hannover
and a **IFT** Rosenheim

Safety gloves included
CE approval

SAFETY VALVE

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS11	P750V-VALVE-GUN	18	750	-	12





GEBOFOAM POLYURETHANE FOAMS

POLYURETHANE FOAM GEBOFOAM B1
TYPE B1 for hand pump application
n° of Certification 091085-RE
Materialprufanstalltfur das Bauwesen.
With SAFETY VALVE

Safety gloves included
CE approval

- ***B1 - SELF-EXTINGUISHING UP TO 240 MIN***

SAFETY VALVE | **EI 240**

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS03	B1-MANUAL	15	750	-	12







POLYURETHANE FOAM GEBOFOAM B1
TYPE B1 for professional gun.
n° of Certification 091085-RE
Materialprufanstalltfur das Bauwesen.
With SAFETY VALVE

Safety gloves included
CE approval

- ***B1 - SELF-EXTINGUISHING UP TO 240 MIN***

SAFETY VALVE | **EI 240**

NEW

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS21	B1-GUN	15	750	-	12







POLYURETHANE FOAM GEBOFOAM SMART
Hand Held -**with safety valve Click&Go**
Easy extrusion with one hand!
controlled dosage,practical, safe, fast
High thermal and acoustic insulation class B3

Safety gloves included
CE approval

- ***WITH CLICK&GO VALVE***
- ***REUSABLE WITHIN 6 WEEKS FROM FIRST OPENING***

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS19	S750V CLICK&GO VALVE-MANUAL	12	750	-	12





GEBOFOAM POLYURETHANE FOAMS

POLYURETHANE FOAM
GEBOFOAM TETTI
Special type for ROOF.
For professional gun and
hand pump application.
Flammability class B3 (DIN 4102)

(CS08) **POLYURETHANE FOAM**
GEBOFOAM TETTI SMART
SPECIAL for ROOF and TILES
Hand Held - **with safety valve Click&Go**
Easy extrusion with one hand!
controlled dosage,practical, safe, fast
High thermal and acoustic insulation
Flammability class B3 (DIN 4102)
1x750ml can cover an area of tiles = 8m²

Safety gloves included
CE approval

SPECIAL FOR ROOF AND TILES

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS04	TETTI P750-GUN	18	750	-	12
CS08	TETTI S750-MANUAL	18	750	-	12







POLYURETHANE FOAM
GEBOFOAM MULTI360 S825
TYPE S for hand pump application
Hand extrusion a 360° ∢ in all directions,
also vertical.
High thermo-acoustic insulation.
B3 class.
with multiposition valve 0 - 360°
maxi size **825 ml**

Safety gloves included
CE approval

ALL DIRECTIONS VALVE 0-360° ∢ EVEN IN VERTICAL POSITION!

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS15	GEBOFOAM MULTI	18	825	-	12





POLYURETHANE FOAM
GEBOFOAM BUILD ISOLAMENTI
INSULATION - for insulation panels.
For bonding polystyrene sheets
TYPE P gun extrusion
High thermo-acoustic insulation.
B3 class.
maxi size **825ml**
Yeld:
1 tube = bonding of 15 m² ± 20%
of polystyrene panels

Safety gloves included
CE approval

1 CARTON = GLUING MORE THAN 100m² OF INSULATION PANELS SETS IN LESS THAN 1 HOUR

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS14	GEBOFOAM BUILD ISOLAMENTI-GUN	18	825	-	12
CS17	GEBOFOAM BUILD ISOLAMENTI-MANUAL	18	825	-	12







GEBOFOAM POLYURETHANE FOAMS

POLYURETHANE FOAM
GEBOFOAM NORDIC
TYPE S for hand pump application.
class B3
Suited for application in refrigerators

SPECIAL FORMULATION
for low temperature
till -15°C

Safety gloves included
CE approval

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS06	SN750-MANUAL	18	750	-	12

- 15°C



POLYURETHANE FOAM
GEBOFOAM NORDIC
TYPE P gun extrusion
class B3
Suited for application in refrigerators

SPECIAL FORMULATION
for low temperature
till -15°C

Safety gloves included
CE approval

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS07	PN750-GUN	18	750	-	12

- 15°C



GEBOFOAM ELASTIC
FLEXIBLE POLYURETHANE FOAM
FOR FRAMES AND WINDOWS
HIGH FLEXIBILITY - LOW EXPANSION
TYPE P gun extrusion
High adhesion on the main contruction materials
High thermo-acoustic insulation.
class B2
Self-estinguishing

Safety gloves included
CE approval

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

HIGH INSULATION THERMO-ACOUSTIC CLASS B2 FOR FRAMES

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CS16	ELASTIC FOAM P750	9	750	-	12





GEBOTAPE NPE
SELF EXPANDING POLYURETHANE TAPE

LEGNOLEGNO POSA QUALIFICATA SERRAMENTI LEGNO-ALLUMINIO-PVC [PO/SI-01]

Rapporto n. 007QI/12

ART.	WIDTH x COMPRESSED THICKNES	EXPANDED THICKNESS	DESCR.	LENGTH.	t_{fix}	BOX	CARTON
	mm	mm		mt	mm	pcs	pcs
09006	10x3	15	NPE 10/3 (15)	10,0	-	1	30
09009	15x2	10	NPE 15/2 (10)	12,5	-	1	20
09015	15x4	20	NPE 15/4 (20)	8,0	-	1	20
09005	20x2	10	NPE 20/2 (10)	12,5	-	1	15
09007	20x3	15	NPE 20/3 (15)	10,0	-	1	15
09008	20x4	20	NPE 20/4 (20)	8,0	-	1	15

GEBOFOAM POLYURETHANE FOAMS

FOAM CLEANER GEBOFOAM

CLEANER FOR POLYURETHANE FOAM
This is for cleaning tools and also dissolves fresh foam

ART.	DESCR.	DURATION	CONTENT	BOX	CARTON
		months	ml	pcs	pcs
CD01	D500	12	500	-	12

BSC REPLACEMENT ACCESSORIES

ART.	DESCR.			BOX	CARTON
		months	ml	pcs	pcs
21012	BSC			10	100

PSP1
AUTOMATIC FOAM SPRAY GUN GEBOFOAM

Light and handy
Ergonomic handgrip

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP03	PSP1	-	1

PSP2
AUTOMATIC FOAM SPRAY GUN GEBOFOAM

Extra light and handy
Ergonomic handgrip
Triple Teflon gasket

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP13	PSP2	-	1

PSP3
PROFESSIONAL GUN FPR POLYURETHANE FOAM

Extra-long barrel 1 meter
Light and handy

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CP26	PSP3 L.1000	-	1



GEBOTEC PROFESSIONAL - PROFESSIONAL SPRAY

Lubricants, protective agents, silicones, cleaners

LUBRI *EXTRA* HQ 10F
Hq 10 functions unlocking lubricant
Valve 360° dual position

Lubricant/unlocking protective multi-function spray for high-performance: LUBRICATING, UNLOCKING, ANTI-SEIZE, PROTECTIVE, DEGREASER, ANTI-CORROSION, ANTI-FREEZE, NON-CONDUCTIVE, WATER-REPELLENT, WATER-RESISTANT, HIGH TEMPERATURE RESISTANCE TO WEATHERING. Thanks to the formulation based on MOS2 and graphite, GT10F has high lubricants and anti-corrosion properties, penetrating deeply into the gears and mechanical devices. It is perfectly suited for workshop, garage, marine, mechanical, work at home maintenance, in the garden, electrical, mechanical and automotive industry. It prolongs the life of gears, mechanical and rubber parts, improving efficiency. The dispensing **valve 360° dual position** at the same time ensures a widespread distribution for larger surfaces, and reaches the precision mechanical parts of those small and hard to reach areas.

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84022	GT -10F	400	-	12

- ***LUBRICANT -UNLOCKING - ANTI-SEIZE***
  PROTECTION - DEGREASER - ANTI-CORRISION
  ANTI-FREEZE - NON-CONDUCTIVE - WATER REPELLENT
  WATER RESISTANT - HIGH TEMPERATURE RESISTANCE

LUBRI *FORTE*-8F
Lubricant unlocking 8 Functions

Lubricant/unlocking protective multi-function spray for high-performance: LUBRICATING, UNLOCKING, ANTI-SEIZE, PROTECTIVE, DEGREASER, ANTI-CORROSION, ANTI-FREEZE, WATER-REPELLENT. Thanks to the formulation based on MOS2, GT8F has high lubricants and anti-corrosion properties, penetrating deeply into the gears and mechanical devices. It is perfectly suited for workshop, garage, marine, mechanical, maintenance work at home, in the garden, in heavy industry and maintenance in general. Prolongs the life of gears and mechanical parts, improving efficiency.

- ***LUBRICANT - ANTI-CORROSIVE***
  PROTECTIVE - DEGREASER
  UNLOCKING - ANTI-SEIZE
  ANTIFREEZE - WATER REPELLENT
  ANTI-SQUEAK

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84013	GT -8F	400	-	12



QUICK UNLOCKING AGENT Quick unlocking protection anti rust Multi-purpose

Synthetic fluid with high solvent and degreaser power, quickly frees nuts, bolts, joints, threads, locks, hinges, chains, mechanical equipment and hand tools from rust and oxidation.
Also forms a protective durable film and water-repellent. It prolongs the life of the gears and prevents premature wear.

- ***MULTIPURPOSE***
  ANTI RUST

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84007	GT -SB07	400	-	12

PROTECTIVE GREASE
Maximum grip even in extreme conditions

High viscosity fluid of high quality and high penetrating power. Good chemical stability, excellent water repellence and adhesion. Protects against water and weather resistant, also in saline environments, resistant against dusty, acidic and basic solutions. Ideal for the lubrication of bearings, chains, transmission lines, marine equipment, vessels, joints, pivots, guides and in general in the auto motive sector, agricultural and industrial machines, devices for high-speed transmission and with high operating temperatures.
It penetrates deeply into the gears prolonging its life and efficiency.

- ***HIGH VISCOSITY***
  DEEP PENETRATION INTO THE GEARS

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84008	GT -GR08	400	-	12

VASELINE OIL
PROTECTIVE LUBRICANT

Odourless, colourless, non-staining. Ideal to lubricate and protect precision tools, hinges, locks, tools, gears, transmissions, textile machinery, office machines and food machines, for professional and consumer uses.
Creates a waterproof and elasticated film on wood" metal, rubber and leather.

- ***HIGH VISCOSITY***
  DEEP PENETRATION INTO THE GEARS

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84011	GT- VS11	400	-	12



CUTTING OIL
DRILLING AND CUTTING LUBRICANT

Innovative Lubricant high-quality product, it gives protective action for tools and equipment in the mechanical industry. GT-CUT10 is developed for specific professional applications in hard metal cutting and machining operations. Oil with a paraffin mineral base enriched with special EP anti-weld additives. Ideal for use in difficult threading operations with particularly hard, alloy steel. Suited for use in the hydraulic sector.

- ***OIL FOR CUTTING, DRILLING, REAMING AND TAPPING***

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84010	GT -CUT10	400	-	12

ZINC GALVANISING SPRAY ANTI-RUST AND CORROSION

Cold Zinc spray at high concentration, ideal for retouches and finishing joints, welds and repairs of galvanized parts. Suitable for railings and gates, metal, steel, automotive, hydraulics and accessories, gutters, welding works, repair of tanks and cisterns, metallic carpentry, construction, garages, do-it-yourself. Gives glossy effect to painted surfaces. Excellent resistance to corrosion and rust and weathering on all ferrous materials. Forms a high elasticity protection that resists cracking. It dries quickly and does not drip. It can be left as a final protection or sanded and / or painted over. Thickness: 15/20 microns. Yield: 2/2, 5 square meters per cylinder. Drying time: 15/20 minutes.

PROTECTIVE - ANTI-RUST BRIGHT FINISH

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84006	GT-Z06	400	-	12

DARK ZINC 98%

Single-component organic galvanizer with a synthetic resin base containing high quantity of pure micronized zinc and aluminum used to obtain sufficiently light color. High zinc content provides the product with excellent corrosion resistance. The product can be used either as a final finish or painted over. Dries rapidly, permitting the surface treated to be worked after just 8-10 minutes. Ideal for touch-ups, finish, and repair of all galvanized parts.

ANTI-RUST AND CORROSION

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84030	GT -ZINC98	400	-	12

SILICONE SPRAY HQ EXTRA WATER-PROOFING

High-performance silicon for plastic industry, rubber and cutting. Colourless, odourless, solvent free, temperature work from -40° C to +250° C. Ideal as a release agent for molds of plastics. Protective, lubricant, releasing, waterproof for each type of material, the silicon is excellent for many functions. It can also be used in boating, camping and in the home.

EXTRA WATER-PROOFING

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84009	GT -HQ09	400	-	12

SILICONE SEALANT REMOVER
RAPID SOLVENT - NOT AGGRESSIVE
FOR ALL SURFACES

Formulation based on solvents designed to remove and dissolve excess or residues of silicone. The product acts quickly on fresh silicone and more slowly in the presence of hardened material. When large amounts of silicone need to be removed, it is recommended first to remove mechanically as much as possible before applying the solvent. It does not corrode any surface. Does not tarnish.

RAPID SOLVENT - NOT AGGRESSIVE

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84012	GT -RS12	400	-	12

BRAKES & GEARS CLEANER

Special cleaner particularly effective for brakes, clutches and all mechanical components that require to be degreased without rinsing. It rapidly dissolves and removes oil, grease and any dirty substance.

QUICK - NO RINSING

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84027	GT-27	500	-	12



ELECTRICAL CONTACT CLEANER

Specifically formulated for the deep cleaning of electrical, electronic and electromagnetic contacts. It instantly removes humidity and oily substances like grease, oil, sludge, wax and glue from surfaces, leaving the part treated clean and degreased. The product might be corrosive to certain particularly delicate surfaces.

IMMEDIATE EFFECT PROLONGS THE LIFE OF THE ELECTRICAL CONTACTS

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84029	GT -PE	400	-	12





ANTI-SPATTER FOR WELDING

A product made of film-forming synthetic polymers which, owing to their special characteristics, prevent the seizure of welding spatter to any surface. The film also prevents oxidation and corrosion by chemical agents. It is suitable for autogenous, electric and inert-gas welding. The compound is free of silicon substances.

PROTECTIVE FILM

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84031	GT-SALD	400	-	12

HIGH PRESSURE CLEANER

It removes dust even from lesser accessible parts. It is a must for cleaning lenses, objectives, computers and any kind of mechanism.

LENSES - COMPUTERS PRECISIONS TOOLS

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84032	GT-AP	400	-	12

UNIVERSAL SPRAY GUN ST1 FOR CANS WITH STANDARD DISPENSER *

Practical to use, ergonomic and easy to handle,

It allows a precise and controlled dosage.

*** It can't be used for cans with multiposition dispensing valve (LUBRIEXTRA HQ 10F)**

NEW

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs	pcs
84025	ST1	-	-	5

Fastenings and accessories dedicated for the building industries

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry

stone concrete — solid brick

OP50 EYEBOLT ANCHOR FOR SCAFFOLDING

Internal Ø. 50mm,
with hexagonal stem for 21mm spanner.
complete with fixing anchor, Ø hole 16 mm

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TOC5021	-	OP50/210/16	-	10
TOC5027	-	OP50/270/16	-	10

REPLACEMENT ANCHOR FOR OP 50/16 ALM – STEEL ANCHOR

Ø hole 16mm

stone concrete

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TM10	16x60	ALM10	25	400

HLM – STEEL ANCHOR

CE Option 8 approved

OPZIONE 8

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TMH10	16x60	HLM10	25	400

OVERSIZE WASHER 16 X 48

white zinc plated steel UNI 6593

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TRR16	-	R16	50	400

EXTRACTOR-DINAMOMETER 0-20 KN

Portable tester for anchorage tests, stamina and resistance on eyebolts for scaffolding anchoring, nylon and steel anchor for medium and heavy loads.
Maximum gripping ability of 2050 Kg = 20 KN.
In according to
CE Regulation (DPR 24/07/96 n. 459)

ART.	Ø x L_t	DESCR.	BOX	CARTON	
	mm		pz	pz	euro cad
EXTR01	-	EXTRACTOR 0-20KN	1	1	

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry

stone
concrete

OPF50 EYEBOLT ANCHOR FOR SCAFFOLDING

Internal Ø 50mm,
with hexagonal stem for 21mm spanner.
complete with fixing anchor,
Ø hole 18 mm

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TOCF502118	-	OP50/210/18	-	10
TOCF502718	-	OP50/270/18	-	10
TOCF503318	-	OP50/330/18	-	10

ADDITIONAL STUD ANCHOR FOR OPF50/18

Hole Ø hole 18 mm

ART.	Ø x L_t	DESCR.		BOX	CARTON
	mm			pz	pz
57024	M12x90	-	-	20	500
57025	M12x140	-	-	20	500

STEEL SPACER FOR USE WITH OPF50/18

Ø hole 18 mm

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
57026	M18x50	-	20	500

NTR FOR OPF50

Ø hole 18 mm

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TNTR12	18x75	NTR12	20	320

OVERSIZE WASHER 18 X 48

UNI 6593

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
TRR18	-	R18	25	400

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry

stone
concrete

GP12 STEEL EYEBOLT ANCHOR FOR SCAFFOLDING

complete eyebolt, Ø internal 23mm
with steel expansion body GE12

ART.	DESCR.	VITE	BOX	CARTON
		mm	pz	pz
TGP10	GP12/135	-	-	25
TGP11	GP12/180	-	-	25

REPLACEMENT ANCHOR FOR GP12

GP - steel expansion anchor

ART.	DESCR.	VITE	BOX	CARTON
		mm	pz	pz
TGE12	GE12	-	100	-

OP12/23 STEEL EYEBOLT SCAFFOLDING ANCHOR

Ø internal 23mm
Tested by the Engineering Department
"**Institute Polytechnic**" of Turin

ART.	DESCR.	BOX	CARTON
		pz	pz
TOC1290	OP12x90	-	20
TOC1212	OP12x120	-	25
TOC1216	OP12x160	-	20
TOC1219	OP12x190	-	20
TOC1223	OP12x230	-	20
TOC1230	OP12x300	-	10
TOC1235	OP12x350	-	20

OP12/50 STEEL EYEBOLT SCAFFOLDING ANCHOR

Ø internal 50mm
Tested by the Engineering Department
"**Institute Polytechnic**" of Turin

ART.	DESCR.	BOX	CARTON
		pz	pz
TOC121450	OP12/140/50	-	20
TOC121650	OP12/160/50	-	20
TOC122050	OP12/200/50	-	20
TOC122550	OP12/250/50	-	20
TOC123050	OP12/300/50	-	20

CONDOR NYLON PLUG

For OP12 eyebolt

HIGH QUALITY NYLON

Tested by "INSTITUTE POLYTECNIC" of Torino

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pz	pz
HTC1410	14x100	C14A100	25	400
HTC1614	16x140	C16A140	25	400

SPECIALISED ACCESSORIES

Dedicated fastenings and accessories
for the building industry

PRO 1 - SCAFFOLDING EXTENSION

To connect eyebolt to scaffolding. White zinc plated steel. Completed with safety cup.
BOX 10 **pcs**.

Tested by "INSTITUTE POLYTECNIC" of Torino

A - Suitable with our eyebolts **OP50** and **OP12/50**.
Internal diameter 50 mm

ART.	DESCR.	BOX	CARTON
		pz	pz
TOCPRO1	PRO1 PIPE Ø 48x500	-	10
TOCPRO13	PRO13 PIPE Ø 48x300	-	10
TOCPRO11	PRO11 PIPE Ø 48x1000	-	5

PRO 2 - SCAFFOLDING EXTENSION

To connect eyebolt to scaffolding.
White zinc plated steel.

Tested by "INSTITUTE POLYTECNIC" of Torino

B - Suitable with our eyebolts **OP50** and **OP12/50**.
Internal diameter 50 mm

ART.	DESCR.	BOX	CARTON
		pz	pz
TOCPRO2	PRO2 PIPE Ø 48x500 WITH HOOK Ø 20	-	10
TOCPRO23	PRO23 PIPE Ø 48x300 WITH HOOK Ø 20	-	10
TOCPRO21	PRO21 PIPE Ø 48x1000 WITH HOOK Ø 20	-	5

RED PROTECTION CAP

suitable as protection for eyebolt extension and rebar.
until Ø 20 mm

ART.	DESCR.	BOX	CARTON
		pz	pz
HGR01	RED PLASTIC CAP Ø 70 MM.	-	20

CP CAP

head diameter 28 mm
to use after the **OP12**, **GP12** and **OP50**
eyebolt has been pulled out.



ART.	DESCR.	BOX	CARTON
		pz	pz
HCL26	CP12	25	400

GETO
CHIPBOARD SCREW

wood

GETO BRONZED CHIPBOARD SCREW

Chipboard screw lubricated, no pre-drilling, reccomended for screwing on: particle board, wood, sheet metal and plastics.
Pozidrive imprint.

ART.	Ø x L_V	DESCR.	POZI	t_{fix}	BOX	CARTON
	mm		n°	mm	pz	pz
74087	2,5x12	GTR 2,5-12BZ	1	-	200	28800
74088	2,5x16	GTR 2,5-16BZ	1	-	200	28800
74089	2,5x20	GTR 2,5-20BZ	1	-	200	28800
74090	2,5x25	GTR 2,5-25BZ	1	-	200	12000
74091	3x12	GTR 3-12BZ	1	-	200	12000
74092	3x16	GTR 3-16BZ	1	-	200	12000
74093	3x20	GTR 3-20BZ	1	-	200	12000
74094	3x25	GTR 3-25BZ	1	-	200	9600
74095	3x30	GTR 3-30BZ	1	-	200	9600
74096	3x35	GTR 3-35BZ	1	-	200	9600
74097	3x40	GTR 3-40BZ	1	-	200	9600
74098	3,5x12	GTR 3,5-12BZ	2	-	200	12000
74099	3,5x16	GTR 3,5-16BZ	2	-	200	12000
74351	3,5x18	GTR 3,5-18BZ	2	-	200	12000
74100	3,5x20	GTR 3,5-20BZ	2	-	200	12000
74101	3,5x25	GTR 3,5-25BZ	2	-	200	9600
74102	3,5x30	GTR 3,5-30BZ	2	-	200	9600
74103	3,5x35	GTR 3,5-35BZ	2	-	200	9600
74104	3,5x40	GTR 3,5-40BZ	2	-	200	6400
74105	3,5x45	GTR 3,5-45BZ	2	-	200	6400
74106	3,5x50	GTR3,5-50BZ	2	-	200	6400
74107	4x16	GTR 4-16BZ	2	-	200	12000
74108	4x20	GTR 4-20BZ	2	-	200	9600
74109	4x25	GTR 4-25BZ	2	-	200	9600
74110	4x30	GTR 4-30BZ	2	-	200	9600
74111	4x35	GTR 4-35BZ	2	-	200	6400
74112	4x40	GTR 4-40BZ	2	-	200	6400
74113	4x45	GTR 4-45BZ	2	-	200	6400
74114	4x50	GTR 4-50BZ	2	-	200	4800
74115	4x60	GTR 4-60BZ	2	-	200	4800
74117	4,5x20	GTR 4,5-20BZ	2	-	200	9600
74118	4,5x25	GTR 4,5-25BZ	2	-	200	9600
74119	4,5x30	GTR 4,5-30BZ	2	-	200	6400
74120	4,5x35	GTR 4,5-35BZ	2	-	200	6400
74122	4,5x40	GTR 4,5-40BZ	2	-	200	6400
74123	4,5x45	GTR 4,5-45BZ	2	-	200	4800
74124	4,5x50	GTR 4,5-50BZ	2	-	200	4800
74125	4,5x60	GTR 4,5-60BZ	2	-	200	3200
74126	4,5x70	GTR 4,5-70BZ	2	-	200	3200
74127	4,5x80	GTR 4,5-80BZ	2	-	200	2400
74128	5x20	GTR 5-20BZ	2	-	200	9600
74129	5x25	GTR 5-25BZ	2	-	200	9600
74130	5x30	GTR 5-30BZ	2	-	200	6400
74131	5x35	GTR 5-35BZ	2	-	200	6400
74132	5x40	GTR 5-40BZ	2	-	200	6400
74133	5x50	GTR 5-50BZ	2	-	200	4500
74134	5x60	GTR 5-60BZ	2	-	100	2400
74135	5x70	GTR 5-70BZ	2	-	100	2400
74136	5x80/63	GTR 5-80BZ	2	-	100	1600
74137	5x90/63	GTR 5-90BZ	2	-	100	1600
74138	5x100/63	GTR 5-100BZ	2	-	100	1600
74141	6x40	GTR 6-40BZ	2	-	200	4800
74142	6x50	GTR 6-50BZ	2	-	100	2400
74143	6x60	GTR 6-60BZ	2	-	100	2400
74144	6x70/63	GTR 6-70BZ	2	-	100	1600
74145	6x80/63	GTR 6-80BZ	2	-	100	1600
74147	6x100/70	GTR 6-100BZ	2	-	100	1600

GETO
CHIPBOARD SCREW

wood

GETO WHITE ZINC PLATED CHIPBOARD SCREW

Chipboard screw lubricated, no pre-drilling, reccomended for screwing on: particle board, wood, sheet metal and plastics.
Pozidrive imprint.

ART.	Ø x L_V	DESCR.	POZI	t_{fix}	BOX	CARTON
	mm		n°	mm	pz	pz
74021	2,5x12	GTR 2,5-12ZB	1	-	200	28800
74022	2,5x16	GTR 2,5-16ZB	1	-	200	28800
74023	2,5x20	GTR 2,5-20ZB	1	-	200	28800
74025	3x12	GTR 3-12ZB	1	-	200	12000
74026	3x16	GTR 3-16ZB	1	-	200	12000
74027	3x20	GTR 3-20ZB	1	-	200	12000
74028	3x25	GTR 3-25ZB	1	-	200	9600
74029	3x30	GTR 3-30ZB	1	-	200	9600
74030	3x35	GTR 3-35ZB	1	-	200	9600
74031	3x40	GTR 3-40ZB	1	-	200	9600
74032	3,5x12	GTR 3,5-12ZB	2	-	200	12000
74033	3,5x16	GTR 3,5-16ZB	2	-	200	12000
74352	3,5x18	GTR 3,5-18ZB	2	-	200	12000
74034	3,5x20	GTR 3,5-20ZB	2	-	200	12000
74035	3,5x25	GTR 3,5-25ZB	2	-	200	9600
74036	3,5x30	GTR 3,5-30ZB	2	-	200	9600
74037	3,5x35	GTR 3,5-35ZB	2	-	200	9600
74038	3,5x40	GTR 3,5-40ZB	2	-	200	6400
74039	3,5x45	GTR 3,5-45ZB	2	-	200	6400
74040	3,5x50	GTR3,5-50ZB	2	-	200	6400
74041	4x16	GTR 4-16ZB	2	-	200	12000
74042	4x20	GTR 4-20ZB	2	-	200	9600
74043	4x25	GTR 4-25ZB	2	-	200	9600
74044	4x30	GTR 4-30ZB	2	-	200	9600
74045	4x35	GTR 4-35ZB	2	-	200	6400
74046	4x40	GTR 4-40ZB	2	-	200	6400
74047	4x45	GTR 4-45ZB	2	-	200	6400
74048	4x50	GTR 4-50ZB	2	-	200	4800
74049	4x60	GTR 4-60ZB	2	-	200	4800
74050	4,5x16	GTR 4,5-16ZB	2	-	200	4800
74051	4,5x20	GTR 4,5-20ZB	2	-	200	9600
74052	4,5x25	GTR 4,5-25ZB	2	-	200	9600
74053	4,5x30	GTR 4,5-30ZB	2	-	200	6400
74054	4,5x35	GTR 4,5-35ZB	2	-	200	6400
74056	4,5x40	GTR 4,5-40ZB	2	-	200	6400
74057	4,5x45	GTR 4,5-45ZB	2	-	200	4800
74058	4,5x50	GTR 4,5-50ZB	2	-	200	4800
74059	4,5x60	GTR 4,5-60ZB	2	-	200	3200
74060	4,5x70	GTR 4,5-70ZB	2	-	200	3200
74061	4,5x80	GTR 4,5-80ZB	2	-	200	2400
74062	5x20	GTR 5-20ZB	2	-	200	9600
74063	5x25	GTR 5-25ZB	2	-	200	9600
74064	5x30	GTR 5-30ZB	2	-	200	6400
74065	5x35	GTR 5-35ZB	2	-	200	6400
74066	5x40	GTR 5-40ZB	2	-	200	6400
74067	5x50	GTR 5-50ZB	2	-	200	4800
74068	5x60	GTR 5-60ZB	2	-	100	2400
74069	5x70	GTR 5-70ZB	2	-	100	2400
74070	5x80/63	GTR 5-80ZB	2	-	100	1600
74071	5x90/63	GTR 5-90ZB	2	-	100	1600
74072	5x100/63	GTR 5-100ZB	2	-	100	1600
74075	6x40	GTR 6-40ZB	2	-	200	4800
74076	6x50	GTR 6-50ZB	2	-	100	2400
74077	6x60	GTR 6-60ZB	2	-	100	2400
74078	6x70/63	GTR 6-70ZB	2	-	100	1600
74079	6x80/63	GTR 6-80ZB	2	-	100	1600
74080	6x90/63	GTR 6-90ZB	2		100	1600
74081	6x100/70	GTR 6-100ZB	2		100	1600
74083	6x120/70	GTR 6-120ZB	2		100	1600

GETO SELF DRILLING SCREW

metal

GETO SELF DRILLING SCREW

T.E. Flanged head Ch. 10, white zinc plated.
Suitable for mounting on metal sheets, maximum thickness 6 mm.
No pre-drilling.

ART.	Ø x L_V	DESCR.	POZI	BOX	CARTON
	mm		n°	pz	pz
98019	6,3x20	GTF 20	-	200	3200
98020	6,3x25	GTF 25	-	200	3200
98022	6,3x35	GTF 35	-	200	3200
98023	6,3x40	GTF 40	-	200	1600
98024	6,3x50	GTF 50	-	200	1600
98025	6,3x60	GTF 60	-	100	800
98027	6,3x70/60	GTF 70	-	100	800
98028	6,3x80/60	GTF 80	-	100	800
98029	6,3x90/60	GTF 90	-	100	800
98030	6,3x100/60	GTF 100	-	50	400
98031	6,3x110/60	GTF 110	-	50	400
98032	6,3x120/60	GTF 120	-	50	400
98033	6,3x130/60	GTF 130	-	50	400
98034	6,3x150/60	GTF 150	-	50	400
98035	6,3x180/60	GTF 180	-	50	400
98036	6,3x200/60	GTF 200	-	50	400

wood

COACH SCREW DIN571

UNI704 for wood
T.E. Head, white zinc plated.

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pz	pz
53001	8x50	TRF8-50	100	800
53002	8x60	TRF8-60	100	800
53003	8x70	TRF8-70	100	800
53004	8x80	TRF8-80	100	800
53005	8x90	TRF8-90	100	800
53006	8x100	TRF8-100	100	800
53007	8x110	TRF8-110	50	400
53008	8x120	TRF8-120	50	400
53009	8x140	TRF8-140	50	400
53010	8x160	TRF8-160	50	400
53011	8x180	TRF8-180	50	400
53012	8x200	TRF8-200	50	400
53013	10x80	TRF10-80	50	400
53014	10x100	TRF10-100	50	400
53015	10x120	TRF10-120	50	300
53016	10x140	TRF10-140	50	300
53017	10x160	TRF10-160	50	300
53018	10x180	TRF10-180	50	200
53019	10x200	TRF10-200	50	200
53020	10x220	TRF10-220	25	150
53021	10x240	TRF10-240	25	150
53022	10x260	TRF10-260	25	150
53023	10x280	TRF10-280	25	150
53024	10x300	TRF10-300	25	150
53025	12x100	TRF12-100	50	300
53026	12x120	TRF12-120	50	200
53027	12x140	TRF12-140	50	200
53028	12x160	TRF12-160	25	150
53029	12x180	TRF12-180	25	150
53030	12x200	TRF12-200	25	150
53031	12x220	TRF12-220	25	150
53032	12x240	TRF12-240	25	150
53033	12x260	TRF12-260	25	150
53034	12x280	TRF12-280	25	150
53035	12x300	TRF12-300	25	150

GETO WOOD SCREW

wood

GETO WOOD SCREW

For wooden structures and to assemble wooden flaky carpentry

- Countersunk flat head wood screw, yellow galvanized cement steel.

TORX T20, T25, T30, T40

- Self drilling bit that realize directly the hole into the support, without preliminary drilling.
- Milling section to prevent any risk of cracking



ART.	Ø x L_V	DESCR.	TORX	t_{fix}	BOX	CARTON
	mm			mm	pz	pz
92105	4x40	GW4-40	T20	16	100	3200
92106	4x50	GW4-50	T20	26	100	3200
92107	4x60	GW4-60	T20	30	100	2000
92108	4x70	GW4-70	T20	35	100	3200
92109*	4,5x40	GW4,5-40	T20	16	100	4000
92110*	4,5x50	GW4,5-50	T20	26	100	4000
92111	4,5x60	GW4,5-60	T20	30	100	3200
92112	4,5x70	GW4,5-70	T20	35	100	3200
92113*	5x50	GW5-50	T20	26	100	3200
92114*	5x60	GW5-60	T20	30	100	3200
92115	5x70	GW5-70	T20	35	100	1600
92116	5x80	GW5-80	T20	40	100	1600
92117	5x100	GW5-100	T20	50	100	1600

* Item not included in the certification EC

92001	6x80	GW6-80	T30	30	100	800
92002	6x100	GW6-100	T30	50	100	800
92003	6x120	GW6-120	T30	70	100	800
92004	6x140	GW6-140	T30	70	100	800
92005	6x160	GW6-160	T30	90	100	800
92006	6x180	GW6-180	T30	110	100	800
92007	6x200	GW6-200	T30	130	100	800
92008	6x220	GW6-220	T30	150	100	800
92009	6x240	GW6-240	T30	170	100	800
92010	6x300	GW6-300	T30	230	100	600
92011	8x80	GW8-80	T40	30	50	400
92012	8x100	GW8-100	T40	50	50	400
92013	8x120	GW8-120	T40	70	50	400
92014	8x140	GW8-140	T40	60	50	400
92015	8x160	GW8-160	T40	80	50	400
92016	8x180	GW8-180	T40	100	50	400
92017	8x200	GW8-200	T40	120	50	400
92018	8x220	GW8-220	T40	140	50	400
92019	8x240	GW8-240	T40	160	50	400
92020	8x260	GW8-260	T40	180	50	400
92021	8x280	GW8-280	T40	200	50	300
92022	8x300	GW8-300	T40	220	50	300
92023	8x320	GW8-320	T40	240	50	300
92024	8x340	GW8-340	T40	260	50	300
92025	8x360	GW8-360	T40	280	50	150
92026	8x380	GW8-380	T40	300	50	150
92027	8x400	GW8-400	T40	320	50	150
92028	10x120	GW10-120	T40	70	50	400
92029	10x140	GW10-140	T40	60	50	400
92030	10x160	GW10-160	T40	80	50	400
92031	10x180	GW10-180	T40	100	50	400
92032	10x200	GW10-200	T40	120	50	400
92033	10x220	GW10-220	T40	140	50	400
92034	10x240	GW10-240	T40	160	50	400
92035	10x260	GW10-260	T40	180	50	400
92036	10x280	GW10-280	T40	200	50	300
92037	10x300	GW10-300	T40	220	50	300
92038	10x320	GW10-320	T40	240	50	300
92039	10x340	GW10-340	T40	260	50	300
92040	10x360	GW10-360	T40	280	50	150
92041	10x380	GW10-380	T40	300	50	150
92042	10x400	GW10-400	T40	320	50	150

wood

CONICAL WASHER
yellow zinc plated steel

ART.	MISURE Ø int x Ø ext	DESCR.	PER VITE Ø	BOX	CARTON
	mm		mm	pz	pz
92043	7,6x20	GW4-40	6	50	-
92044	9,5x25	GW4-100	8	50	-
92045	11,4x30	GW4-120	10	50	-

TORX
Hexagonal Bits, **10 pcs** per bag

ART.	DESCR.	LONG	BOX	CARTON
		mm	pz	pz
TIP3	TORXT30	25	20	100
TIP1	TORXT40	25	20	100

SITA ACCIAIO

stone concrete

solid brick

Steel Anchor SITA "WIRE HANGER"
for **concrete ceilings**, with perforated flat Ø 6 mm for attaching hangers. Hole Ø 6 mm

ART.	Ø x L_t	DESCR.	VITE	t_{fix}	BOX	CARTON
	mm		mm	mm	pz	pz
TTS660	-	SO6	6x60	-	200	1600

RAPID LASTRO

cartongesso

RPC -RAPID LASTRO SCREW
Self drilling screw with special countersunk flat (trumpet) head and Phillips cross slot. Black phosphated. Designed for fixing plasterboard panels on metal profiles.

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pz	pz
TVC25	3,5x25	RP/C	1000	16000
TVC35	3,5x35	RP/C	1000	8000
TVC45	3,5x45	RP/C	1000	8000
TVC55	3,5x55	RP/C	500	4000
TVC4270	4,2x70	RP/C	500	4000
TVC4890	4,8x90	RP/C	250	2000

RPF - RAPID LASTRO SCREW
Self drilling screw with countersunk flat (trumpet) head Black phosphated. For fixing plasterboard panels on metal profiles.

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pz	pz
TVF25	3,5x25	RP/F	1000	16000
TVF35	3,5x35	RP/F	1000	8000
TVF45	3,5x45	RP/F	1000	8000
TVF4270	4,2x70	RP/F	500	4000

RPL - RAPID LASTRO SCREW
Self piercing screw with flat head and dummy washer. White zinc plated. For fixing plasterboard panels on metal profiles

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pz	pz
TVL42	4,2x13	RP/L	500	8000
TVL4216	4,2x16	RP/L	500	8000
TVL4219	4,2x19	RP/L	500	8000
TVL4225	4,2x25	RP/L	500	8000

ISOFIS
For fixing Insulation panels



solid brick | hollow concrete block

ISOFIS IS 8 ANCHOR
For fixing Insulation panels on solid supports

ART.	Ø x L_t	DESCR.	t_{fix}	BOX	CARTON
	mm		mm	pz	pz
HI88	8x80	IS8/80	20-50	100	1000
HI811	8x110	IS8/110	60-80	100	600

stone concrete | solid brick | ladrillo semihueco | hollow brick | hollow concrete block

ISOFIS ISA8 WITH STEEL NAIL ANCHOR
Specifically for fixing insulation panels to hollow block walls, semisolid bricks and light concrete.
CE approved.

ETAG 014 cat. utilizzo a,b,c,d,e

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L_t	DESCR.	t_{fix}	BOX	CARTON
	mm		mm	pz	pz
HIA8095	8x95	ISA895	45	-	200
HIA8115	8x115	ISA8115	65	-	200
HIA8135	8x135	ISA8135	85	-	200
HIA8155	8x155	ISA8155	105	-	200
HIA8175	8x175	ISA8175	125	-	200
HIA8195	8x195	ISA8195	145	-	200

stone concrete | solid brick | ladrillo semihueco | hollow brick | hollow concrete block

ISOFIS IS 10 ANCHOR
(CARTON PACKED)
Specifically for fixing insulation panels to hollow block walls, semisolid bricks and light concrete.
CE approved.

ETAG 014 cat. utilizzo a,b,c,d,e

on line
G&B CALCULATION PROGRAM
professional design of anchorage in concrete

ART.	Ø x L_t	DESCR.	t_{fix}	BOX	CARTON
	mm		mm	pz	pz
HI1070	10x70	IS10/70	20	-	200
HI1090	10x90	IS10/90	40	-	200
HI10110	10x110	IS10/110	60	-	200
HI10140	10x140	IS10/140	90	-	200
HI10160	10x160	IS10/160	110	-	200
HI10180	10x180	IS10/180	130	-	200
HI10200	10x200	IS10/200	150	-	200
HI10220	10x220	IS10/220	170	-	100
HI10260	10x260	IS10/260	210	-	100

stone concrete | solid brick | ladrillo semihueco | hollow brick | hollow concrete block | Light concrete | wood

ISOFIS WASHER WITH SCREW COVER CAP
polypropylene washer
head diameter 60 mm with screw cover cap for fixing insulating panels with chipboard screws (on wood) or anchors (masonry).

ART.	Ø testa	DESCR.	VITE	BOX	CARTON
	mm		mm	pz	pz
64065	60	RHI06	5-6	100	400

GB NYLON ANCHOR

polyurethane
and polystyrene

ISORAPID ANCHORS FOR NYLON COATS

for the fixing of light loads
on panels of polyurethane and polystyrene.
Prevents thermal bridges.



ART.	Ø x L_t	DESCR.	VITE	IMPRONTA	BOX	CARTON
	mm		mm		pz	pz
64066	25x58	TPI60	4,5-5	T40	50	400
64067	32x97	TPI95	M8-M10	TE13	25	150

Light
concrete

GB NYLON ANCHOR

For light concrete (gasbeton) supports.
Installation with hexagon socket n. 6-8-10

ART.	Ø x L hole	DESCR.	VITE	BOX	CARTON
	mm		mm	pz	pz
HGSB04	10x60	GB4	4,0-4,5/M4	50	800
HGSB06	10x60	GB6	5,0-6,0/M5	50	800
HGSB08	12x70	GB8	7,0-8,0/M8	50	400
HGSB10	14x80	GB10	9,0-10,0/M10	50	300

Products and Accessories for the construction industry

BUILDING

NEW LINE

SPACERS FOR FORMWORK
white zinc plated

ART. TYPE SG	ART. TYPE EG	WALL THICKNESS	BOX
con tappo		cm	pcs
-	*DSZ013	10	100
*DST003	*DSZ003	15	100
*DST005	*DSZ004	20	100
*DST004	*DSZ005	25	100
*DST006	*DSZ006	30	100
*DST008	*DSZ007	35	100
*DST007	*DSZ008	40	100
*DST009	*DSZ009	45	100
*DST010	*DSZ010	50	100
*DST011	*DSZ011	55	100
*DST012	*DSZ012	60	100
*DST013	*DSZ065	65	100
*DST014	*DSZ014	70	100
DST015	*DSZ075	75	100
*DST016	*DSZ080	80	100
*DST017	*DSZ085	85	100
*DST018	*DSZ090	90	100
*DST019	*DSZ095	95	100
*DST020	*DSZ100	100	100

TYPE SG :
available on demand,
price on request

RECOMMENDED INSTALLATION DIMENSIONS

wall thickness cm	wall height cm	wall length cm	spacing distance cm
10-20	150x250	150x500	30
10-20	150x250	≥ 500	35
10-20	300x500	150x500	30
10-20	300x500	≥ 500	30
25-40	150x250	150x500	30
25-40	150x250	≥ 500	35
25-40	300x400	150x500	30
25-40	300x400	≥ 500	35
25-40	400x500	150x500	30
25-40	500x600	≥ 500	25
45-60	100x250	150x300	25
45-60	100x250	≥ 300	30
45-60	300x400	150x300	25
45-60	300x400	≥ 300	30
45-60	400x500	≥ 300	25
70-100	100x200	≥ 300	30
70-100	300x400	≥ 300	25

Recommended spacing distances / installation for guaranteed approval

- Do not damage buttonhole of the spacer forcing the wedge. If this occurs, replace the spacer.
- When positioning the heads of the formwork leave a tolerance to allow easy closing of the brackets.
- Never use spacers of different brands.
- He framework must be filled slowly and with care, never too aggressively.

PROFILE POSTS
white zinc plated

ART. TYPE U TYPEED	MEASURE	BOX
	cm	pcs
*MON014	630	100
*MON018	1000	100
*MON017	1130	100
*MON016	1500	100
*MON015	1630	100

ART. TYPE EM	MEASURE	BOX
with hook	cm	pcs
*MON020	500	100
*MON021	1000	100
*MON022	1500	100

BUILDING

NEW LINE

BOW BRACKETS
coated

ART.	MEASURE	WIDTH x THICKNESS	BOX	CARTON
	cm	mm	pcs	pcs
*MNT001	500	40x6	200	-

Traditional TIES
For use with **cast concrete and battons**
in industrial packaging

ART.	CRAVATTE	PILASTRI.	WIDTH x THICKNESS	WEIGTH	BOX
	cm	cm	mm	4 pcs kg ca.	pcs
*CRA005	65	20-40	60x8	9	4
*CRA004	75	20-50	60x8	10	4
*CRA006	85	25-60	60x8	11,5	4
*CRA008	110	40-80	60x8	12	4
*CRA007	135	60-100	80x8	28	4

LONG WEDGES
for spacers

ART.	DESCR.	BOX	CARTON
		pcs	pcs
*CUN004		100	-

LITTLE WEDGES
for ties - coated

ART.	DESCR.	BOX	CARTON
		pcs	pcs
*CUN002		20	-

RELEASE AGENT
for wood and iron frameworks

ART.	DESCR.	BOX	CARTON
		pcs	pcs
*DSA001	WOOD FRAMEWORK	25	-
*DSA002	IRON FRAMEWORK	25	-

BUILDING

NEW LINE

OCTAGONAL BASE PLATE
reflecting strip

Article certificate for
Resistance to compression
Ist. *ISOENCErtifications* - MI

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*SCB002		50	-

WEDGE BASE PLATE
for uneven floor levels

Article certificate for
Resistance to compression
Ist. *ISOENCErtifications* - MI

ART.	DESCRIZ.	BOX	CARTON
	cm mm	pcs	pcs
*SCB003		50	-

JOINT COVER
with reflecting strip

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*CPG002		70	-

JOINT COVER
neutral

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*CPG001		70	-

TUBULAR COVER
with reflecting strip

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*SCT002		50	-

BUILDING

NEW LINE

PLASTIC CAP
for tube Ø 48mm
and for reinforcing bars Ø 8mm -20mm

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG001		200	-

PLASTIC CAP
for tube Ø 48mm
and for reinforcing bars Ø 14mm-35mm

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG004		100	-

PLASTIC CAP
for reinforcing bars Ø 14mm-35mm

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG003		100	-

RUBBER CAP
for tube Ø 48mm

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*TCG002		100	-

SCREW "T"
for coupling scaffolding
with nut and washer
packed in bulk and not assembled

NEW

ART.	DESCRIZ.	BOX	CARTON
		pcs	pcs
*BUL022		100	300

BUILDING

NEW LINE

STANDARD BUCKET
10 liters - black

ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*SEC003	-	25	-

LARGE BUCKET REINFORCED
12 liters - yellow

ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*SEC004	63x46	25	-

MIXING BATH for motar
reinforced material - 30 litres

ART.	DIMENSIONS	BOX	CARTON
	cm	pcs	pcs
*BAC003	67x46x18	5	-

RUBBLE TUB
reinforced material - 45 litres

ART.	DESCRIZ.	DIMENSIONS	LT	BOX	CARTON
		cm		pcs	pcs
*BAC002	ROUND	Ø 46,5x33	45	5	-
*BAC004	SQUARE	40x40x34,5	50	5	-

NEW

GEBFIX-SOLAR FIXING FOR PHOTOVOLTAIC SYSTEMS

Anchors, bolts and accessories for fixing of photovoltaic panels.

GB-SOLAR BLOCK
Anchors, screw and accessories for photovoltaic panels.

solid brick | Light concrete | wood

MOUNTING BRACKET GB-SOLAR BLOCK
FOR PHOTOVOLTAIC PANELS. Bracket for fixing solar panels. Suitable for corrugated sheets type iSOLPACK K5. Material: polyamide 6 (nylon) reinforced with fiber glass and UVA resistant.

European Quality Institute Srl

PATENTED G&B

ART.	Ø x L_t	DESCR.	t_{fix}	BOX	CARTON
	mm		mm	pcs	pcs
99001	120x4,5	GB-SOLAR BLOCK	-	1	-

without screw and bolt

ACCESSORY FOR TERMINAL FIXING
of photovoltaic panels with the bracket GB-SolarBLOCK



ART.	SIZES	DESCR.	BOX	CARTON
	mm		pcs	pcs
99193	15x40x35	ELEMENT FOR TERMINAL FIXING	1	-
99194	15x40x38	ELEMENT FOR TERMINAL FIXING	1	-
99195	15x40x42	ELEMENT FOR TERMINAL FIXING	1	-
99196	15x40x45	ELEMENT FOR TERMINAL FIXING	1	-
99197	15x40x48	ELEMENT FOR TERMINAL FIXING	1	-
99198	15x40x50	ELEMENT FOR TERMINAL FIXING	1	-

DOUBLE THREADED SCREW
with gasket **EPDM**.
A2 Stainless steel, sizes M10- M12.
Metric Screw + pitch wood
3 flanged hex nuts
1 DIN9021 washers EPDM M10-M12



INOX (A2)

ART.	Ø x L_V	DESCR.	A-SCREW PASSO WOOD	B-SCREW PASSO METRICO	BOX	CARTON
	mm		mm	mm	pcs	pcs
99002	M10x250	VDF1025	80	130	50	-
99003	M12x250	VDF1225	100	130	50	-
99004	M12x300	VDF1230	100	150	50	-
99005	M12x350	VDF1235	125	180	50	-

GB-SOLAR BLOCK
Anchors, screw and accessories for photovoltaic panels.

solid brick | Light concrete | wood

MAT FOR BRACKET GB-SOLARBLOCK

ART.	measures	DESCR.	BOX	CARTON
	mm		pcs	pcs
99164	180x80x1,5	TAP-N	150	-

CONNECTION PLATE
FOR DOUBLE THREAD SCREW
A2 STAINLESS STEEL
buttonhole width 11 mm for accessories M10
hole Ø 13 ml thread size M10-M12

INOX (A2)

ART.		DESCR.	ASOLA	FORO	BOX	CARTON
	mm		mm	mm	pcs	pcs
99006	90x40x5	P11	13	-	50	-

TCEI Screw
CYLINDER HEAD SCREW
WITH HEXAGON SOCKET
UNI5931 - DIN 912
A2(304) Stainless steel for fixing
of intermediate/final clamp.

INOX (A2)

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99007	M8x10	TCEI810	100	-
99008	M8x20	TCEI820	100	-
99010	M8x25	TCEI825	100	-
99011	M8x30	TCEI830	100	-
99012	M8x35	TCEI835	100	-
99013	M8x40	TCEI840	100	-
99014	M8x45	TCEI845	100	-
99015	M8x50	TCEI850	100	-
99016	M8x55	TCEI855	100	-
99017	M8x65	TCEI865	100	-
99018	M8x70	TCEI870	100	-
99019	M10x20	TCEI1020	100	-
99020	M10x25	TCEI1025	100	-
99021	M10x40	TCEI1040	100	-

SELF DRILLING SCREW (DIN7504)
hexagonal flanged head screw,
A2 stainless steel for fixing profiles
and brackets

INOX (A2)

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99023	3,5x95	AF3595	200	-
99024	4,8x16	AF4816	200	-
99025	4,8x19	AF4819	200	-
99026	4,8x25	AF4825	200	-
99027	4,8x32	AF4832	200	-
99028	4,8x38	AF4838	200	-
99029	5,5x19	AF5519	200	-
99030	5,5x32	AF5532	200	-
99031	6,3x19	AF6319	200	-
99032	6,3x38	AF6338	200	-
99033	6,3x125	AF63125	200	-
99034	6,3x150	AF63150	200	-

A2 STAINLESS STEEL WASHERS
with **EPDM** gasket for self drilling screw

INOX (A2)

ART.	Ø int. x Ø ext.	DESCR.	x SCREW Ø	BOX	CARTON
	mm		mm	pcs	pcs
99035	5,1x16	RIEPDM4	4,8	200	-
99036	6,1x19	RIEPDM5	5,5	200	-
99037	6,7x19	RIEPDM6	6,3	100	-

GB-SOLAR BLOCK

Anchors, screw and accessories for photovoltaic panels.

HEXAGONAL HEAD WOOD SCREW DIN 571-UNI704

A2 Stainless steel

For fixing base plate to hold profile

INOX (A2)

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99043	8x60	TR860	100	-
99044	8x100	TR8100	100	-
99045	8x120	TR8120	100	-
99046	10x60	TR1060	100	-
99047	10x100	TR10100	100	-
99048	10x120	TR10120	100	-

RIVET

Tin aluminium rivet with **EPDM** gasket

ART.	Ø x L_t	DESCR.	BOX	CARTON
	mm		pcs	pcs
99049	5,2x26,5	RA/G	200	-

HEXAGONAL HEAD SCREW FULL THREADDIN 933- UNI 5739

A2 Stainless steel

INOX (A2)

ART.	Ø x L_V	DESCR.	BOX	CARTON
	mm		pcs	pcs
99050	M6x35	TEI635	150	-
99051	M6x40	TEI640	150	-
99052	M6x45	TEI645	150	-
99053	M6x50	TEI650	150	-
99054	M6x60	TEI660	150	-
99055	M8x16	TEI816	100	-
99056	M8x20	TEI820	100	-
99057	M8x50	TEI850	100	-
99058	M10x20	TEI1020	100	-
99059	M10x30	TEI1030	100	-
99060	M10x50	TEI1050	100	-
99061	M10x60	TEI1060	100	-
99062	M10x70	TEI1070	100	-

HEXAGONAL NUT DIN 934-UNI 5588

A2 Stainless steel

INOX (A2)

ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99063	M6	DE6	200	-
99064	M8	DE8	200	-
99065	M10	DE10	100	-
99066	M12	DE12	50	-

GB-SOLAR BLOCK
Anchors, screw and accessories for photovoltaic panels.

SELF LOCKING NUT
(WITH NYLON RING) - **DIN 985**
A2 Stainless steel

INOX (A2)

ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99067	M6	DEA6	150	800
99068	M8	DEA8	200	800
99069	M10	DEA10	100	800
99070	M12	DEA12	50	800

TTQ SCREW ROUND HEAD SQUARE WITH SQUARE UNDER HEAD DIN 603
A2 Stainless steel
For stainless steel brackets installed on pitched roof, adjustable

INOX (A2)

ART.	Ø	DESCR.	BOX	CARTON
	mm		pcs	pcs
99071	M6x12	TTQ612	100	-
99072	M8x16	TTQ816	100	-
99073	M10x20	TTQ1020	50	-

FLANGED HEXAGONAL NUT
WITH KNURLED BASE - **DIN 6923**
A2 Stainless steel
To fixing the brackets on the underside of the roof profile (model for tiles)

INOX (A2)

ART.	Ø x L_t	DESCR.		t_{fix}	BOX	CARTON
	mm			mm	pcs	pcs
99038	M6	DEF6	-	-	150	-
99074	M8	DEF8	-	-	200	-
99075	M10	DEF10	-	-	100	-
99076	M12	DEF12	-	-	50	-

ANTI-THEFT NUT
A2 stainless steel
threaded **through hole**

INOX (A2)

ART.	x SCREW	DESCR.	BOX	CARTON
	mm		pcs	pcs
91081	M8	DAT I M8	50	800
91082	M10	DAT I M10	50	800



L mm	M	Ch mm.
8	8	17
8	10	19

GB-SOLAR BLOCK
Anchors, screw and accessories for photovoltaic panels.

FLAT WASHER DIN 125-1
A2 stainless steel - ISO 7089

INOX (A2)

ART.	SCREW	DESCR.	Ø int.	Ø ext.	THICKNESS	BOX	CARTON
	mm		mm	mm	mm	pcs	pcs
99077	M6	RP6	6,4	12	1,6	200	-
99078	M8	RP8	8,4	16	1,6	200	-
99079	M10	RP10	10,5	20	2	100	-
99080	M12	RP12	13	24	2,5	50	-

FLAT WASHER DIN 9021
A2 stainless steel - ISO 7093

INOX (A2)

ART.	SCREW	DESCR.	Ø int.	Ø ext.	THICKNESS	BOX	CARTON
	mm		mm	mm	mm	pcs	pcs
99081	M6	RPL6	6,4	18	1,6	200	-
99082	M8	RPL8	8,4	24	2	200	-
99083	M10	RPL10	10,5	30	2,5	100	-
99084	M12	RPL12	13	37	3	50	-

Powder actuated tools, nails and cartridges for the building Industry



POWDER-ACTUATED TOOL
For fixing in the building industry

stone concrete | solid brick | wood

GB35 POWDER-ACTUATED TOOL
Automatic cartridge loading tool with
Power regulator

Omologata CIP

ART.	DESCR.	BOX	CARTON
		pcs	pcs
80009	GB35 TOOL	1	1

GB45 POWDER-ACTUATED TOOL
Automatic cartridge loading tool with
Power regulator and **Silencer** for low acoustics

Omologata CIP

ART.	DESCR.	BOX	CARTON
		pcs	pcs
80010	GB45 TOOL	1	1

DRIVE PINS WITH PLASTIC WASHER HEAD AND WASHER DIAMETER 8MM FOR USE IN OUR GB35 TOOL.
ALSO
Suitable for Hilti DX351, DX36, DXA40, DXA41, DX460, Ramset PA Tools, Spit P200 and other 8mm Cartridge Tools.

ART.	Ø x L	DESCR.	SHANK TYPE	t_{fix}	BOX	CARTON
	mm	mm		mm	pcs	pcs
80011	3,75x16	TCHIDN16	KNURLED	-	100	2000
80012	3,75x19	TCHIDN19	KNURLED	-	100	2000
80013	3,75x22	TCHIDN22	KNURLED	-	100	2000
80014	3,75x27	TCHIDN27	SMOOTH	-	100	2000
80015	3,75x32	TCHIDN32	SMOOTH	-	100	2000
80016	3,75x37	TCHIDN37	SMOOTH	-	100	2000
80017	3,75x42	TCHIDN42	SMOOTH	-	100	2000
80018	3,75x47	TCHIDN47	SMOOTH	-	100	2000
80019	3,75x52	TCHIDN52	SMOOTH	-	100	2000
80102	3,75x57	TCHIDN57	SMOOTH	-	100	2000
80079	3,75x62	TCHIDN62	SMOOTH	-	100	2000
80081	3,75x72	TCHIDN72	SMOOTH	-	100	2000

CHIODATRICI A SPARO
For fixing in the building industry

stone concrete | solid brick | wood

DRIVE PINS WITH MAGAZINE STRIP HEAD DIAMETER 8MM
Suitable for use in Powder Actuated Magazine Cartridge Tools

ART.	Ø x L	DESCR.	SHANK TYPE	t_{fix}	BOX	CARTON
	mm	mm		mm	pcs	pcs
80020	3,75x16	TCHIK16	KNURLED	-	100	2000
80021	3,75x19	TCHIK19	KNURLED	-	100	2000
80022	3,75x22	TCHIK22	KNURLED	-	100	2000
80023	3,75x27	TCHIK27	SMOOTH	-	100	2000
80024	3,75x32	TCHIK32	SMOOTH	-	100	2000
80065	3,75x42	TCHIK42	SMOOTH	-	100	2000
80066	3,75x52	TCHIK52	SMOOTH	-	100	2000
80067	3,75x62	TCHIK62	SMOOTH	-	100	2000
80087	3,75x72	TCHIK72	SMOOTH	-	100	2000

DRIVE PINS WITH METAL WASHER HEAD DIAMETER 6MM - WASHER DIAMETER 12MM FOR USE IN OUR GB45 TOOL.
ALSO
Suitable for Hilti DX450, LV400 and other 12mm washered Cartridge Tools.

ART.	Ø x L	DESCR.	SHANK TYPE	t_{fix}	BOX	CARTON
	mm	mm		mm	pcs	pcs
80103	3,75x16	TCHINK16	SMOOTH	-	100	2000
80025	3,75x19	TCHINK19	KNURLED	-	100	2000
80026	3,75x22	TCHINK22	SMOOTH	-	100	2000
80027	3,75x27	TCHINK27	SMOOTH	-	100	2000
80028	3,75x32	TCHINK32	SMOOTH	-	100	2000
80029	3,75x37	TCHINK37	SMOOTH	-	100	2000
80030	3,75x42	TCHINK42	SMOOTH	-	100	2000
80031	3,75x47	TCHINK47	SMOOTH	-	100	2000
80032	3,75x52	TCHINK52	SMOOTH	-	100	2000
80104	3,75x57	TCHINK57	SMOOTH	-	100	2000
80083	3,75x62	TCHINK62	SMOOTH	-	100	2000
80084	3,75x72	TCHINK72	SMOOTH	-	100	1000
80105	3,75x82	TCHINK82	SMOOTH	-	100	1000
80128	3,75x90	TCHINK90	SMOOTH	-	100	1000
80106	3,75x97	TCHINK97	SMOOTH	-	100	2000

CARTRIDGES FOR OUR GB35 AND GB45
ALSO
Suitable for Hilti DX450, DXA40, DXA41, DX460, LV400 Ramset PA Tools and most other 8mm Cartridge Tools.

ART.	DESCR.	COLOR	POWER	BOX	CARTON
	mm			pcs	pcs
80071	CARICA P3	GREEN	3	100	10000
80072	CARICA P4	YELLOW	4	100	10000
80073	CARICA P6	RED	6	100	10000
80074	CARICA P7	BLACK	7	100	10000

Complete range of blind rivets and threaded inserts, professional riveting, pliers and guns

HIGH QUALITY

BLIND RIVETS

NEW LINE

ROUNDHEAD

ALUMINUM | STEEL





SHEAR | TENSILE



ASD

blind rivet aluminum / steel roundhead

ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
ASD2404		4,0		0,5 - 2,0				2000	8000
ASD2406		6,0		2,0 - 4,0				2000	8000
ASD2408	2,4	8,0	5,0	4,0 - 6,0	2,5	314	353	2000	8000
ASD2410		10,0		6,0 - 8,0				1500	6000
ASD2412		12,0		8,0 - 10,0				1500	6000
ASD3004		4,0		0,5 - 1,5				2000	8000
ASD3006		6,0		1,0 - 3,5				2000	8000
ASD3008		8,0		3,5 - 5,5				2000	8000
ASD3010	3,0	10,0	6,5	5,5 - 7,0	3,1	620	810	2000	8000
ASD3012		12,0		7,0 - 9,0				1500	6000
ASD3014		14,0		9,0 - 11,0				1500	6000
ASD3016		16,0		11,0 - 13,0				1000	4000
ASD3018		18,0		13,0 - 15,0				1000	4000
ASD3206		6,0		1,5 - 3,5				2000	8000
ASD3208		8,0		3,5 - 5,5				2000	8000
ASD3210		10,0		5,5 - 7,0				1500	6000
ASD3212	3,2	12,0	6,5	7,0 - 9,0	3,3	760	980	1500	6000
ASD3214		14,0		9,0 - 11,0				1000	4000
ASD3216		16,0		11,0 - 13,0				1000	4000
ASD3218		18,0		13,0 - 15,0				1000	4000
ASD4006		6,0		1,0 - 3,0				1500	6000
ASD4008		8,0		2,0 - 4,0				1500	6000
ASD4010		10,0		3,0 - 5,0				1500	6000
ASD4012		12,0		5,0 - 6,5				1000	4000
ASD4014	4,0	14,0	8,0	6,5 - 8,5	41	1080	980	1000	4000
ASD4016		16,0		8,5 - 10,5				1000	4000
ASD4018		18,0		10,5 - 12,5				1000	4000
ASD4020		20,0		12,5 - 14,5				500	2000
ASD4023		23,0		14,5 - 16,5				500	2000
ASD4025		25,0		16,5 - 19,0				500	2000
ASD4806		6,0		1.0 - 3.0				500	2000
ASD4808		8,0		3.0 - 4.5				500	2000
ASD4810		10,0		4.5 - 6.0				500	2000
ASD4812		12,0		6.0 - 8.0				500	2000
ASD4814		14,0		8.0 - 10.0				500	2000
ASD4816	4,8	16,0	9,5	10.0 - 12.0	49	1580	2230	500	2000
ASD4818		18,0		12.0 - 14.0				500	2000
ASD4820		20,0		14.0 - 16.0				500	2000
ASD4822		22,0		16.0 - 18.0				500	2000
ASD4825		25,0		18.0 - 21.0				500	2000
ASD4830		30,0		23.0 - 25.0				250	1000
ASD4835		35,0		25.0 - 30.0				250	1000
ASD6008		8,0		2.0 - 4.0				500	2000
ASD6010		10,0		4.0 - 6.0				500	2000
ASD6012		12,0		6.0 - 8.0				500	2000
ASD6016	6,0	16,0	12	9.0 - 11.0	61	2400	3600	500	2000
ASD6018		18,0		11.0 - 13.0				250	1000
ASD6022		22,0		13.0 - 16.0				250	1000
ASD6026		26,0		16.0 - 20.0				250	1000
ASD6030		30,0		20.0 - 24.0				200	800

BLIND RIVETS

NEW LINE

ABD

blind rivet aluminum / steel
roundhead
painted black RAL 9005

ROUNDHEAD
ALUMINUM | STEEL

NERO



SHEAR | TENSILE



ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
ABD3208		8,0		3,5 - 5,0				2000	8000
ABD3210	3,2	10,0	6,5	5,0 - 7,0	3,3	760	980	1500	6000
ABD3212		12,0		7,0 - 9,0				1500	6000
ABD4008		8,0		4,0 - 5,0				1500	6000
ABD4010	4,0	10,0	8,0	5,0 - 6,5	4,1	1080	1580	1500	6000
ABD4012		12,0		6,5 - 8,5				1000	4000
ABD4016		16,0		10,5 - 12,5				1000	4000
ABD4810		10,0		4,5 - 6,0				500	2000
ABD4812	4,8	12,0	9,5	6,0 - 8,0	4,9	1580	2230	500	2000
ABD4816		16,0		10,0 - 12,0				500	2000
ABD4820		20,0		14,0 - 16,0				500	2000

AWD

blind rivet aluminum / steel
roundhead
painted white RAL 9003

ROUNDHEAD
ALUMINUM | STEEL



BIANCO



SHEAR | TENSILE



ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
AWD3208		8,0		3,5 - 5,0				2000	8000
AWD3210	3,2	10,0	6,5	5,0 - 7,0	3,3	760	980	1500	6000
AWD3212		12,0		7,0 - 9,0				1500	6000
AWD4008		8,0		4,0 - 5,0				1500	6000
AWD4010	4,0	10,0	8,0	5,0 - 6,5	4,1	1080	1580	1500	6000
AWD4012		12,0		6,5 - 8,5				1000	4000
AWD4016		16,0		10,5 - 12,5				1000	4000
AWD4810		10,0		4,5 - 6,0				500	2000
AWD4812	4,8	12,0	9,5	6,0 - 8,0	4,9	1580	2230	500	2000
AWD4816		16,0		10,0 - 12,0				500	2000
AWD4820		20,0		14,0 - 16,0				500	2000

ABRD

blind rivet aluminum / steel
roundhead
painted brownRAL 8014

ROUNDHEAD
ALUMINUM | STEEL



MARRONE



SHEAR | TENSILE



ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
ABRD4008		8,0		3,0 - 5,0				1500	6000
ABRD4010	4,0	10,0	8,0	5,0 - 6,5	4,1	1080	1580	1500	6000
ABRD4012		12,0		6,5 - 8,5				1000	4000
ABRD4016		16,0		10,5 - 12,5				1000	4000
ABRD4812	4,8	12,0	9,5	6,0 - 8,0	4,9	1580	2230	500	2000
ABRD4816		16,0		10,0 - 12,0				500	2000

BLIND RIVETS

NEW LINE

LARGE HEAD

ALUMINUM | STEEL





SHEAR | TENSILE



ASX

blind rivet aluminum / steel
large head

ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
ASX4010	4,0	10,0	12,0	5,0 - 6,5	4,1	1080	1580	1000	4000
ASX4012		12,0		6,5 - 8,5				1000	4000
ASX4014		14,0		8,5 - 10,5				500	2000
ASX4016		16,0		10,5 - 12,5				500	2000
ASX4810	4,8	10,0	16,0	3,5 - 6,0	4,9	1580	2230	500	2000
ASX4812		12,0		6,0 - 8,0				500	2000
ASX4814		14,0		8,0 - 10,0				250	1000
ASX4816		16,0		10,0 - 12,0				250	1000
ASX4818		18,0		12,0 - 14,0				250	1000
ASX4820		20,0		14,0 - 16,0				250	1000
ASX4826		26,0		20,0 - 22,5				250	1000
ASX4830		30,0		23,0 - 25,0				250	1000

ROUNDHEAD

INOX A2 | INOX A2





SHEAR | TENSILE



BTD

blind rivet
stainless steel A2/stainless steel A2
round head

ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
BTD3006	3,0	6,0	6,5	1,0 - 3,0	3,1	1800	2200	2000	8000
BTD3008		8,0		3,0 - 5,0				2000	8000
BTD3010		10,0		5,0 - 7,0				2000	8000
BTD3012		12,0		7,0 - 9,0				1500	6000
BTD3206	3,2	6,0	6,5	1,0 - 3,0	3,3	1900	2500	2000	8000
BTD3208		8,0		3,0 - 5,0				2000	8000
BTD3210		10,0		5,0 - 7,0				1500	6000
BTD3212		12,0		7,0 - 9,0				1500	6000
BTD3215		14,0		9,0 - 12,0				1000	4000
BTD4006	4,0	6,0	8,0	1,0 - 2,5	4,1	2700	3500	1500	6000
BTD4008		8,0		2,5 - 4,5				1500	6000
BTD4010		10,0		4,5 - 6,5				1500	6000
BTD4012		12,0		6,5 - 8,5				1000	4000
BTD4016		16,0		8,5 - 12,0				1000	4000
BTD4018		18,0		12,0 - 14,0				1000	4000
BTD4020		20,0		14,0 - 16,0				500	2000
BTD4808	4,8	8,0	9,5	1,5 - 4,0	4,9	4000	5000	500	2000
BTD4810		10,0		4,0 - 6,0				500	2000
BTD4812		12,0		6,0 - 8,0				500	2000
BTD4814		14,0		8,0 - 9,5				500	2000
BTD4816		16,0		9,5 - 11,0				500	2000
BTD4818		18,0		11,0 - 13,0				500	2000
BTD4820		20,0		13,0 - 16,0				500	2000
BTD4825		25,0		17,0 - 20,0				500	2000
BTD4830		30,0		20,0 - 25,0				250	1000

BLIND RIVETS

NEW LINE

ROUNDHEAD

ALUMINUM | STEEL





SHEAR | TENSILE



PAD
blind rivets, **PEEL TYPE**
aluminium/steel
round head

ART.	D_1	L	D_2	G	Ø HOLE	SHEAR	TENSILE	BOX	CARTON
	mm	mm	mm	min - max mm	mm	N	N	pcs	pcs
PAD4010		10,0		1,5 - 5,0				1500	6000
PAD4012		12,0		4,0 - 6,5				1000	4000
PAD4014		14,0		6,0 - 9,0				1000	4000
PAD4016	4,0	16,0	8,0	8,0 - 11,0	4,2	1270	1150	1000	4000
PAD4018		18,0		10,0 - 13,0				1000	4000
PAD4020		20,0		12,0 - 15,0				500	2000
PAD4025		25,0		15,0 - 20,0				500	2000
PAD4810		10,0		0,5 - 4,0				500	2000
PAD4812		12,0		2,0 - 6,0				500	2000
PAD4814		14,0		4,0 - 8,0				500	2000
PAD4816		16,0		6,0 - 10,0				500	2000
PAD4818	4,8	18,0	9,5	8,0 - 12,0	5,0	1855	1600	500	2000
PAD4820		20,0		10,0 - 14,0				500	2000
PAD4825		25,0		16,0 - 19,0				500	2000
PAD4830		30,0		19,0 - 24,0				250	1000
PAD4835		35,0		24,0 - 29,0				250	1000
PAD4840		40,0		29,0 - 34,0				250	1000

THREADED NUTS

NEW LINE

CYLINDRICAL HEAD
STEEL



TCD
cylindrical blind nut
cylindrical head
steel version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
TCD0430	M4	5,9	10,0	9,0	0,3 - 3,0	6	2500	10000
TCD0440	M4	5,9	11,5	9,0	3,1 - 4,0	6	2500	10000
TCD0530	M5	6,9	12,0	10,0	0,3 - 3,0	7	1500	6000
TCD0540	M5	6,9	15,0	10,0	3,1 - 4,0	7	1500	6000
TCD0630	M6	8,9	14,5	13,0	0,5 - 3,0	9	750	3000
TCD0645	M6	8,9	16,0	13,0	3,1 - 4,5	9	750	3000
TCD0830	M8	10,9	16,0	16,0	0,5 - 3,0	11	250	1000
TCD0855	M8	10,9	18,5	16,0	3,1 - 5,5	11	250	1000
TCD1030	M10	12,9	17,0	19,0	0,5 - 3,0	13	250	1000
TCD1060	M10	12,9	22,0	19,0	3,1 - 6,0	13	250	1000
TCD1240	M12	15,9	23,0	23,0	1,0 - 4,0	16	200	800

COUNTERSUNK HEAD
STEEL



TCK
cylindrical blind nut
countersunk head
steel version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
TCK0435	M4	5,9	11,5	9,0	1,5 - 3,5	6	2500	10000
TCK0540	M5	6,9	13,5	10,0	1,5 - 4,0	7	1500	6000
TCK0645	M6	8,9	16,0	12,0	1,5 - 4,5	9	750	3000
TCK0845	M8	10,9	19,0	14,0	1,5 - 4,5	11	250	1000
TCK1045	M10	12,9	21,0	15,0	1,5 - 4,5	13	250	1000

REDUCED HEAD
STEEL



TCR
cylindrical blind nut
reduced head
steel version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
TCR0430	M4	5,9	10,0	7,0	0,5 - 3,0	6	2500	10000
TCR0530	M5	6,9	11,5	8,0	0,5 - 3,0	7	1500	6000
TCR0630	M6	8,9	14,0	10,0	0,5 - 3,0	9	750	3000
TCR0830	M8	10,9	15,5	12,0	0,5 - 3,0	11	250	1000
TCR1035	M10	12,9	19,5	13,5	0,8 - 3,5	13	250	1000

THREADED NUTS

NEW LINE

CYLINDRICAL HEAD

STAINLESS STEEL A2



END
cylindrical blind nut
cylindrical head
STAINLESS STEEL A2 ver-

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
END0430	M4	5,9	100	90	0,3 - 3,0	6	2500	10000
END0440	M4	5,9	115	90	3,1 - 4,0	6	2500	10000
END0530	M5	6,9	120	100	0,3 - 3,0	7	1500	6000
END0630	M6	8,9	145	130	0,5 - 3,0	9	750	3000
END0830	M8	10,9	160	160	0,5 - 3,0	11	250	1000

COUNTERSUNK HEAD

STAINLESS STEEL A2



ENK
cylindrical blind nut
countersunk head
STAINLESS steel A2

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
ENK0435	M4	5,9	11,5	9,0	1,5 - 3,5	6	2500	10000
ENK0540	M5	6,9	13,5	10,0	1,5 - 4,0	7	1500	6000
ENK0645	M6	8,9	16,0	12,0	1,5 - 4,5	9	750	3000
ENK0845	M8	10,9	19,0	14,0	1,5 - 4,5	11	250	1000

REDUCED HEAD

STAINLESS STEEL A2



ENR
cylindrical blind nut
reduced head
STAINLESS steel A2 version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
ENR0430	M4	5,9	10,0	7,0	0,5 - 3,0	6	2500	10000
ENR0530	M5	6,9	11,5	8,0	0,5 - 3,0	7	1500	6000
ENR0630	M6	8,9	14,0	10,0	0,5 - 3,0	9	750	3000
ENR0830	M8	10,9	15,5	12,0	0,5 - 3,0	11	250	1000

THREADED NUTS

NEW LINE

CYLINDRICAL HEAD

STEEL



HCD
Hexagonal blind nut
cylindrical head
steel version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
HCD0430	M4	9,3	11,5	-	0,5 - 3,0	-	2500	10000
HCD0530	M5	10,3	13,5	-	0,5 - 3,0	-	1500	6000
HCD0630	M6	12,3	15,5	-	0,5 - 3,0	-	750	3000
HCD0830	M8	14,3	17,5	-	0,5 - 3,0	-	250	1000

REDUCED HEAD

STEEL



HCR
Hexagonal blind nut
reduced head
steel version

ART.	M	D_1	L	D_2	G	Ø HOLE	BOX	CARTON
		mm	mm	mm	min - max mm	mm	pcs	pcs
HCR0425	M4	7,0	12,0	-	0,5 - 3,0	-	2500	10000
HCR0525	M5	8,0	14,0	-	0,5 - 2,5	-	1500	6000
HCR0625	M6	10,0	16,0	-	0,5 - 2,5	-	750	3000
HCR0825	M8	12,0	18,0	-	0,5 - 2,5	-	250	1000

PROFESSIONAL RIVETERS

HIGH QUALITY

NEW LINE

HANDTOOL RIVETING
without return spring
for rivets Ø 3,0 to 4,8 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-500RH	HANDTOOL RIVETING	1	1

HANDTOOL RIVETING
with return spring
rivets Ø 3.0 to 4.8 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-500RH-R	HANDTOOL RIVETING	1	1

PROFESSIONAL HANDTOOL RIVETING
rivets Ø 2,4 to 5,0 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E0	HANDTOOL RIVETING	1	1

- EXTREMELY STRONG, HIGH RELIABILITY
- RIVETS FOR ALUMINUM, STEEL, STAINLESS STEEL

PROFESSIONAL RIVETERS

HIGH QUALITY

NEW LINE

PROFESSIONAL HANDTOOL RIVETING
for rivets Ø 3,0-5,0 mm



ART.	DESCR.	BOX	CARTON
		pcs	pcs
E1	PROFESS HANDTOOL RIVETING.	1	1

- MINIMUM APPLICATION EFFORT
- EASY HANDLY
- WITH CONTAINER FOR RECOVERY SLICED NAIL

PROFESSIONAL HANDTOOL RIVETING
for rivets Ø 4,0-6,4 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E2	PROFESS HANDTOOL RIVETING	1	1

- MINIMUM APPLICATION EFFORT
- EASY HANDLY
- WITH CONTAINER FOR RECOVERY SLICED NAIL

PROFESSIONAL PNEUMATIC RIVERTING
for rivets Ø 2,4-5,0 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-500RA	PNEUMATHIC RIVETING	1	1

- **Weight 1.25 kg**
- **Dimensions 272x246x99 mm**
- **Traction force 7.3 kn**

Box contents
- 1 nozzle for rivets Ø 2.4 mm (3/32 '')
- 1 nozzle for rivets Ø 3.0 / 3.2 (1/8 '')
- 1 nozzle for rivets Ø 4.0 mm (5/32 '')
- 1 nozzle for rivets Ø 4.8 / 5.0 mm (1/16 '')
- 1 collector to recovery nails blanked

PROFESSIONAL BATTERY RIVET TOOL
for rivets Ø 2,4-5,0 mm

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-500RB	BATTERY RIVETING	1	1

- **Weight kg 1,8**
- **Dimensions 240x280 mm**
- **14,1V - 1,5 AH**

Box content
- 1 x 14.4V 1.5Ah battery with charge level indicator
- 1 Charger
- 1 nozzle spanner CH 11 mm
- 1 nozzle for rivets Ø 2.4 mm (3/32 '')
- 1 nozzle for rivets Ø 3.0 / 3.2 mm (1/8 '')
- 1 nozzle for rivets Ø 4.0 mm (5/32 '')
- 1 nozzle for rivets Ø 4.8 / 5.0 mm (1/16 '')
- 1 collector recovery nails blanked

PINZE E PISTOLE PER THREADED NUTS

HIGH QUALITY

NEW LINE

PROFESSIONAL BLIND NUT HANDTOOL
for threaded nuts M4 to M8

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E3	BLIND NUT HANDTOOL	1	10

PROFESSIONAL BLIND NUT HANDTOOL
for threaded nuts M6-M12

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E4	BLIND NUT HANDTOOL	1	1

PROFESSIONAL BLIND NUT HANDTOOL
for threaded nuts M3-M4-M5-M6
(threaded adapters included)

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-360NH	BLIND NUT HANDTOOL	1	1

PROFESSIONAL PNEUMATIC GUN
for threaded inserts M4-M12
(threaded adapters included)

ART.	DESCR.	BOX	CARTON
		pcs	pcs
E-412NA	PROFESSIONAL PNEUMATIC GUN	1	1

- **Weight 1.6 kg**
- **Dimensions 270x264x99 mm**
- **Tensile force 18.5 kn**

Box contents
- 1 spindle M4
- 1 spindle M5
- 1 spindle M6
- 1 spindle M8
- 1 spindle M10
- 1 spindle M12

GEBFOR

metal

NEW LINE

DRILLS BITS GEBFOR HSS FOR PLUMBING, MILLED AND RECTIFIED, EXTRA SHORT.
Designed for tinsmiths, fully rectified, sharpening angle of 118 ° (SPLIT POINT) which allows a penetration much easier and faster in metals. To drill the majority of base metal, high precision and long life.
Pack of 10 tips in bag of PVC.



ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PHSSL0325	3,25	40	19	-	10	50
PHSSL0350	3,50	40	19	-	10	50
PHSSL0375	3,75	40	19	-	10	50
PHSSL0400	4,00	40	20	-	10	50
PHSSL0425	4,25	40	20	-	10	50
PHSSL0500	5,00	45	23	-	10	50

FIXINGS SPECIFICALLY FOR PLUMBING AND ELECTRICAL APPLICATIONS

Plumbing and Electrical fixing systems with accessories



PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

stone concrete | solid brick | semisolid brick

SANIFIS SF2 - with stainless steel screw*

Anchor for fixing of sanitary wear

INOX (A2)

ART.	Ø x L t	DESCR.	BAR	BOX	CARTON
	mm		mm	pcs	pcs
HSF02	8x40	SF2	M6x80	4	50

SANIFIS SF3

Anchor for fixing of sanitary wear

ART.	Ø x L t	DESCR.	STEEL ANCH.	BOX	CARTON
	mm		mm	pcs	pcs
HSF310	10x50	SF3/100	8x100	2	25
HSF320	12x60	SF3/120	10x120	2	25
HSF340	14x70	SF3/140	10x140	2	25

SANIFIS SF4

Anchor for fixing of sanitary wear, for the installation of water heaters and boilers

ART.	Ø x L t	DESCR.	HOOK	BOX	CARTON
	mm		mm	pcs	pcs
HSF410	10x50	SF4/10	8x65	2	50
HSF412	12x60	SF4/12	10x75	2	50
HSF414	14x70	SF4/14	10x95	2	25

BRIC BCM NYLON ANCHOR

Anchor for fixing of sanitary wear, water heaters and boilers

ART.	Ø x L t	DESCR.	BAR	BOX	CARTON
	mm		mm	pcs	pcs
HBT01	14x72	BCM10/120	10x130	2	25

BRIC BCM NYLON ANCHOR

Anchor for fixing of sanitary wear, water heaters and boilers

ART.	Ø x L t	DESCR.	HOOK	BOX	CARTON
	mm		mm	pcs	pcs
HBG01	14x72	BCM10/414	10x95	2	50

FAST ACCIAIO - STELL COLLAR

for fastening pipes with diameters from 3/8" to 4", it comes complete with nylon plug

ART.	Ø x L t	DESCR.	BOX	CARTON
	mm		pcs	pcs
TFAT01	.	FA 3.8 T	2	50
TFAT02	.	FA 1/2 T	2	50
TFAT03	.	FA 3/4 T	2	50
TFAT04	.	FA 1 T	2	50
TFAT05	.	FA 1.1/4 T	2	50
TFAT06	.	FA 1.1/2 T	2	50
TFAT07	.	FA 2 T	2	25
TFAT08	.	FA 2.1/2 T	2	25
TFAT09	.	FA 3 T	2	25
TFAT10	.	FA 4T	2	25

PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

LOCKING AND CABLING NYLON TIES (POLYAMIDE 6.6)*

materials classified UL94V2
according to CE European regulations
color: black

ART.	LENGTH x WIDTH	DESCR.	BOX	CARTON
	mm		pcs	pcs
HFN1025	100x2,5	-	100	5000
HFN1425	140x2,5	-	100	5000
HFN2025	200x2,5	-	100	5000
HFN1436	140x3,6	-	100	5000
HFN2036	200x3,6	-	100	5000
HFN2936	290x3,6	-	100	5000
HFN3636	360x4,8	-	100	5000
HFN2048	200x4,8	-	100	5000
HFN2548	250x4,8	-	100	5000
HFN2948	290x4,8	-	100	5000
HFN3648	360x4,8	-	100	4000
HFN5348	530x4,8	-	100	4000
HFN2576	250x7,6	-	100	2000
HFN3676	360x7,6	-	100	2000
HFN5476	540x7,6	-	100	1000
HFN5390	530x9,0	-	100	2000

* selling on complete package

LOCKING AND CABLING NYLON TIES (POLYAMIDE 6.6)*

materials classified UL94V2
according to CE European regulations
color: white

ART.	LENGTH x WIDTH	DESCR.	BOX	CARTON
	mm		pcs	pcs
HFB1025	100x2,5	-	100	5000
HFB1425	140x2,5	-	100	5000
HFB2025	200x2,5	-	100	5000
HFB1436	140x3,6	-	100	5000
HFB2036	200x3,6	-	100	5000
HFB2936	290x3,6	-	100	5000
HFB3636	360x3,6	-	100	5000
HFB2048	200x4,8	-	100	5000
HFB2548	250x4,8	-	100	5000
HFB2948	290x4,8	-	100	5000
HFB3648	360x4,8	-	100	4000
HFB5348	530x4,8	-	100	4000
HFB2576	250x7,6	-	100	2000
HFB3676	360x7,6	-	100	2000
HFB5390	530x9,0	-	100	2000

* selling on complete package

BIDIRECTIONAL SELF-ADHESIVE TIE

with special natural adhesive
color: white

ART.	DIMENSIONS	DESCR.	WIDTH max TIE	BOX	CARTON
	mm		mm	pcs	pcs
HBD01	19x19	-	3,6	100	5000
HBD02	27x27	-	4,8	100	5000

NYLON 6 SADDLE TYPE TIE MOULD

color: black or white

ART.	DIMENSIONS	DESCR.	WIDTH max TIE	BOX	CARTON
	mm		mm	pcs	pcs
HTFN01	10x43	F10-BLACK	9	100	5000
HTFB01	10x43	F10-WHITE	9	100	5000

TOOLS FOR CABLE TIES

ART.	DESCR.	WIDTH max TIE	BOX	CARTON
		mm	pcs	pcs
TK40	PF01	9	1	1

PLUMBING AND ELECTRICAL SUPPORT ACCESSORIES

FAST CLIP – NYLON SUPPORTS

for fastening plastic tubes
with diameter from 16 to 50 mm, and wires.

ART.	Ø x L_t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFC01	.	FC16	16	100	1000
HFC02	.	FC20	20	100	1000
HFC03	.	FC25	25	100	1000
HFC04	.	FC32	32	100	1000
HFC05	.	FC40	40	25	250
HFC06	.	FC50	50	25	250

FAST QUADRO – NYLON SUPPORTS

for fastening plastic tubes with diameter from 12 to 43 mm, and wires.

ART.	Ø x L_t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFQ02	.	FQ20	12-20	100	1000
HFQ03	.	FQ24	16-24	50	500
HFQ04	.	FQ30	18-30	50	500
HFQ05	.	FQ40	27-43	25	250

SUPPORTS FAST FIX

for tubes.. Ø16-63

NEW

ART.	Ø x L_t	DESCR.	Ø TUBE	BOX	CARTON
	mm		mm	pcs	pcs
HFF01	.	FF32	16-32	100	1000
HFF02	.	FF63	40-63	50	500

STEEL PERFORATED BANDING

right type with single hole

ART.	WIDTH x THICKNESS	DESCR.	ROLL	CARTON
	mm		mt.	pcs
850011	12x0,8	BPD12D	10	10
850028	17x0,8	BPD17D	10	10

STEEL PERFORATED BANDING

right type with multiple holes



ART.	WIDTH x THICKNESS	DESCR.	ROLL	CARTON
	mm		mt.	pcs
850035	17x0,8	BPD17E	10	10
850066	25x0,8	BPD25E	10	10

PLUMBING AND ELECTRICAL SUPPORT ACCESSORIES

TISSUE BANDING



ART.	LARGH. x SPESSORE	DESCR.	ROLL	CARTON
	mm		mt.	pcs
85007	15x1,0	BPP12D	10	10
85008	15x1,0	BPP17D	25	10

GEBOPIN

Percussion nail pin for fixing of the perforated banding

ART.	Ø x L	DESCR.	BOX.	CARTON
	mm		pcs	pcs
TCHI14	4,2x14	GP1	200	4000
TCHI18	4,2x18	GP2	200	4000
TCHI22	4,2x22	GP3	200	4000
TCHI27	4,2x27	GP4	200	4000

PGP PERCUSSOR

for nail pin **GEBOPIN**

ART.	DESCR.	BOX.	CARTON
		pcs	pcs
TK50	PGP	1	50

GEBFOR
metal type STRAIGHT SHANK DIN 338

metal plasterboard

GEBFOR DRILLS HSS-G
ground twist drills STRAIGHT SHANK DIN 338
split-point drill
angle of 118 ° (SPLIT POINT) which allows a penetration much easier and faster in metals. To drill the majority of base metal, high precision and long life.
Applications : suitable for the most common types of steel and iron with high precision and long life of the tip.



ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PHSS0100	1	34	12	-	10	50
PHSS0125	1,25	38	16	-	10	50
PHSS0150	1,50	40	18	-	10	50
PHSS0175	1,75	46	22	-	10	50
PHSS0200	2	49	24	-	10	50
PHSS0225	2,25	53	27	-	10	50
PHSS0250	2,50	57	30	-	10	50
PHSS0275	2,75	61	33	-	10	50
PHSS0300	3	61	33	-	10	50
PHSS0325	3,25	65	36	-	10	50
PHSS0350	3,50	70	39	-	10	50
PHSS0375	3,75	70	39	-	10	50
PHSS0400	4	75	43	-	10	50
PHSS0425	4,25	75	43	-	10	50
PHSS0450	4,50	80	47	-	10	50
PHSS0475	4,75	80	47	-	10	50
PHSS0500	5	86	52	-	10	50
PHSS0525	5,25	86	52	-	10	50
PHSS0550	5,50	93	57	-	10	50
PHSS0575	5,75	93	57	-	10	50
PHSS0600	6	93	57	-	10	50
PHSS0625	6,25	101	63	-	10	50
PHSS0650	6,50	101	63	-	10	50
PHSS0675	6,75	101	63	-	10	50
PHSS0700	7	109	69	-	10	50
PHSS0750	7,50	109	69	-	10	50
PHSS0800	8	117	75	-	10	50
PHSS0850	8,50	117	75	-	10	50
PHSS0900	9	125	81	-	10	50
PHSS0950	9,50	125	81	-	10	50
PHSS1000	10	133	87	-	10	50
PHSS1050	10,50	133	87	-	10	50
PHSS1100	11	142	94	-	5	25
PHSS1150	11,50	142	94	-	5	25
PHSS1200	12	151	101	-	5	25
PHSS1250	12,50	151	101	-	5	25
PHSS1300	13	151	101	-	5	25

PLASTIC BOX
with range 19 pcs drill bits HSS

ART.	DESCR.	BOX	CARTON
		pcs	pcs
PHSSBOX	- **BOX** 19 pcs 1-10x0,5	1	-

GEBFOR
Drill bits for metal, milled and rectified

metal

GEBFOR DRILS HSS -C
for metal with **8% cobalt**
ground twist drills STRAIGHT SHANK DIN 338
split-point drill



ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PHSSC0100	1	34	12	-	10	50
PHSSC0125*	1,25	38	16	-	10	50
PHSSC0150	1,50	40	18	-	10	50
PHSSC0175*	1,75	46	22	-	10	50
PHSSC0200	2	49	24	-	10	50
PHSSC0225*	2,25	53	27	-	10	50
PHSSC0250	2,50	57	30	-	10	50
PHSSC0275*	2,75	61	33	-	10	50
PHSSC0300	3	61	33	-	10	50
PHSSC0325*	3,25	65	36	-	10	50
PHSSC0350	3,50	70	39	-	10	50
PHSSC0375*	3,75	70	39	-	10	50
PHSSC0400	4	75	43	-	10	50
PHSSC0425*	4,25	75	43	-	10	50
PHSSC0450	4,50	80	47	-	10	50
PHSSC0475*	4,75	80	47	-	10	50
PHSSC0500	5	86	52	-	10	50
PHSSC0525*	5,25	86	52	-	10	50
PHSSC0550	5,50	93	57	-	10	50
PHSSC0600	6	93	57	-	10	50
PHSSC0625*	6,25	101	63	-	10	50
PHSSC0650	6,50	101	63	-	10	50
PHSSC0675*	6,75	109	69	-	10	50
PHSSC0700	7	109	69	-	10	50
PHSSC0725*	7,25	109	69	-	10	50
PHSSC0750	7,50	117	69	-	10	50
PHSSC0775*	7,75	117	75	-	10	50
PHSSC0800	8	117	75	-	10	50
PHSSC0825*	8,25	117	75	-	10	50
PHSSC0850	8,50	125	75	-	10	50
PHSSC0875*	8,75	125	81	-	10	50
PHSSC0900	9	125	81	-	10	50
PHSSC0925*	9,25	125	81	-	10	50
PHSSC0950	9,50	133	81	-	10	50
PHSSC0975*	9,75	133	87	-	10	50
PHSSC1000	10	133	87	-	10	50
PHSSC1050*	10,50	142	87	-	10	50
PHSSC1100	11	142	94	-	5	25
PHSSC1150*	11,50	142	94	-	5	25
PHSSC1200	12	151	101	-	5	25
PHSSC1250*	12,50	151	101	-	5	25
PHSSC1300	13	151	101	-	5	25

* Selling out

GEBFOR

metal

DRILLS BITS GEBFOR HSS FOR PLUMBING, MILLED AND RECTIFIED, EXTRA SHORT.
Designed for tinsmiths, fully rectified, sharpening angle of 118 ° (SPLIT POINT) which allows a penetration much easier and faster in metals. To drill the majority of base metal, high precision and long life.
Pack of 10 tips in bag of PVC.

NEW

ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PHSSL0325	3,25	40	19	-	10	50
PHSSL0350	3,50	40	19	-	10	50
PHSSL0375	3,75	40	19	-	10	50
PHSSL0400	4,00	40	20	-	10	50
PHSSL0425	4,25	40	20	-	10	50
PHSSL0500	5,00	45	23	-	10	50



GEBFOR

stone concrete | solid brick | semisolid brick | hollow brick

GEBFOR DRILL BITS - PG

Superior quality steel tip welded at high temperature.
In according to ISO 5468 DIN 8039.
Supplied in a practical package to hang up.



ART.	Ø d1	L2	L1	Ø d2	DESCR.	BOX	CARTON
	mm	mm	mm	mm		pcs	pcs
PG101	3	70	40	25	-	10	50
PG102	4	75	40	4	-	10	50
PG104	5	85	50	5	-	10	50
PG106	6	100	60	6	-	10	50
PG108	7	100	60	6	-	10	50
PG109	8	120	80	80	-	10	50
PG111	9	120	80	80	-	10	50
PG112	10	120	80	10	-	10	50
PG113	11	150	90	10	-	10	50
PG114	12	150	90	10	-	10	50
PG115	13	150	90	12	-	10	50
PG116	14	150	90	12	-	10	50
PG117	15	160	90	12	-	10	50
PG118	16	160	90	12	-	10	50
PG119	18	160	100	12	-	10	50
PG120	20	160	100	12	-	10	50
PG121	22	160	100	12	-	10	50

GEBFOR DRILL BITS - PG EXTRA-LONG SIZES

Supplied in a practical package to hang up.

ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PG820	8	200	160	-	10	-
PG1020	10	200	160	-	10	-
PG1220	12	200	160	-	10	-
PG640	6	400	350	-	10	-
PG840	8	400	350	-	10	-
PG1040	10	400	350	-	10	-
PG1240	12	400	350	-	10	-
PG1440	14	400	350	-	10	-
PG1640	16	400	350	-	10	-
PG1840	18	400	350	-	10	-
PG2040	20	400	350	-	10	-

GEBFOR SDS PLUS

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

GEBFOR DRILL BITS - PS

with **SDS S4 PLUS** shank for professional use with hammer drills suitable for drilling the hardest materials (like concrete, marble, stone etc.) with plastic hook



ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PS0411	4	110	50	-	10	50
PS0511	5	110	50	-	10	50
PS0516	5	160	100	-	10	50
PS0611	6	110	50	-	10	50
PS0616	6	160	100	-	10	50
PS0621	6	210	150	-	10	50
PS6516	6,5	160	110	-	10	50
PS6521	6,5	210	150	-	10	50
PS6526	6,5	260	190	-	10	50
PS6531	6,5	310	250	-	10	50
PS0811	8x	110	50	-	10	50
PS0816	8	160	100	-	10	50
PS0821	8	210	150	-	10	50
PS0916	9	160	100	-	10	50
PS1016	10	160	100	-	10	50
PS1021	10	210	150	-	10	50
PS1026	10	260	200	-	5	25
PS1031	10	310	250	-	5	25
PS1046	10	460	400	-	5	25
PS1216	12	160	100	-	10	50
PS1221	12	210	150	-	5	25
PS1231	12	310	250	-	5	25
PS1246	12	460	400	-	5	25
PS1416	14	160	100	-	10	50
PS1421	14	210	150	-	5	25
PS1431	14	310	250	-	5	25
PS1446	14	460	400	-	5	25
PS1516	15	160	100	-	10	50
PS1621	16	210	150	-	10	50
PS1631	16	310	250	-	5	25
PS1646	16	450	400	-	5	25
PS1821	18	200	150	-	5	25
PS1846	18	450	400	-	5	25
PS2021	20	200	150	-	5	25
PS2046	20	450	400	-	5	25
PS2226	22	250	200	-	5	25
PS2426	24	260	210	-	5	25

GEBFOR TURBO4

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block

DRILL BITS GEBFOR TURBO 4

Professional drill bits with 4 sharp tungsten carbide, with SDS PLUS and double spiral tip for a better and faster drilling speed. 4 cutting edges to grant better precision and accuracy of drilling.
Applications: stone, concrete. Suited for roto-percussion.

NEW



ART.	Ø d1	L 2	L 1	DESCR.	BOX	CARTON
	mm	mm	mm		pcs	pcs
PST0511	5	110	50	-	10	50
PST0516	5	160	100	-	10	50
PST0611	6	110	50	-	10	50
PST0616	6	160	100	-	10	50
PST0621	6	210	150	-	10	50
PST0811	8	110	50	-	10	50
PST0816	8	160	100	-	10	50
PST0821	8	210	150	-	10	50
PST0825	8	250	190	-	10	50
PST0831	8	310	250	-	10	50
PST1011	10	110	50	-	10	50
PST1016	10	160	100	-	10	50
PST1021	10	210	150	-	10	50
PST1025	10	250	190	-	10	50
PST1031	10	310	250	-	10	50
PST1045	10	450	390	-	10	50
PST1216	12	160	100	-	5	25
PST1225	12	250	190	-	5	25
PST1231	12	310	250	-	5	25
PST1245	12	450	390	-	10	50
PST1416	14	160	100	-	5	25
PST1421	14	210	150	-	5	25
PST1431	14	310	250	-	5	25
PST1445	14	450	390	-	10	50
PST1621	16	210	150	-	5	25
PST1631	16	310	250	-	5	25
PST1645	16	450	390	-	5	25
PST1825	18	250	190	-	10	50
PST1845	18	450	390	-	10	50
PST2025	20	250	190	-	5	25
PST2045	20	450	390	-	5	25
PST2225	22	250	190	-	5	25
PST2425	24	250	190	-	5	25

DRILLS BITS GEBFOR SDS MAX

for hammer drills and electropneumatic

Licenza Bosch

stone
concrete

SDS MAX MASONRY DRILL BITS

for hammer drills with SDS MAX shank
Applications stone, concrete, reinforced concrete.
Suitable for rotopercussion.

ART.	Ø d1	L2	L1	DESCR.	BOX	CARTON
	mm				pcs	pcs
PSM1634	16	340	200	-	1	-
PSM1654	16	540	400	-	1	-
PSM1834	18	340	200	-	1	-
PSM1854	18	540	400	-	1	-
PSM2032	20	320	200	-	1	-
PSM2052	20	520	400	-	1	-
PSM2232	22	320	200	-	1	-
PSM2252	22	520	400	-	1	-
PSM2432	24	320	200	-	1	-
PSM2452	24	520	400	-	1	-
PSM2532	25	320	200	-	1	-
PSM2552	25	520	400	-	1	-
PSM2852	28	520	400	-	1	-
PSM3032	30	320	200	-	1	-
PSM3052	30	520	400	-	1	-
PSM3252	32	520	400	-	1	-
PSM3552	35	520	400	-	1	-
PSM3852	38	520	400	-	1	-
PSM3857*	40	570	450	-	1	-
PSM4052	40	520	400	-	1	-

* Selling out

SSMP4 POINTED CHISEL SDS MAX

for hammer drills with SDS MAX shank
chisel 400 mm

ART.	DESCR.		BOX	CARTON
		mm	pcs	pcs
SSMP4	DRILL SDS MAX	400	1	

SSMT4 CHISEL SDS MAX SMALL WIDE

for hammer drills with SDS MAX shank
chisel cut 400 mm

ART.	DESCR.		BOX	CARTON
		mm	pcs	pcs
SSMT4	CHISEL CUT SDS MAX	400	1	

SSML3 CHISEL SDS MAX BIG WIDE

for hammer drills with SDS MAX shank
width 50 x 375 mm

ART.	DESCR.		BOX	CARTON
		mm	pcs	pcs
SSML3	WIDTH SDS MAX	50x375	1	

SSMS3 CHISEL SDS MAX HOLLOW GONGE

for hammer drills with SDS MAX shank
gouge 26 x 300 mm

ART.	DESCR.		BOX	CARTON
		mm	pcs	pcs
SSMS3	GOUGE SDS MAX	26x300	1	

New line of self-service packaging in sachets

EASY-PACK

- Practical
- Transparent
- Immediate visibility of the product
- same format for all articles
- Clear instructions of use on the label

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard

BLISTER-PACK

The new line of packaging for the DIY customer

- A high number of reference points, assists the choice of product in the pre-pack range.
- Very accurate designed, the new packaging permits a clear visibility of the product.
- Full and detailed information allow an easy identification of the Product, even with a coloured identicator bar..
- The coloured bar allows the clear identification of material and substrates to which the products are to be fastened.
- The new labels with barcode, allow a clear product and quantity identification.



BLISTERS COLOUR BANDS EASY-PACK AND BLISTER-PACK

- Plasterboard supports
- Hollow block material
- Hollow brick and hollow block materials
- Solid materials (concrete, solid bricks, stone)
- Solid and semisolid materials
- For all supports

NEW BAGS
EASY-PACK

stone concrete | solid brick | semisolid brick

GL Nylon Anchor
multipurpose nylon anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17175	5x25	KIT GL05	-	-	50	20
17176	6x30	KIT GL06	-	-	50	20
17177	8x40	KIT GL08	-	-	20	20
17178	10x50	KIT GL10	-	-	10	20

GL Nylon Anchor
with white zinc-plated
cross flat head countersunk screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBTGL050	5x25	KIT GL5VPS	4x30	5	25+25	20
HBTGL060	6x30	KIT GL6VPS	4,5x40	10	10+10	20
HBTGL080	8x40	KIT GL8VPS	5x50	10	10+10	20
HBTGL100	10x50	KIT GL10VPS	6x60	10	5+5	20

stone concrete | solid brick | semisolid brick

CONDOR Nylon Anchor
without collar
and white zinc-plated
cross flat head countersunk screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBTC050	5x25	KIT C5VPS	4x30	5	25+25	20
HBTC060	6x30	KIT C6VPS	4,5x40	5	10+10	20
HBTC080	8x40	KIT C8VPS	5x50	5	10+10	20
HBTC100	10x50	KIT C10VPS	6x60	10	5+5	20

CONDOR Nylon Anchor
with collar
and white zinc-plated
cross flat head countersunk screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
HBTCB050	5x25	KIT CB5VPS	4x30	5	25+25	20
HBTCB060	6x30	KIT CB6VPS	4,5x40	5	10+10	20
HBTCB080	8x40	KIT CB8VPS	5x50	5	10+10	20
HBTCB100	10x50	KIT CB10VPS	6x60	10	5+5	20

CONDOR Nylon C4 Anchor
without collar, complete with brass-plated iron hook,
for hanging pictures and shall.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17059	4x20	KIT C4GL	2,5x32	-	20+20	20

NEW BAGS
EASY-PACK

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard

UNIVERSAL Nylon Anchor
with collar and white zinc-plated cross flat head countersunk screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
17060	6x35	KIT NU6/35V	4x45	10	10+10	20
17061	8x42	KIT NU8/42V	4,5x50	8	8+8	20
17062	10x60	KIT NU10/60V	5x70	10	4+4	20

GBU Nylon Anchor
with collar and white zinc-plated cross flat head countersunk screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
17063	6x40	KIT GBU6/40V	3,5x50	10	10+10	20
17064	8x50	KIT GBU8/50V	4,5x60	10	8+8	20
17065	10x60	KIT GBU10/60V	6x80	10	4+4	20

stone concrete | solid brick

TURBO NYLON Anchor
with screw for baseboards

PREASSEMBLED

PREASSEMBLED

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
17199	4x30	KIT T4-30SV	2,5x35	10	20	20
17066	6x40	KIT TJ6-40SV	3,8x45	10	15	20
17067	6x55	KIT TJ6-55SV	3,8x60	25	15	20
17068	8x60	KIT TJ8-60SV	4,8x65	25	5	20
17069	8x75	KIT TJ8-75SV	4,8x80	40	5	20

stone concrete | solid brick | semisolid brick

CASA Nylon Anchor
CA9-40/CA12-45

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
17070	9x40	KIT CA9-40/1	M4	-	6	20
17075	12x45	KIT CA12-45/1	M5	-	4	20
17071	9x40	KIT CA9-40/2	M4	-	6	20
17076	12x45	KIT CA12-45/2	M5	-	4	20
17072	9x40	KIT CA9-40/5	M4x40	-	6	20
17077	12x45	KIT CA12-45/5	M5X45	-	4	20
17073	9x40	KIT CA9-40/6	M4x40	-	6	20
17078	12x45	KIT CA12-45/6	M5X45	-	4	20
17074	9x40	KIT CA9-40/7	M4x50	-	6	20
17079	12x45	KIT CA12-45/7	M5X55	-	4	20

NEW BAGS
EASY-PACK

stone concrete solid brick

CASA BG6-BG8-BG9 STEEL Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17080	6x40	KIT BG6/1	M3	-	10	20
17082	8x40	KIT BG8/1	M4	-	4	20
17087	9x40	KIT BG9/1	M5	-	4	20

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17083	8x35	KIT BG8/2	M4	-	4	20
17088	9x40	KIT BG9/2	M5	-	4	20

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17085	8x35	KIT BG8/4	M4	-	4	20
17090	9x40	KIT BG9/4	M5	-	4	20

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17084	8x35	KIT BG8/3	M4	-	4	20
17089	9x40	KIT BG9/3	M5	-	4	20

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17081	6x30	KIT BG6/5	M3	-	10	20
17086	8x35	KIT BG8/5	M4	-	4	20
17091	9x40	KIT BG9/5	M5	-	4	20

plasterboard Light concrete

RAPID Nylon Anchor
self drilling for plasterboard supports

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17092	16x38	KIT RN/V	4,5x50	12	5+5	20

hollow brick plasterboard

ANCORA DE STEEL TOGGLE
for ceiling fastenings

DE1 **DE2**

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17173	14	KIT DE1	M4x80	-	2	20

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17174	14	KIT DE2	M4x75	-	2	20

NEW BAGS
EASY-PACK

plasterboard

RPC - RAPID LASTRO Screw
Black phosphated. For plasterboard supports.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17105	-	KIT RP/C25	3,5x25	-	100	20
17106	-	KIT RP/C35	3,5x35	-	50	20
17107	-	KIT RP/C45	3,5x45	-	30	20

RPF - RAPID LASTRO Screw
Black phosphated. For plasterboard supports.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17108	-	KIT RP/F25	3,5x25	-	100	20

RPL - RAPID LASTRO Screw
white zincated

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17109	-	KIT RP/L13	4,2x13	-	100	20

stone concrete | solid brick | semisolid brick

SANIFIS SF2 INOX A2
Anchor for sanitary fixing for installation of wall mounted accessories

INOX (A2)

ART.	Ø x L_t	DESCR.	BARRETTA	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17096	8x40	KIT SF2	M6x80		4+4+4	20

SANIFIS SF4
Anchor for sanitary fixing for the installation of water heaters and boilers

ART.	Ø x L_t	DESCR.	CODETTA	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17097	10x50	KIT SF4/10	8x65	-	2+2	20
17098	12x60	KIT SF4/12	10x75	-	2+2	20

stone concrete | solid brick | semisolid brick

FAST QUADRO NYLON SUPPORTS
For tubes and wires, it comes complete with nylon plug CONDOR CB 6VPS.



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17099	4,5x40	KIT FQ12-20	-	-	5+5+5	20
17100	4,5x40	KIT FQ16-24	-	-	3+3+3	20
17101	4,5x40	KIT FQ18-30	-	-	3+3+3	20

FAST CLIP – NYLON SUPPORTS
For tubes and wires, it comes complete with nylon plug CONDOR CB 6VPS

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17102	4,5x40	KIT FC16	-	-	5+5+5	20
17103	4,5x40	KIT FC20	-	-	4+4+4	20
17104	4,5x40	KIT FC25	-	-	3+3+3	20

NEW BAGS
EASY-PACK

stone concrete — solid brick

NTR/V STEEL ANCHOR
with hexagonal head screw 8.8 and washer DIN9021 (UNI6593)

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17093	10x45	KIT NTR/V06	M6x50	5	4	20
17094	12x52	KIT NTR/V08	M8x60	8	4	20
17095	15x60	KIT NTR/V10	M10x80	20	2	20

stone concrete — solid brick

DELTA Steel Anchor
(8.8 grade) white zinc plated, with oversize washer DIN 9021

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17110	8x45	KIT DELV845 V.TE	M6x45	5	4	20
17112	10x55	KIT DELV1055 V.TE	M8x55	5	4	20
17111	10x80	KIT DELV1080 V.TE	M8x80	30	4	20
17113	12x65	KIT DELV1265 V.TE	M10x65	5	4	20

DELTA Steel Anchor
with steel hook (class 5.8) white zinc plated nut and oversize washer DIN 9021

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17114	8x50	KIT DELG850/G	M6x50	-	2	20

DELTA Steel Anchor
with steel EYEBOLT (class 5.8) white zinc plated nut and oversize washer DIN 9021

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
17115	10x65	KIT DELC1065/C	M8x65	-	2	20

BLISTER-PACK
GL NYLON

stone concrete | solid brick | semisolid brick

GL Nylon Anchor
multipurpose nylon anchor

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05001	5x25	GL5B	-	-	50	30
05002	6x30	GL6B	-	-	50	30
05003	8x40	GL8B	-	-	20	30
05004	10x50	GL10B	-	-	10	30

GL Nylon Anchor
with white zinc-plated
cross flat head countersunk screw

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05005	5x25	GL5VPSB	4x30	5	25+25	30
05006	6x30	GL6VPSB	4,5x40	10	15+15	30
05007	8x40	GL8VPSB	5x50	10	10+10	30
05008	10x50	GL10VPSB	6x60	10	5+5	30

GL Nylon Anchor GL6
with accessories

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05284	6x30	GL6/1B	-	-	10+10	30

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05285	6x30	GL6/2B	-	-	10+10	30

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05286	6x30	GL6/3B	-	-	10+10	30

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05287	6x30	GL6/4B	-	-	10+10	30

BLISTER-PACK
CONDOR NYLON.

stone concrete | solid brick | semisolid brick

Condor Nylon Anchor
without collar

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05010	5x25	C5B	-	-	50	30
05011	6x30	C6B	-	-	50	30
05012	8x40	C8B	-	-	50	30
05013	10x50	C10B	-	-	50	30

Condor Nylon Anchor
without collar and white zinc-plated cross flat head countersunk screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05014	5x25	C5VPSB	4x30	5	25+25	30
05015	6x30	C6VPSB	4,5x40	5	15+15	30
05016	8x40	C8VPSB	5x50	5	10+10	30
05017	10x50	C10VPSB	6x60	10	5+5	30

Condor Nylon Anchor C4
without collar, complete with brass-plated iron hook, for hanging pictures and shall

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05022	4x20	C4GL	2,5x32	-	20+20	30

BLISTER-PACK
L'UNIVERSALE NYLON

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard

UNIVERSAL Nylon Anchor
with collar and white zinc-plated cross flat head countersunk screw

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05023	6x35	NU6/35VB	4x45	10	10+10	30
05024	8x42	NU8/42VB	4,5x50	8	8+8	30
05025	10x60	NU10/60VB	5x70	10	4+4	30

BLISTER-PACK
GBU NYLON

semisolid brick | hollow brick | hollow concrete block | plasterboard

GBU Nylon Anchor
with collar and white zinc-plated cross flat head countersunk screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05026	6x40	GBU6/VB	3,5x50	10	10+10	30
05027	8x50	GBU8/VB	4,5x60	10	8+8	30
05028	10x60	GBU10/VB	6x80	10	4+4	30

BLISTER-PACK
TURBO JET NYLON

stone concrete | solid brick

TURBO JET Nylon Anchor
with screw for baseboards

PREASSEMBLED

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05030	6x40	TJ6-40SVB	3,8x45	10	20+20	30
05031	6x55	TJ6-55SVB	3,8x60	25	15+15	30
05032	8x60	TJ8-60SVB	4,8x65	25	10+10	30
05033	8x75	TJ8-75SVB	4,8x80	40	10+10	30
05034	8x100	TJ8-100SVB	4,8x105	65	3+3	30

TURBO JET Nylon Anchor
with countersunk collar and countersunk flat head nail screw

PREASSEMBLED

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05029	4x30	T4-30SVB	2,5x35	10	25+25	30

BLISTER-PACK
BRIC BCM NYLON

stone concrete | solid brick | semisolid brick | hollow brick

BRIC BCM Nylon Anchor

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05040	12x72	BCM8/B	-	-	4	30
05041	14x72	BCM10/B	-	-	4	30

BLISTER REGGIMENSOLA BCS

stone concrete | solid brick | semisolid brick | hollow brick

BCS - Invisible steel bracket

ART.	Ø x L t	DESCR.	SCREW	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05035	12x72	BCS10/100B	-	-	2	10
05036	12x72	BCS10/150B	-	-	2	10
05037	14x72	BCS14/120B	-	-	2	10
05038	14x72	BCS14/145B	-	-	2	10
05039	14x72	BCS14/170B	-	-	2	10

BLISTER-PACK
CASA NYLON

semisolid brick | hollow brick | hollow concrete block | plasterboard

CASA CA9-40 - CA12-45 nylon anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05042	9x40	CA9-40/1B	M4	-	6	30
05050	12x45	CA12-45/1B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05043	9x40	CA9-40/2B	M4	-	6	30
05051	12x45	CA12-45/2B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05044	9x40	CA9-40/4B	M4x35	-	6	30
05052	12x45	CA12-45/4B	M5x40	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05045	9x40	CA9-40/5B	M4	-	6	30
05053	12x45	CA12-45/5B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05046	9x40	CA9-40/6B	M4	-	6	30
05054	12x45	CA12-45/6B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05047	9x40	CA9-40/7B	M4	-	6	30
05055	12x45	CA12-45/7B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05048	9x40	CA9-40/9B	M4	-	3	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05049	9x40	CA9-40/10B	M4	-	3	30

BLISTER-PACK
CASA STEEL ANCHOR

stone concrete

solid brick

CASA BG6-BG8-BG9 Steel Anchor

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05056	6x40	BG6/1B	M3	-	10	30
05058	8x40	BG8/1B	M4	-	6	30
05064	9x40	BG9/1B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05059	8x40	BG8/2B	M4	-	6	30
05065	9x40	BG9/2B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05063*	8x40	BG8/6B	M4x35	-	4	30
05069	9x40	BG9/6B	M5x40	-	3	30

* Selling out

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05061	8x40	BG8/4B	M4	-	6	30
05067	9x40	BG9/4B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05060	8x40	BG8/3B	M4	-	6	30
05066	9x40	BG9/3B	M5	-	4	30

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05057	6x40	BG6/5B	M4	-	10	30
05062	8x40	BG8/5B	M4	-	6	30
05068	9x40	BG9/5B	M5	-	4	30

BLISTER-PACK
ANCORA STEEL TOGGLE

hollow brick | hollow concrete block | plasterboard

ANCORA DE STEEL TOGGLE
for ceiling fastenings

DE1

ART.	Ø hueco	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05070	14	DE1B	M4x80	-	3	30

DE2

ART.	Ø hueco	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05071	14	DE2B	M4x75	-	3	30

BLISTER-PACK
RAPID NYLON

plasterboard | Light concrete

RAPID NYLON Anchor
autoforanti per pareti plasterboard

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05072	16x38	RN/VB	4,5x50	12	5+5	30

BLISTER-PACK
OMEGA BRASS



stone concrete | solid brick

OMEGA Brass Anchor*
hexagonal head screw



ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05080	8x24	OM6B	M6	-	6+6	30
05081	10x30	OM8B	M8	-	4+4	30

* Selling out

BLISTER-PACK
NTR STEEL ANCHOR

stone concrete — solid brick

NTR/V Steel Anchor
with hexagonal head screw 8.8
and washer DIN9021 (UNI6593)

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05073	10x45	NTR6/VB	M6x50	5	4	30
05074	12x52	NTR8/VB	M8x60	8	4	30
05075	15x60	NTR10/VB	M10x80	20	2	30

NTR/G Steel Anchor
with stamped steel hook class 5.8
nut and washer DIN9021 (UNI6593)

ART.	Ø x L_t	DESCR.	HOOK	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05076	10x5	NTR6/GB	M6x50	-	2	30
05077	12x52	NTR8/GB	M8x60	-	2	30

NTR/C Steel Anchor
with stamped steel eyeboltclass 5.8
nut and washer DIN9021 (UNI6593)

ART.	Ø x L_t	DESCR.	EYEBOLT	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05078	10x45	NTR6/CB	M6x50	-	2	30
05079	12x52	NTR8/CB	M8x60	-	2	30

BLISTER-PACK
PLUMBING AND ELECTRICAL FIXING SYSTEMS WITH ACCESSORIES

stone concrete | solid brick | semisolid brick | hollow brick

SANIFIS SF3
Anchor for sanitary fixing for installation of wall mounted accessories.

ART.	Ø x L t	DESCR.	STEEL ANCH.	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05083	12x60	SF3/120B	10x120	-	2	30

SANIFIS SF2
INOX (A2)

Anchor for sanitary fixing for installation of wall mounted accessories.

ART.	Ø x L t	DESCR.	STEEL ANCH.	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05082	12x60	SF2/B	M6x80	-	4	30

SANIFIS SF4
Anchor for sanitary fixing for the installation of water heaters and boilers.

ART.	Ø x L t	DESCR.	HOOK	t fix	BOX	CARTON
	mm		mm	mm	pcs	pcs
05084	10x50	SF4/10B	8x65	-	2	30

FAST QUADRO NYLON SUPPORTS
For tubes and wires, it comes complete with nylon plug CONDOR CB 6VPS.

ART.	Ø x L t	DESCR.	t fix	BOX	CARTON
	mm		mm	pcs	pcs
05086	.	FQ12-20B	-	5+5	30
05087	.	FQ16-24B	-	4+4	30
05088	.	FQ18-30B	-	3+3	30

FAST CLIP – NYLON SUPPORTS
For tubes and wires, it comes complete with nylon plug CONDOR CB 6VPS

ART.	Ø x L t	DESCR.	t fix	BOX	CARTON
	mm		mm	pcs	pcs
05089	.	FC16B	-	5+5	30
05090	.	FC20B	-	4+4	30
05091	.	FC25B	-	3+3	30
05092	.	FC32B	-	2+2	30

BLISTER-PACK
MULTIANCHOR POLYESTER RESIN



solid brick | semisolid brick | hollow brick | hollow concrete block

MULTIANCHOR MA150
Polyester resin styrene free
High performance

ART.	DESCR.	CONTENUTO	BOX	CARTON
		ml	pcs	pcs
CK15	MA150	150	1	12

Size 150 ml. For use with silicone gun SK2 and extension PP

The packaging includes:
1 cartridge MA150
1 mixer M17
1 prolonger PP

Packed in plastic bag.

BLISTER-PACK
CHEMICAL

SLEEVE BR
for hollow supports nylon net bush with threaded anchor steel rod complete with nut and washer



THREADED ROD BAR

ART.	Ø x L_t	DESCR.	BAR	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05096	15x85	BR15/1B	M8/10	-	2+2	30

Nylon net bush with threaded hook steel bar complete with nut and washer

THREADED HOOK BAR

ART.	Ø x L_t	DESCR.	BAR	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05098	15x85	BR15/3B	M8/10	-	2+2	30

Nylon net bush with threaded flat steel hook complete with nut and washer

THREADED HOOK FLAT

ART.	Ø x L_t	DESCR.	BAR	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05099	15x85	BR15/4B	M8/10	-	2+2	30

BLISTER-PACK
RAPID LASTRO

plasterboard

RPC - RAPID LASTRO Screw
Black phosphated.
For plasterboard supports.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05093	-	RP/CB	3,5x25	-	100	30
05094	-	RP/CB	3,5x35	-	50	30
05095	-	RP/CB	3,5x45	-	50	30

RPF - RAPID LASTRO Screw
Black phosphated.
For plasterboard supports.

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05280	-	RP/FB	3,5x25	-	100	30

RPL - RAPID LASTRO Screw
white zincated

ART.	Ø x L_t	DESCR.	SCREW	t_{fix}	BOX	CARTON
	mm		mm	mm	pcs	pcs
05281	-	RP/LB	4,2x13	-	100	30

BLISTER-PACK
GEBOSIL SEALANTS AND ADHESIVES

UNIVERSAL ACETIC SILICONE FOR SANITARY FIXTURES
ANTI-MOULD

High quality. Suitable for sealing on sleek materials: glass, enamel, ceramic, aluminum and plastic material in general (excluded PE, PP, PTFE). Anti-mould, is particularly suitable for sealing bathrooms, showers, bath tubs, basins, washboard, toilets and general sanitary. Ageing, UV rays, and atmospheric agents resistant. Resistant to chemical agents / detergents.
NOT PAINTABLE. **On Blister Pack.**

CE APPROVED FOR SANITARY INDOOR /OUTDOOR - COLD CLIMATES

ART.	DESCR.	RAL	BOX		CARTON
			ml	pcs	pcs
05104	SAS-TRANSPARENT	-	60	1	12
05105	SAS-WHITE	9010	60	1	12

SUPER GRIPP ACRYLIC ADHESIVE
"ROUGH EFFECT" (WHITE)

Suitable for bonding strips of wood, elements decorative polystyrene, cladding panels both wall and ceiling.
PAINTABLE.

INDOOR USE

HIGH SUCHER EFFECT!

Load: 2,5 kg/cm²

NEW

ART.	DESCR.	RAL	BOX		CARTON
			ml	pcs	pcs
05292	ADM TUBE WHITE	-	100	1	12

BLISTER-PACK
TWO-COMPONENT RESIN BASED ON POLYURETHANE

stone concrete | solid brick | semisolid brick | hollow brick | hollow concrete block | plasterboard | Light concrete | wood

ALL-FIX
Two-component resin based on a polyurethane

Easy and quickly to use, it grants high pull out values.
- ideal for light fixings
- ideal for filling and repairing broken out or oversized boreholes.

ART.	DESCR.	CONTENT	BOX	CARTON
		ml	pcs.	pcs
05106	ALL-FIX	25	1	12

Kit
1 injection system cartridge 25 ml
1 plunger for manual extrusion
2 mixer
4 net sleeve 10x55 mm
2 extensions

ESELF23

PROMOTIONAL ITEMS

DESK PAD G&B
(60x40 cm)

ART.	DESCR.	BOX	CARTON
		pcs	pcs
DESK PAD G&B	cm 60x40	1	-

CROWNER IN PVC FOR DISPLY STAND
(100x40 cm)

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CROWNER PVC	cm 100x40	1	-

T-SHIRT G&B

ART.	DESCR.	BOX	CARTON
		pcs	pcs
MAGLIETTEM	SIZE M	1	-
MAGLIETTEL	SIZE L	1	-
MAGLIETTEXL	SIZE XL	1	-

POLO T-SHIRT G&B

ART.	DESCR.	BOX	CARTON
		pcs	pcs
POLOS	SIZE S	1	-
POLOM	SIZE M	1	-
POLOL	SIZE L	1	-

SWEATSHIRT G&B
with zip and side pockets

ART.	DESCR.	BOX	CARTON
		pcs	pcs
FELPAL	SIZE L	1	-
FELPAXL	SIZE XL	1	-
FELPAXXL	SIZE XXL	1	-

VEST G&B
inner fleece fabric

ART.	DESCR.	BOX	CARTON
		pcs	pcs
GILETM	SIZE M	1	-
GILETL	SIZE L	1	-
GILETXL	SIZE XL	1	-

CAP G&B

ART.	DESCR.	BOX	CARTON
		pcs	pcs
CAPPELLINO	ONE SIZE	1	-

Think Fixing

www.gebfissaggi.com

N. ART.	PAG.
03070	45
03071	45
03072	45
03073	45
03074	45
03075	45
03273	53
03274	53
03295	45
03296	45
03297	45
03298	45
03299	45
03300	45
03301	45
03302	45
03303	45
05001	135
05002	135
05003	135
05004	135
05005	135
05006	135
05007	135
05008	135
05010	136
05011	136
05012	136
05013	136
05014	136
05015	136
05016	136
05017	136
05022	136
05023	137
05024	137
05025	137
05026	137
05027	137

N. ART.	PAG.
05028	137
05029	138
05030	138
05031	138
05032	138
05033	138
05034	138
05035	138
05036	138
05037	138
05038	138
05039	138
05040	138
05041	138
05042	139
05043	139
05044	139
05045	139
05046	139
05047	139
05048	139
05049	139
05050	139
05051	139
05052	139
05053	139
05054	139
05055	139
05056	140
05057	140
05058	140
05059	140
05060	140
05061	140
05062	140
05063	140
05064	140
05065	140
05066	140

N. ART.	PAG.
05067	140
05068	140
05069	140
05070	141
05071	141
05072	141
05073	142
05074	142
05075	142
05076	142
05077	142
05078	142
05079	142
05080	141
05081	141
05082	143
05083	143
05084	143
05086	143
05087	143
05088	143
05089	143
05090	143
05091	143
05092	143
05093	145
05094	145
05095	145
05096	144
05098	144
05099	144
05104	56 146
05105	56 146
05106	44 146
05280	145
05281	145
05284	135
05285	135
05286	135

N. ART.	PAG.
05287	135
05292	146
09005	67
09006	67
09007	67
09008	67
09009	67
09015	67
17059	130
17060	131
17061	131
17062	131
17063	131
17064	131
17065	131
17066	131
17067	131
17068	131
17069	131
17070	131
17071	131
17072	131
17073	131
17074	131
17075	131
17076	131
17077	131
17078	131
17079	131
17080	132
17081	132
17082	132
17083	132
17084	132
17085	132
17086	132
17087	132
17088	132
17089	132

N. ART.	PAG.
17090	132
17091	132
17092	132
17093	134
17094	134
17095	134
17096	133
17097	133
17098	133
17099	133
17100	133
17101	133
17102	133
17103	133
17104	133
17105	133
17106	133
17107	133
17108	133
17109	133
17110	134
17111	134
17112	134
17113	134
17114	134
17115	134
17173	132
17174	132
17175	130
17176	130
17177	130
17178	130
17199	113
19001	14
19002	14
19003	14
19004	14
19005	14
21012	68

N. ART.	PAG.
33027	27
33028	27
33029	27
33030	27
33031	27
33032	27
33033	27
33034	27
33035	27
33036	27
33037	27
33039	28
33040	28
33041	28
33042	28
33048	27
33106	27
33107	27
33108	27
33127	27
33129	27
33131	27
33132	27
33133	27
33134	27
33135	27
33136	27
33137	27
33138	27
33139	28
33140	28
33141	28
33142	27
33143	27
33144	27
33145	27
33169	27
37093	14
37094	14

N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.
37095	15	48055	24	53034	82	60243	37	74030	81	74070	81
37096	15	48059	24	53035	82	60244	38	74031	81	74071	81
41242	16	48060	24	57024	77	60245	38	74032	81	74072	81
41243	16	48062	24	57025	77	60246	38	74033	81	74075	81
41244	16	48063	24	57026	77	64065	85	74034	81	74076	81
41245	16	48070	24	60109	36	64066	86	74035	81	74077	81
41250	17	53001	82	60135	38	64067	86	74036	81	74078	81
41251	17	53002	82	60136	38	65001	2	74037	81	74079	81
41252	17	53003	82	60137	38	65002	2	74038	81	74080	81
41253	17	53004	82	60138	38	65003	2	74039	81	74081	81
41254	17	53005	82	60139	38	65004	2	74040	81	74083	81
44077	34	53006	82	60140	38	65005	2	74041	81	74087	80
44078	34	53007	82	60141	38	65006	2	74042	81	74088	80
44079	34	53008	82	60142	38	65007	2	74043	81	74089	80
44080	34	53009	82	60143	38	65008	2	74044	81	74090	80
44081	34	53010	82	60144	38	65009	2	74045	81	74091	80
44082	34	53011	82	60220	37	65010	2	74046	81	74092	80
44083	34	53012	82	60221	37	65011	2	74047	81	74093	80
44084	34	53013	82	60222	37	65012	2	74048	81	74094	80
44085	34	53014	82	60223	37	65013	2	74049	81	74095	80
44086	34	53015	82	60224	37	65014	2	74050	81	74096	80
44112	34	53016	82	60225	37	65017	2	74051	81	74097	80
44113	34	53017	82	60226	37	65018	2	74052	81	74098	80
44114	34	53018	82	60227	37	65019	2	74053	81	74099	80
44115	34	53019	82	60228	37	65020	2	74054	81	74100	80
44116	34	53020	82	60229	37	65064	2	74056	81	74101	80
44117	34	53021	82	60230	37	65065	2	74057	81	74102	80
44118	34	53022	82	60231	37	65066	2	74058	81	74103	80
44119	34	53023	82	60232	37	65067	2	74059	81	74104	80
48011	24	53024	82	60233	37	65087	2	74060	81	74105	80
48012	24	53025	82	60234	37	74021	81	74061	81	74106	80
48013	24	53026	82	60235	37	74022	81	74062	81	74107	80
48014	24	53027	82	60236	37	74023	81	74063	81	74108	80
48015	24	53028	82	60237	37	74024	81	74064	81	74109	80
48016	24	53029	82	60238	37	74025	81	74065	81	74110	80
48017	24	53030	82	60239	37	74026	81	74066	81	74111	80
48018	24	53031	82	60240	37	74027	81	74067	81	74112	80
48019	24	53032	82	60241	37	74028	81	74068	81	74113	80
48020	24	53033	82	60242	37	74029	81	74069	81	74114	80

N. ART.	PAG.
74115	80
74117	80
74118	80
74119	80
74120	80
74122	80
74123	80
74124	80
74125	80
74126	80
74127	80
74128	80
74129	80
74130	80
74131	80
74132	80
74133	80
74134	80
74135	80
74136	80
74137	80
74138	80
74141	80
74142	80
74143	80
74144	80
74145	80
74147	80
74351	80
74352	81
80009	100
80010	100
80011	100
80012	100
80013	100
80014	100
80015	100
80016	100
80017	100

N. ART.	PAG.
80018	100
80019	100
80020	101
80021	101
80022	101
80023	101
80024	101
80025	101
80026	101
80027	101
80028	101
80029	101
80030	101
80031	101
80032	101
80065	101
80066	101
80067	101
80071	101
80072	101
80073	101
80074	101
80079	100
80081	100
80083	101
80084	101
80087	101
80102	100
80103	101
80104	101
80105	101
80106	101
84006	72
84007	70
84008	71
84009	70
84010	71
84011	71
84012	73

N. ART.	PAG.
84013	70
84022	70
84027	73
84029	73
84030	72
84031	74
84032	74
85007	119
85008	119
87001	35
87002	35
87003	35
87004	35
87005	35
87006	35
87007	35
87009	35
87010	35
87011	35
87012	35
87013	35
87031	35
87032	35
87033	35
88001	18
88002	18
88003	18
88005	18
88006	18
88007	18
88008	18
88009	18
88010	18
90001	23
90002	23
91001	54
91004	54
91005	54
91006	54

N. ART.	PAG.
91007	54
91008	54
91009	54
91010	54
91011	54
91012	54
91013	54
91014	54
91015	54
91016	54
91017	54
91018	54
91019	54
91020	54
91021	54
91022	54
91023	54
91024	54
91025	54
91026	54
91027	54
91028	54
91029	54
91030	54
91031	54
91032	54
91033	54
91034	54
91035	54
91036	54
91037	54
91038	54
91039	54
91081	26 93
91082	26 93
91087	54
91091	54
91092	54
91093	54

N. ART.	PAG.
91094	54
91095	54
92001	83
92002	83
92003	83
92004	83
92005	83
92006	83
92007	83
92008	83
92009	83
92010	83
92011	83
92012	83
92013	83
92014	83
92015	83
92016	83
92017	83
92018	83
92019	83
92020	83
92021	83
92022	83
92023	83
92024	83
92025	83
92026	83
92027	83
92028	83
92029	83
92030	83
92031	83
92032	83
92033	83
92034	83
92035	83
92036	83
92037	83

N. ART.	PAG.
92038	83
92039	83
92040	83
92041	83
92042	83
92043	84
92044	84
92045	84
92105	83
92106	83
92107	83
92108	83
92109	83
92110	83
92111	83
92112	83
92113	83
92114	83
92115	83
92116	83
92117	83
93001	17
93002	17
93003	17
93004	17
93005	17
93006	17
93007	17
93008	17
93009	17
93010	17
93011	16
93012	16
93013	16
93014	16
93015	16
93016	16
93017	16
93018	16

N. ART.	PAG.
93019	16
93020	16
93021	16
93022	16
93023	16
93024	16
93025	16
93026	16
93027	16
93028	16
93029	16
93030	16
93031	16
93032	16
93033	16
93034	16
93035	16
93036	16
93037	16
93038	16
93039	17
93040	17
93041	17
93042	17
96001	36
96002	36
96003	36
96004	36
96005	36
96006	36
96007	36
96008	36
96009	36
96010	36
96011	36
96024	36
96025	36
96026	36
96027	36

N. ART.	PAG.
97001	12
97002	12
97003	12
97004	12
97005	12
97006	12
97007	12
97008	12
97009	12
97010	12
97011	12
97012	12
97013	12
97014	12
97015	12
97016	12
97017	12
97018	13
97019	13
97020	13
97022	13
97023	13
97024	13
97025	13
97026	13
97027	13
97028	13
97029	13
97030	12
97031	12
97032	12
97033	12
97034	12
97035	12
97089	14
97090	14
97091	14
97092	14
97093	14

N. ART.	PAG.
97099	12
97118	13
97119	13
97120	13
97126	13
97127	13
97128	13
97175	12
97177	12
97178	12
97183	12
97184	12
98019	82
98020	82
98022	82
98023	82
98024	82
98025	82
98027	82
98028	82
98029	82
98030	82
98031	82
98032	82
98033	82
98034	82
98035	82
98036	82
99001	94
99002	94
99003	94
99004	94
99005	94
99006	95
99007	95
99008	95
99010	95
99011	95
99012	95

N. ART.	PAG.
99013	95
99014	95
99015	95
99016	95
99017	95
99018	95
99019	95
99020	95
99021	95
99023	95
99024	95
99025	95
99026	95
99027	95
99028	95
99029	95
99030	95
99031	95
99032	95
99033	95
99034	95
99035	95
99036	95
99037	95
99038	97
99043	96
99044	96
99045	96
99046	96
99047	96
99048	96
99049	96
99050	96
99051	96
99052	96
99053	96
99054	96
99055	96
99056	96

N. ART.	PAG.
99057	96
99058	96
99059	96
99060	96
99061	96
99062	96
99063	96
99064	96
99065	96
99066	96
99067	97
99068	97
99069	97
99070	97
99071	97
99072	97
99073	97
99074	97
99075	97
99076	97
99077	98
99078	98
99079	98
99080	98
99081	98
99082	98
99083	98
99084	98
99164	95
99178	59
99179	59
99180	59
99181	59
99193	94
99194	94
99195	94
99196	94
99197	94
99198	94

N. ART.	PAG.
99212	94
99213	94
99214	94
850011	118
850028	118
850035	118
850066	118
*BAC002	92
*BAC003	92
*BAC004	92
*BUL022	91
*CPG001	90
*CPG002	90
*CRA004	89
*CRA005	89
*CRA006	89
*CRA007	89
*CRA008	89
*CUN002	89
*CUN004	89
*DSA001	89
*DSA002	89
*DSZ003	88
*DSZ004	88
*DSZ005	88
*DSZ006	88
*DSZ007	88
*DSZ008	88
*DSZ009	88
*DSZ010	88
*DSZ011	88
*DSZ012	88
*DSZ013	88
*DSZ014	88
*DSZ065	88
*DSZ075	88
*DSZ080	88
*DSZ085	88
*DSZ090	88

N. ART.	PAG.
*DSZ095	88
*DSZ100	88
*MNT001	89
*MON014	88
*MON015	88
*MON016	88
*MON017	88
*MON018	88
*MON020	88
*MON021	88
*MON022	88
*SCB002	90
*SCB003	90
*SCT002	90
*SEC003	92
*SEC004	92
*TCG001	91
*TCG002	91
*TCG003	91
*TCG004	91
ABD3208-BC	105
ABD3210-BC	105
ABD3212-BC	105
ABD4008-BC	105
ABD4010-BC	105
ABD4012-BC	105
ABD4016-BC	105
ABD4810-BC	105
ABD4812-BC	105
ABD4816-BC	105
ABD4820-BC	105
ABRD4008-BC	105
ABRD4010-BC	105
ABRD4012-BC	105
ABRD4016-BC	105
ABRD4812-BC	105
ABRD4816-BC	105
ADM01	61
ADM02	62

N. ART.	PAG.
ADMS02	61
ASD2404-BC	104
ASD2406-BC	104
ASD2408-BC	104
ASD2410-BC	104
ASD2412-BC	104
ASD3004-BC	104
ASD3006-BC	104
ASD3008-BC	104
ASD3010-BC	104
ASD3012-BC	104
ASD3014-BC	104
ASD3016-BC	104
ASD3018-BC	104
ASD3020-BC	104
ASD3206-BC	104
ASD3208-BC	104
ASD3210-BC	104
ASD3212-BC	104
ASD3214-BC	104
ASD3216-BC	104
ASD3218-BC	104
ASD3220-BC	104
ASD3225-BC	104
ASD4006-BC	104
ASD4008-BC	104
ASD4010-BC	104
ASD4012-BC	104
ASD4014-BC	104
ASD4016-BC	104
ASD4018-BC	104
ASD4020-BC	104
ASD4023-BC	104
ASD4025-BC	104
ASD4806-BC	104
ASD4808-BC	104
ASD4810-BC	104
ASD4812-BC	104
ASD4814-BC	104

N. ART.	PAG.
ASD4816-BC	104
ASD4818-BC	104
ASD4820-BC	104
ASD4822-BC	104
ASD4825-BC	104
ASD4830-BC	104
ASD4835-BC	104
ASD6008-BC	104
ASD6010-BC	104
ASD6012-BC	104
ASD6016-BC	104
ASD6018-BC	104
ASD6022-BC	104
ASD6026-BC	104
ASD6030-BC	104
ASR-10	28
ASR-12	28
ASR-8	28
ASX4010-BC	106
ASX4012-BC	106
ASX4014-BC	106
ASX4016-BC	106
ASX4810-BC	106
ASX4812-BC	106
ASX4814-BC	106
ASX4816-BC	106
ASX4818-BC	106
ASX4820-BC	106
ASX4826-BC	106
ASX4830-BC	106
AWD3208-BC	105
AWD3210-BC	105
AWD3212-BC	105
AWD4008-BC	105
AWD4010-BC	105
AWD4012-BC	105
AWD4016-BC	105
AWD4810-BC	105
AWD4812-BC	105

N. ART.	PAG.
AWD4816-BC	105
AWD4820-BC	105
BTD3006-BC	106
BTD3008-BC	106
BTD3010-BC	106
BTD3012-BC	106
BTD3206-BC	106
BTD3208-BC	106
BTD3210-BC	106
BTD3212-BC	106
BTD3215-BC	106
BTD4006-BC	106
BTD4008-BC	106
BTD4010-BC	106
BTD4012-BC	106
BTD4016-BC	106
BTD4018-BC	106
BTD4020-BC	106
BTD4808-BC	106
BTD4810-BC	106
BTD4812-BC	106
BTD4814-BC	106
BTD4816-BC	106
BTD4818-BC	106
BTD4820-BC	106
BTD4825-BC	106
BTD4830-BC	106
C08	45
C10	45
C12	45
C16	45
C20	45
CB01	52
CB02	52
CB03	52
CB04	52
CB05	52
CB06	52
CB07	52

N. ART.	PAG.
CB08	52
CB09	52
CB10	52
CB11	52
CB15BA	48
CBA06	52
CBA08	52
CBA10	52
CBA12	52
CBAMD12	52
CBAMD16	52
CBAMD22	52
CBAMD30	52
CBV06	53
CBV090	53
CBV1000	53
CBV11	53
CBV1216	53
CBV16190	53
CBV2024	53
CBV811	53
CBVB1015	53
CC13	42
CC14	42
CC17	40
CC24	40
CC25	40
CC26	40
CC27	42
CC28	41
CC29	41
CC30	40
CC32	42
CC40	40
CCPE385	43
CCPE585	43
CCVAL13	46
CCVAL30	46
CCVAL32	46

N. ART.	PAG.
CCVAL40	46
CCWT13	43
CCWT32	43
CD01	68
CEM01	62
CK15	40 144
CL05	45
CM06	51
CM1001	51
CM1002	51
CM1003	51
CM1004	51
CM12	51
CP01	49
CP03	68
CP05	49
CP06	63
CP07	50 63
CP10	51
CP11	48
CP12	49
CP13	68
CP15	48
CP16	49
CP17	48
CP18	50
CP19	50
CP20	63
CP26	68
CS01	64
CS02	64
CS03	65
CS04	66
CS06	67
CS07	67
CS08	66
CS10	63
CS11	64
CS14	66

N. ART.	PAG.
CS15	66
CS16	67
CS17	66
CS19	65
CS21	65
CSCO10	51
CSCO12	51
CSCO14	51
CSCO18	51
CSCO24	51
CSCO28	51
CST29	42
DELP1010	27
DELP1070	27
DELP645	27
DELP660	27
DELP860	27
DELP880	27
DELVAS02	28
E0	111
E1	112
E2	112
E3	113
E-360NH	113
E4	113
E412NA	113
E-500RA	112
E-500RB	112
E-500RH	111
E-500RH-R	111
END0430-BC	109
END0440-BC	109
END0530-BC	109
END0630-BC	109
END0830-BC	109
ENK0435-BC	109
ENK0540-BC	109
ENK0645-BC	109
ENK0845-BC	109

N. ART.	PAG.
ENR0430-BC	109
ENR0530-BC	109
ENR0630-BC	109
ENR0830-BC	109
ESELF22	61
ESELF23	47
ESELF25	61
ESELF28	62
EXTR01	72
HAN01	22
HAN02	22
HAN03	22
HAN04	22
HAN05	22
HAN11	22
HAN12	22
HAN13	22
HAN14	22
HBC01	8
HBC02	8
HBC03	8
HBC04	8
HBC05	8
HBC06	8
HBC08	8
HBC09	8
HBC10	8
HBD01	117
HBD02	117
HBG01	116
HBM08	8 26
HBM10	8 26
HBT01	26 116
HBTC050	130
HBTC060	130
HBTC080	130
HBTC100	130
HBTCB050	130
HBTCB060	130

N. ART.	PAG.
HBTCB080	130
HBTCB100	130
HBTGL050	130
HBTGL060	130
HBTGL080	130
HBTGL100	130
HBV08	26
HBV10	26
HCD0430-BC	110
HCD0530-BC	110
HCD0630-BC	110
HCD0830-BC	110
HCL01	19
HCL03	19
HCL04	19
HCL05	19
HCL06	19
HCL15	18
HCL26	75
HCR0430-BC	110
HCR0525-BC	110
HCR0625-BC	110
HCR0825-BC	110
HFB1025	101
HFB1425	101
HFB1436	101
HFB2025	101
HFB2036	101
HFB2048	101
HFB2548	101
HFB2576	101
HFB2936	101
HFB2948	101
HFB3636	101
HFB3648	101
HFB3676	101
HFB5348	101
HFB5390	101
HFC01	118

N. ART.	PAG.
HFC02	118
HFC03	118
HFC04	118
HFC05	118
HFC06	118
HFF01	118
HFF02	118
HFN1025	117
HFN1425	117
HFN1436	117
HFN2025	117
HFN2036	117
HFN2048	117
HFN2548	117
HFN2576	117
HFN2936	117
HFN2948	117
HFN3636	117
HFN3648	117
HFN3676	117
HFN5348	117
HFN5390	117
HFQ02	118
HFQ03	118
HFQ04	118
HFQ05	118
HGBU06	5
HGBU08	5
HGBU10	5
HGBU100	5
HGBU60	5
HGBU80	5
HGBUV06	5
HGBUV08	5
HGBUV10	5
HGR01	75
HGSB04	86
HGSB06	86
HGSB08	86

N. ART.	PAG.
HGSB10	86
HI10110	86
HI10140	86
HI10160	86
HI10180	85
HI10200	85
HI10220	85
HI10260	85
HI1070	85
HI1090	85
HI811	85
HI88	85
HIA8095	85
HIA8115	85
HIA8135	85
HIA8155	85
HIA8175	85
HIA8195	85
HNU06	5
HNU08	5
HNU080	5
HNU0800	5
HNU10	5
HNU100	5
HNU60	5
HNU80	5
HNUV06	5
HNUV08	5
HNUV080	5
HNUV10	5
HRN01	23
HRNV01	23
HSF02	116
HSF310	116
HSF320	116
HSF340	116
HSF410	116
HSF412	116
HSF414	116

N. ART.	PAG.
HT61	9
HT63	9
HT64	9
HT65	9
HT81	9
HT82	9
HT83	9
HT84	9
HT85	9
HT86	9
HT88	9
HT91	9
HT910	9
HT92	9
HT93	9
HT94	9
HT95	9
HT96	9
HT98	9
HTC04	3
HTC05	3
HTC06	3
HTC07	3
HTC08	3
HTC10	3
HTC100	3
HTC1000	3
HTC105	3
HTC12	3
HTC120	3
HTC1200	3
HTC14	3
HTC140	3
HTC1400	3
HTC1410	3 74
HTC1614	3 74
HTC50	3
HTC500	3
HTC55	3

N. ART.	PAG.
HTC60	3
HTC600	3
HTC65	3
HTC80	3
HTC800	3
HTC85	3
HTCB05	4
HTCB06	4
HTCB08	4
HTCB10	4
HTCB100	4
HTCB1000	4
HTCB105	4
HTCB50	4
HTCB500	4
HTCB55	4
HTCB60	4
HTCB600	4
HTCB65	4
HTCB80	4
HTCB800	4
HTCB85	4
HTE91	8
HTE92	8
HTE93	8
HTE94	8
HTE95	8
HTF50	18
HTF51	18
HTF52	18
HTF53	18
HTF60	18
HTF61	18
HTF62	18
HTF63	18
HTF64	18
HTFB01	117
HTFN01	117
HTL01	6

N. ART.	PAG.
HTL02	6
HTL03	6
HTL04	6
HTL05	6
HTL06	6
HTL07	6
HTL10	6
HTL11	7
HTL21	7
HTL61	7
HTL71	7
HTLA1216	
HTLAU01	14
HTLAU02	14
HTLAU03	14
HTLAU04	15
HTLAU05	15
HTLAU06	15
HTLAU07	14
HTLAU08	15
HTLAU09	15
HTLAU10	15
HTLAUE04	15
HTLAUE05	15
HTLAUE06	15
HTLAUE08	15
HTLAUE09	15
HTLAUE10	15
HTLAUE11	15
HTLAUE12	15
HTLAUE13	15
HTLAUT04	15
HTLAUT05	15
HTLAUT06	15
HTLAUT08	15
HTLAUT09	15
HTLAUT10	15
HTS01	6
HTS02	6

N. ART.	PAG.
HTS03	6
HTS04	6
HTS05	6
HTS06	6
HTS07	6
HTS09	7
HTS10	7
HTS11	7
HTS71	7
HTT20	17
HTTSI21	16
HTTSI22	16
HTTSI23	16
HTTSI230	16
HTTSI24	16
HTTSI25	16
HTTSI26	16
HTTSI27	16
HTTSI28	16
HTTSI30	16
HTV01	14
HTV015	14
HTV02	14
HTV03	14
HTV04	14
HTV06	14
HTV07	14
HTV08	14
HTV09	14
HTV10	14
HTV11	14
HTVE015	14
HTVE02	14
HTVE03	14
HTVE04	14
HTVE07	14
HTVE08	14
HTVE09	14
HTVE10	14

N. ART.	PAG.
HTVE11	14
KITVAL13	47
KITVAL30	47
KITVAL40	47
PAD4010-BC	110
PAD4012-BC	110
PAD4014-BC	110
PAD4016-BC	110
PAD4018-BC	110
PAD4020-BC	110
PAD4025-BC	110
PAD4810-BC	110
PAD4812-BC	110
PAD4814-BC	110
PAD4816-BC	110
PAD4818-BC	110
PAD4820-BC	110
PAD4825-BC	110
PAD4830-BC	110
PAD4835-BC	110
PAD4840-BC	110
PG101	108
PG102	108
PG1020	108
PG104	108
PG1040	108
PG106	108
PG108	108
PG109	108
PG111	108
PG112	108
PG113	108
PG114	108
PG115	108
PG116	108
PG117	108
PG118	108
PG119	108
PG120	108

N. ART.	PAG.
PG121	108
PG1220	108
PG1240	108
PG1440	108
PG1640	108
PG1840	108
PG2040	108
PG640	108
PG820	108
PG840	108
PHSS0100	106
PHSS0125	106
PHSS0150	106
PHSS0175	106
PHSS0200	106
PHSS0225	106
PHSS0250	106
PHSS0275	106
PHSS0300	106
PHSS0325	106
PHSS0350	106
PHSS0375	106
PHSS0400	106
PHSS0425	106
PHSS0450	106
PHSS0475	106
PHSS0500	106
PHSS0525	106
PHSS0550	106
PHSS0575	106
PHSS0600	106
PHSS0625	106
PHSS0650	106
PHSS0675	106
PHSS0700	106
PHSS0750	106
PHSS0800	106
PHSS0850	106
PHSS0900	106

N. ART.	PAG.
PHSS0950	106
PHSS1000	106
PHSS1050	106
PHSS1100	106
PHSS1150	106
PHSS1200	106
PHSS1250	106
PHSS1300	106
PHSSBOX	106
PHSSC0100	107
PHSSC0125	107
PHSSC0150	107
PHSSC0175	107
PHSSC0200	107
PHSSC0225	107
PHSSC0250	107
PHSSC0275	107
PHSSC0300	107
PHSSC0325	107
PHSSC0350	107
PHSSC0375	107
PHSSC0400	107
PHSSC0425	107
PHSSC0450	107
PHSSC0475	107
PHSSC0500	107
PHSSC0525	107
PHSSC0550	107
PHSSC0600	107
PHSSC0625	107
PHSSC0650	107
PHSSC0675	107
PHSSC0700	107
PHSSC0725	107
PHSSC0750	107
PHSSC0775	107
PHSSC0800	107
PHSSC0825	107
PHSSC0850	107

N. ART.	PAG.
PHSSC0875	107
PHSSC0900	107
PHSSC0925	107
PHSSC0950	107
PHSSC0975	107
PHSSC1000	107
PHSSC1050	107
PHSSC1100	107
PHSSC1150	107
PHSSC1200	107
PHSSC1250	107
PHSSC1300	107
PHSSL0325	124
PHSSL0350	124
PHSSL0375	124
PHSSL0400	124
PHSSL0425	124
PHSSL0500	124
PS0411	109
PS0511	109
PS0516	109
PS0611	109
PS0616	109
PS0621	109
PS0811	109
PS0816	109
PS0821	109
PS0916	109
PS1016	109
PS1021	109
PS1026	109
PS1031	109
PS1046	109
PS1216	109
PS1221	109
PS1231	109
PS1246	109
PS1416	109
PS1421	109

N. ART.	PAG.
PS1431	109
PS1446	109
PS1516	109
PS1621	109
PS1631	109
PS1646	109
PS1821	109
PS1846	109
PS2021	109
PS2046	109
PS2226	109
PS2426	109
PS6516	109
PS6521	109
PS6526	109
PS6531	109
PSM1634	110
PSM1654	110
PSM1834	110
PSM1854	110
PSM2032	110
PSM2052	110
PSM2232	110
PSM2252	110
PSM2432	110
PSM2452	110
PSM2532	110
PSM2552	110
PSM2837	110
PSM2852	110
PSM3032	110
PSM3052	110
PSM3252	110
PSM3552	110
PSM3852	110
PSM3857	110
PSM4052	110
PST0511	127
PST0516	127

N. ART.	PAG.
PST0611	127
PST0616	127
PST0621	127
PST0811	127
PST0816	127
PST0821	127
PST0825	127
PST0831	127
PST1011	127
PST1016	127
PST1021	127
PST1025	127
PST1031	127
PST1045	127
PST1216	127
PST1225	127
PST1231	127
PST1245	127
PST1416	127
PST1421	127
PST1431	127
PST1445	127
PST1621	127
PST1631	127
PST1645	127
PST1825	127
PST1845	127
PST2025	127
PST2045	127
PST2225	127
PST2425	127
SIL01	56
SIL02	56
SIL03	56
SIL04	56
SIL05	56
SIL06	56
SIL07	56
SIL10	56

N. ART.	PAG.
SIL11	56
SIL12	56
SIL14	56
SIL15	56
SIL16	59
SIL18	59
SILAC01	58
SILAC02	58
SILAC03	58
SILAC04	58
SILAC05	58
SILAC10	59
SILAC12	58
SILAC13	58
SILAC14	58
SILAC15	58
SILAC16	58
SILAC17	58
SILBE01	63
SILBN01	60
SILMP01	60
SILMP02	60
SILMP03	60
SILMP04	60
SILN01	57
SILN02	57
SILN03	57
SILN04	57
SILN05	57
SILN06	57
SILN07	57
SILN08	57
SILN09	57
SILN12	57
SILN13	57
SILN14	57
SILN16	56
SILN19	57
SILN20	57

N. ART.	PAG.
SILN21	57
SILN22	57
SILN24	57
SILN30	57
SILPU03	61
SILPU04	60
SILRF01	59
SSML3	110
SSMP4	110
SSMS3	110
SSMT4	110
TCD0430-BC	108
TCD0440-BC	108
TCD0530-BC	108
TCD0540-BC	108
TCD0630-BC	108
TCD0645-BC	108
TCD0830-BC	108
TCD0855-BC	108
TCD1030-BC	108
TCD1060-BC	108
TCD1240-BC	108
TCHI14	119
TCHI18	119
TCHI22	119
TCHI27	119
TCK0435-BC	108
TCK0540-BC	108
TCK0645-BC	108
TCK0845-BC	108
TCK1045-BC	108
TCR0430-BC	108
TCR0530-BC	108
TCR0630-BC	108
TCR0830-BC	108
TCR1035-BC	108
TFAT01	116
TFAT02	116
TFAT03	116

N. ART.	PAG.
TFAT04	116
TFAT05	116
TFAT06	116
TFAT07	116
TFAT08	116
TFAT09	116
TFAT10	116
TGBM06	32
TGBM08	32
TGBM10	32
TGBM12	32
TGBMB06	32
TGBMB08	32
TGBMB10	32
TGBMB12	32
TGBMC06	32
TGBMC08	32
TGBMC10	32
TGBMC12	32
TGBMG06	32
TGBMG08	32
TGBMG10	32
TGBMG12	32
TGBMV06	32
TGBMV08	32
TGBMV10	32
TGBMV12	32
TGE12	74
TGP10	74
TGP11	74
TIP1	18
TIP3	18
TK20	22
TK21	22
TK22	22
TK23	22
TK24	22
TK25	22
TK30	24

N. ART.	PAG.
TK40	117
TK50	119
TK51	35
TK52	35
TK53	35
TK54	35
TK55	35
TM06	33
TM08	33
TM10	33
TM12	33
TMH06	34
TMH08	34
TMH10	34
TMH12	34
TMH16	34
TMHV06	34
TMHV08	34
TMHV10	34
TMHV12	34
TMHV16	34
TMV06	33
TMV08	33
TMV10	33
TMV1011	33
TMV1013	33
TMV1085	33
TMV12	33
TMV1210	33
TMV1211	33
TMV1213	33
TMV670	33
TMV685	33
TMV875	33
TMV890	33
TMVD06	33
TMVD08	33
TMVD10	33
TNTR06	31

N. ART.	PAG.
TNTR08	31
TNTR10	31
TNTR12	31 73
TNTRB06	31
TNTRB08	31
TNTRB10	31
TNTRB12	31
TNTRC06	31
TNTRC08	31
TNTRC10	31
TNTRC12	31
TNTRG06	31
TNTRG08	31
TNTRG10	31
TNTRG12	31
TNTRI06	32
TNTRI08	32
TNTRI10	32
TNTRI12	32
TNTRV06	31
TNTRV08	31
TNTRV10	31
TNTRV12	31
TNTRVD12	31
TNTRVI06	32
TNTRVI08	32
TNTRVI10	32
TNTRVI12	32
TOC1212	74
TOC121450	74
TOC1216	74
TOC121650	74
TOC1219	74
TOC122050	74
TOC1223	74
TOC122550	74
TOC1230	74
TOC123050	74
TOC1235	74

N. ART.	PAG.
TOC1290	74
TOC5021	72
TOC5027	72
TOCF502118	73
TOCF502718	73
TOCF503318	73
TOCPRO1	79
TOCPRO11	79
TOCPRO13	79
TOCPRO2	79
TOCPRO21	79
TOCPRO23	79
TR01	30
TR02	30
TR03	30
TR04	30
TR05	30
TRR16	72
TRR18	73
TRV01	30
TRV02	30
TRV03	30
TRV04	30
TRV05	30
TTB06	35
TTB08	35
TTB10	35
TTB12	35
TTB16	35
TTBI06	35
TTBI08	35
TTBI10	35
TTBI12	35
TTBI16	35
TTBL06	35
TTBL08	35
TTBL10	35
TTBL11	35
TTBL12	35

N. ART.	PAG.
TTBL16	35
TTO04	26
TTO05	26
TTO06	26
TTO08	26
TTO10	26
TTO12	26
TTS01	38
TTS02	38
TTS05	38
TTS06	38
TTS08	38
TTS09	38
TTS095	38
TTS10	38
TTS1017	38
TTS12	38
TTS120	38
TTS121	38
TTS122	38
TTS1270	38
TTS14	38
TTS1620	38
TTS1690	38
TTS17	38
TTS18	38
TTS19	38
TTS20	38
TTS2022	38
TTS24	38
TTS2418	38
TTS2426	38
TTS25	38
TTS26	38
TTS27	38
TTS28	38
TTS29	38
TTS30	38
TTS31	38

N. ART.	PAG.
TTS660	22
TTS93	38
TTS94	38
TTS95	38
TTS96	38
TTS97	38
TTS98	38
TTS99	38
TTSK05	36
TTSK06	36
TTSK081	36
TTSK082	36
TTSK09	36
TTSK10	36
TTSK11	36
TTSK12	36
TTSK120	36
TTSK13	36
TTSK135	36
TTSK17	36
TTSK170	36
TTSK18	36
TTSK19	36
TTSK190	36
TTSK20	36
TTSK23	36
TTSKHDG01	37
TTSKHDG02	37
TTSKHDG03	37
TTSKHDG04	37
TTSKHDG05	37
TTSKHDG06	37
TTSKHDG07	37
TTSKHDG08	37
TTSKHDG09	37
TTSKHDG10	37
TVAS01	13
TVAS02	13
TVAS03	13

N. ART.	PAG.
TVAS04	13
TVAS05	13
TVC25	84
TVC35	84
TVC4270	84
TVC45	84
TVC4890	84
TVC55	84
TVF25	84
TVF35	84
TVF4270	84
TVF45	84
TVGC07	19
TVGC08	19
TVGC10	19
TVGC11	19
TVGC12	19
TVGC13	19
TVGC14	19
TVGC15	19
TVGC16	19
TVGC17	19
TVGC18	19
TVGC19	19
TVGC21	19
TVGS17	19
TVGS18	19
TVGS20	19
TVGS21	19
TVGS22	19
TVGS23	19
TVGS24	19
TVGS25	19
TVGS28	19
TVL42	80
TVL4216	80
TVL4219	80
TVL4225	80

N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.	N. ART.	PAG.

ED. 09 - 2015

Think Fixing

G&B Fissaggi s.r.l. **Italia**
Corso Savona, 22 - 10029 Villastellone (TO)
Tel. +39 011.961.94.33 - Fax +39 011.961.93.82
www.gebfissaggi.com
info@gebfissaggi.com

G&B Fissaggi UK
uksales@gebfissaggi.com

G&B Fissaggi Vertretung Deutschland
johnengebfissaggi@gmail.com

G&B Fissaggi Ibérica
gbiberica@gebfissaggi.com

G&B Fissaggi Benelux
info@gebfissaggi.com

G&B Fissaggi UK - Tel. 0114 242 0074